



国内版

国际版

Usefulness of the patch repair portal vein using the hepatic ligamentum tere:



All

Images

Videos

翻译成中文

关闭取词

5 Results

Any time ▾

## General Surgery Coding | Whipple Procedure Billing ...

[www.supercoder.com](http://www.supercoder.com) › [Ask An Expert](#) › [General Surgery Coding](#) ▾

May 30, 2012 · 1.Pylorus-preserving pancreaticoduodenectomy (Whipple procedure) 2.Myofascial abdominal wall flap (falciform pedicle flap). 3. Major vascular reconstruction (superior mesenteric vein). ... Excision of right hepatic lobe mass (wedge resection of the liver) ... you will report a Whipple using one of four codes, depending on the procedure's ...

## Control of Bleeding from the Portal/Superior Mesenteric Vein

<https://vdocuments.mx/control-of-bleeding-from-the-portalsuperior...> ▾

Kim and co-workers (2006) demonstrated, using computedtomography, that the first jejunal branch was found anteriorto the SMA in 19% of patients, a variant which provides easierexposure of the vein. In 83% of patients, the tributaries of thefirst jejunal branch coursed to the patients left side; however,

## Management of Intraoperative Complications - PDF Free ...

<https://epdf.tips/management-of-intraoperative-complications.html> ▾

8 downloads 99 Views 9MB Size Report. DOWNLOAD PDF. Operative Techniques in General Surgery Vol 9, No 4, December 2007 ... Control of Bleeding from the Portal/Superior Mesenteric Vein Joshua S. Hill, Sridhar Shankar, Douglas B. Evans, and Jennifer F. Tseng ... using practiced motions and following a game plan thought out well in advance of the ...

## www.science.gov

<https://www.science.gov/topicpages/e/endoscopic+perforator+vein.html> ▾

Jul 01, 2018 · Clinical outcomes and changes in venous hemodynamics after subfascial endoscopic perforating vein surgery. PubMed. Ting, A C W; Cheng, S W K; Ho, P; Wu, L L H; Cheung, G C Y. 2003

## Estenosis Biliares Benignas - es scribd.com

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 48012

**Manuscript Type:** CASE REPORT

**Usefulness of the patch repair portal vein using the hepatic ligamentum teres  
for laparoscopic pancreaticoduodenectomy: A case report**

Wei Q *et al.* Usefulness of the patch repair portal vein for laparoscopic  
pancreaticoduodenectomy

Qiang Wei, Qiang-Pu Chen, Qing-Hai Guan, Wen-Tao Zhu

**Abstract**

**BACKGROUND**

#### Match Overview

1	<b>Internet</b> 24 words crawled on 06-Aug-2018 <a href="http://atm.amegroups.com">atm.amegroups.com</a>	1%
2	<b>Crossref</b> 16 words Yunqiang Cai, Pan Gao, Yongbin Li, Xin Wang, Bing Peng. "Laparoscopic pancreaticoduodenectomy with major veni...."	1%

[国内版](#)[国际版](#)

Usefulness of the patch repair portal vein using the hepatic ligamentum teres for l

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)

28,700 Results

Any time ▼

### Laparoscopic pancreaticoduodenectomy with major venous ...

[https://www.researchgate.net/publication/326519358\\_Laparoscopic\\_pancreaticoduodenecto...](https://www.researchgate.net/publication/326519358_Laparoscopic_pancreaticoduodenecto...)

Methods: We reviewed the outcomes of eleven patients who underwent venous wedge resection and **patch repair using** the reperfused umbilical **vein** of the round ligament at our institution.

### Laparoscopic pancreaticoduodenectomy with major venous ...

[atm.amegroups.com/article/view/19609/html](http://atm.amegroups.com/article/view/19609/html) ▼

Abstract: It is technical challenging to perform **laparoscopic** pancreaticoduodenectomy (LPD) with major venous resection. Herein, we reported the first **case** of LPD with major venous resection and reconstruction with repassed round ligament. Between November 2015 and January 2018, a total of 35 LPD with major venous resection were performed in our department; however, only one patient ...

**Author:** Yunqiang Cai, Yongbin Li, Pan Gao, ... **Publish Year:** 2018

### Laparoscopic left lateral sectionectomy for a patient with ...

[https://www.researchgate.net/publication/331797081\\_Laparoscopic\\_left\\_lateral...](https://www.researchgate.net/publication/331797081_Laparoscopic_left_lateral...)

**Right-sided ligamentum teres (RSLT) hepatitis** is a rare anatomical variant in which the **fetal umbilical vein** is connected to the right **paramedian trunk** of the **portal vein**.

### Safe Answers Section 6 - Biliary Surgery Flashcards | Quizlet

<https://quizlet.com/9947736/safe-answers-section-6-biliary-surgery-flash-cards> ▼

Start studying Safe Answers Section 6 - Biliary Surgery. Learn vocabulary, terms, and more with flashcards, games, and other study tools. ... Rare that you have to **use** a small saphenous **vein patch**. ... the dissection between the cyst and the **portal vein** can be tedious and difficult. In this **case**, it may be safer to do what?

### Hepatic artery reinforcement after post pancreatectomy ...

[gs.amegroups.com/article/view/9707/11656](http://gs.amegroups.com/article/view/9707/11656) ▼

**Hepatic** artery reinforcement after post pancreatectomy haemorrhage caused by pancreatitis ... A peritoneal **patch** was placed around **hepatic** artery to reinforce damaged arterial wall. ... The **use** of a peritoneal **patch** during pancreatic surgery has first been described to replace a portion of **portal vein** after venous resection with the peritoneal ...

**Cited by:** 1

**Author:** Aude Merdrignac, Damien Bergeat, Giov...

**Publish Year:** 2016

[国内版](#)[国际版](#)

Usefulness of the patch repair portal vein using the hepatic ligamentum teres for l

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[开启取词](#)

28,700 Results

Any time ▾

### Laparoscopic pancreaticoduodenectomy with major venous ...

[atm.amegroups.com/article/view/19609/html](http://atm.amegroups.com/article/view/19609/html) ▾

Abstract: It is technical challenging to perform laparoscopic pancreaticoduodenectomy (LPD) with major venous resection. Herein, we reported the first case of LPD with major venous resection and reconstruction with repassed round ligament. Between November 2015 and January 2018, a total of 35 LPD with major venous resection were performed in our department; however, only one patient ...

Author: Yunqiang Cai, Yongbin Li, Pan Gao, X... Publish Year: 2018

### Laparoscopic pancreaticoduodenectomy with major venous ...

[https://www.researchgate.net/publication/326519358\\_Laparoscopic\\_pancreaticoduodenecto...](https://www.researchgate.net/publication/326519358_Laparoscopic_pancreaticoduodenecto...)

Methods: We reviewed the outcomes of eleven patients who underwent venous wedge resection and patch repair using the repermeabilized umbilical vein of the round ligament at our institution.

### Pancreaticoduodenectomy with Reconstruction of the ...

[https://www.researchgate.net/publication/279863558\\_Pancreaticoduodenectomy\\_with...](https://www.researchgate.net/publication/279863558_Pancreaticoduodenectomy_with...)

In this study, we report a simple patch repair technique for venous reconstruction using the repermeabilized umbilical vein of the round ligament. Methods: We reviewed the outcomes of eleven ...

### Hepatic artery reinforcement after post pancreatectomy ...

[gs.amegroups.com/article/view/9707/11656](http://gs.amegroups.com/article/view/9707/11656) ▾

Hepatic artery reinforcement after post pancreatectomy haemorrhage caused by pancreatitis ... A peritoneal patch was placed around hepatic artery to reinforce damaged arterial wall. ... The use of a peritoneal patch during pancreatic surgery has first been described to replace a portion of portal vein after venous resection with the peritoneal ...

Cited by: 1 Author: Aude Merdrignac, Damien Bergeat, Giov...

Publish Year: 2016

### Pancreatoduodenectomy with or without prophylactic ...

<https://trialsjournal.biomedcentral.com/articles/10.1186/s13063-018-2580-0> ▾

Apr 12, 2018 · The intervention group consists of 200 patients with a prophylactic wrapping of the GDA stump using the pedicled falciform ligament. The control group consists of 200 patients without the wrap. The primary endpoint is the rate of postoperative erosion hemorrhage of the GDA stump or hepatic artery within 3 months.

Cited by: 1 Author: Benjamin Müssle, Leonie Zühlke, Ann Wi...

Publish Year: 2018

### Falciform ligament flap for the protection of the ...

<https://www.sciencedirect.com/science/article/pii/S1878788615001356>

Falciform ligament has been used in several abdominal operations including repair of hepatic injury , perforated duodenal ulcer , hiatal herniorrhaphy , to reduce the leak rate after distal pancreatectomy , for protection of divided and skeletonized vessels after distal pancreatectomy , and