

国内版

国际版

Left colonic metastasis from primary hepatocellular carcinoma : a rare even



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？ 搜英文结果更丰富更准确



8,710 条结果 时间不限

Hepatocellular carcinoma with colonic metastasis [翻译此页](#)

Cited by: 1 Author: Tzu-Ming Ou, Wen-Chiuan Tsai, Tsai-Yuan...
Publish Year: 2014 位置: 8600 Rockville Pike, Bethesda, MD

2017-1-2 · **Hepatocellular carcinoma** with **colonic metastasis** is **rare**. It mainly occurs by direct invasion and presents with bloody stools. We describe a patient with haematogenous **metastasis** to the rectum who presented with tenesmus. To our knowledge, such ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4294065>

Primary Colonic -Type Adenocarcinoma of the Base of ... [翻译此页](#)

Cited by: 22 Author: Diana Bell, Michael Elliot Kupferman, Mich...
Publish Year: 2009 位置: 8600 Rockville Pike, Bethesda, MD

2017-1-17 · **Primary** lingual adenocarcinomas are **rare** and typically of salivary or seromucinous glands origin. Similarly, metastatic adenocarcinoma from distant **primary** sites to the tongue is an uncommon **event**, with only three cases from a **colonic primary** site reported. We present, for the first time, two ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3296116>

Hepatocellular carcinoma with colonic metastasis | ... [翻译此页](#)

Hepatocellular carcinoma with **colonic metastasis** is **rare**. It mainly occurs by direct invasion and presents with bloody stools. We describe a patient with haematogenous **metastasis** to the rectum who ...

https://www.researchgate.net/publication/293238207_Hepatocellular...

Hepatocellular carcinoma to renal cell carcinoma ...

2017-1-14 · renal cell **carcinoma** and clear cell **hepatocellular carcinoma** mimicking metastatic disease. Path Res Pract 2010;206:342-345. ing in RCC.6,7 AFP is not specific and can be negative in HCC.6 In

conclusion, tumortottumor **metastasis** is an infrequent, but not a **rare event**. HCCtotRCC metastt tasis is

Name of Journal: *World Journal of Clinical Cases*

Manuscript No: 48319

Manuscript type: CASE REPORT

Left colonic metastasis from primary hepatocellular carcinoma: A case report

Tagliabue F *et al.* Colonic metastasis from hepatocellular carcinoma

Abstract

BACKGROUND

Hepatocellular carcinoma (HCC) accounts for 5,6% of all human cancers. Considering the extrahepatic metastasis, the main organs involved are lymphnodes, lung, bone and adrenal gland. Usually colon metastasis is very rare, especially on the left sided colon.

CASE SUMMARY

Match Overview

1	Internet 57 words crawled on 27-May-2019 pt.scribd.com	4%
2	Crossref 30 words MITSUTERU NATSUIZAKA. "Clinical features of hepatocellular carcinoma with extrahepatic metastases", <i>Journal of G</i>	2%
3	Crossref 22 words Bharadwaj, Mausumi, Gaurav Roy, Koushik Dutta, Mohammad Misbah, Mohammad Husain, and Showket Hussain. "T	2%
4	Crossref 18 words Mi-Suk Park. "Radiologic Findings of Gastrointestinal Tract Involvement in Hepatocellular Carcinoma", <i>Journal of Com</i>	1%
5	Internet 18 words crawled on 02-Dec-2018 www.karger.com	1%
6	Crossref 17 words Joon Seong Park. "What is the best treatment modality for adrenal metastasis from hepatocellular carcinoma?", <i>Journal</i>	1%



Hepatocellular carcinoma with colonic metastasis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4294065>

INTRODUCTION. **Hepatocellular carcinoma** (HCC) is one of the most common malignant tumours in the world. More than 500,000 people are diagnosed with HCC each year, and the disease is responsible for 250,000 deaths annually.() Extrahepatic **metastasis** to the **colon** is rare and usually presents with bloody stools. In this study, we **report** the **case** of a patient with HCC who was previously known to ...

Cited by: 1 **Author:** Tzu-Ming Ou, Wen-Chiuan Tsai, Tsai-Yu...
Publish Year: 2014

Pulmonary metastases from primary hepatocellular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2769276>

Aug 10, 2009 - **Hepatocellular carcinoma** is a **primary** tumor of the liver, which usually develops in the setting of chronic liver disease, particularly viral hepatitis. The diagnosis of **hepatocellular carcinoma** can be difficult, and often requires the use of serum markers, one or more imaging modalities, and histological confirmation.

Cited by: 1 **Author:** Carla Assed, Edson Marchiori, Gláucia Z...
Publish Year: 2009

Combined Treatment for Lung Metastasis from ...

<https://www.sciencedirect.com/science/article/pii/S1550830717303233>

Introduction. **Primary** liver **cancer** is a major cause of **cancer** deaths worldwide. 1 The incidence of liver **cancer** is especially high in Eastern Asia. 2 Most **primary** liver cancers are **hepatocellular** carcinomas (HCCs), which have a poor prognosis, due to their high recurrence and **metastasis** rates. 3 About 34.5 % of patients with HCC experience pulmonary **metastases**, as HCCs most frequently ...

Cited by: 1 **Author:** Hee-jae Jang, Sang-A Lee, Sin Seong, ...
Publish Year: 2018

A Case Report on the Right Cervical Lymph Node Metastasis ...

<https://www.omicsonline.org/open-access/a-case-report-on-the-right-cervical-lymph-node...>

Liu T, Gao JF, Yi YX, Ding H, Liu W (2013) Misdiagnosis of **left** supraclavicular lymph node **metastasis** of **hepatocellular carcinoma**: **A case report**. World J Gastroenterol 19: 960-963.

Hepatocellular carcinoma

Medical Condition

The most common form of liver cancer often seen in people with chronic liver diseases like cirrhosis.

- Rare (Fewer than 200,000 cases per year in US)
- May be preventable by vaccine
- Diagnosis often requires lab test or imaging
- Treatment from medical professional advised
- Can last several months or years

Caused mainly due to the chronic infection of the liver or DNA mutation of the liver cells. Characterized by unexplained weight loss, upper abdominal pain and yellowing of the skin. Treatment options include hepatectomy, target drug delivery and use of radiation to kill the cancerous cells.

Symptoms

The early stages of the disease do not present any symptoms but in the later stages the symptoms which are noted are as follows:



国内版 国际版

Left colonic metastasis from primary hepatocellular carcinoma: A case report



All Images Videos

翻译成中文 开启取词

90,200 Results Any time ▾

Sigmoid colon metastasis from hepatocellular carcinoma

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3304608>

Dec 31, 2010 · To date, the previously reported colonic metastases were located to the right side of the colon. Herein, to the best of our knowledge, we report the first case of solitary left-sided sigmoid colonic metastasis from HCC treated with surgical resection.

Cited by: 5 Author: Dong Jun Yoo, Young Hwa Chung, Yoon ...

Publish Year: 2010

Hepatocellular carcinoma with colonic metastasis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4294065>

INTRODUCTION. Hepatocellular carcinoma (HCC) is one of the most common malignant tumours in the world. More than 500,000 people are diagnosed with HCC each year, and the disease is responsible for 250,000 deaths annually.() Extrahepatic metastasis to the colon is rare and usually presents with bloody stools. In this study, we report the case of a patient with HCC who was previously known to ...

Cited by: 1 Author: Tzu-Ming Ou, Wen-Chiuan Tsai, Tsai-Yua...

Publish Year: 2014

Pulmonary metastases from primary hepatocellular ...

<https://casesjournal.biomedcentral.com/articles/10.4076/1757-1626-2-6256>

Aug 10, 2009 · Hepatocellular carcinoma is a primary tumor of the liver, which usually develops in the setting of chronic liver disease, particularly viral hepatitis. The diagnosis of hepatocellular carcinoma can be difficult, and often requires the use of serum markers, one or more imaging modalities, and histological confirmation. The authors describe a case of a 26-year-old woman with hepatocellular ...

Cited by: 1 Author: Carla Assed, Edson Marchiori, Gláucia Z...

Publish Year: 2009

[PDF] A Case of Hemorrhagic Gastric Metastasis from ...

https://www.jstage.jst.go.jp/article/internalmedicine/advpub/0/advpub_2172-18/_pdf/...

【CASE REPORT】 A Case of Hemorrhagic Gastric Metastasis from Hepatocellular Carcinoma Successfully Treated Using Coil Embolization of the Left Gastric Artery Michitakalmai 1, Torulshikawa 1, Marina Okoshi, Kei Tomiyoshi, Yuichi Kojima 1, Ryoko Horigome 1, Yujiro Nozawa, Tomoe Sano 1, Akitolwanaga 1, Terasu Honma,

Resection of colonic metastasis of hepatocellular ...

https://www.researchgate.net/publication/319255880_Resection_of_colonic_metastasis_of...

We report a rare case of colonic metastasis of hepatocellular carcinoma associated with rapid growth. A 75-year-old man underwent laparoscopic partial resection of segment three of the liver for ...

Hepatocellular carcinoma with colonic metastasis - Europe ...

europepmc.org/articles/PMC4294065

Jun 01, 2014 · INTRODUCTION. Hepatocellular carcinoma (HCC) is one of the most common