



国内版 国际版

Spontaneous superior mesenteric artery dissection following upper gastrointestin



涵



All

Images

Videos

翻译成中文

关闭取词

27,300 Results

Any time ▾

Spontaneous Isolated Superior Mesenteric Artery Dissection ...

<https://www.sciencedirect.com/science/article/pii/S089050960900048X>

Spontaneous Isolated Superior Mesenteric Artery Dissection: A Case Report and Literature Review with Management Algorithm. ... H.P. Wang, K.L. Liu **isolated superior mesenteric artery dissection** in a patient without risk factors or aortic **dissection**. Am J Emerg Med, 24 (2006), pp. 385-387.

Cited by: 77

Author: Gokulakrishna Subhas, Aditya Gupta, M...

Publish Year: 2009

Isolated Superior Mesenteric Artery Dissection: A Case ...

https://www.researchgate.net/publication/328010839_Isolated_Superior_Mesenteric_Artery...

Spontaneous isolated celiac or **superior mesenteric artery** (SMA) **dissection** (SICMAD) is a rare clinical entity. Not much is known about the natural history and appropriate treatment.

Spontaneous dissection of the superior mesenteric artery ...

[https://www.jvascsurg.org/article/0741-5214\(85\)90046-1/fulltext](https://www.jvascsurg.org/article/0741-5214(85)90046-1/fulltext)

Oral cholecystogram, intravenous pyelogram, **upper gastrointestinal** series, barium enema, liver-spleen scan, abdominal ultrasound examination, and abdominal CT scan all were normal. **Spontaneous dissection** of a **mesenteric artery** can present in two ways—intra-abdominal hemorrhage or bowel ischemia. ... **Report** of two cases and **review** of the ...

Cited by: 112

Author: William C. Krupski, David J. Effeney, Willi...

Publish Year: 1985

Spontaneous dissection of the superior mesenteric artery ...

<https://www.sciencedirect.com/science/article/pii/0741521485900461>

Spontaneous dissection of a **mesenteric artery** can present in two ways—intra-abdominal hemorrhage or bowel ischemia. **Spontaneous** intra-abdominal bleeding has been called abdominal apoplexy, a term coined by Green and Powers 20 in 1931, and the diagnosis is most commonly made at emergency operation or postmortem examination.

Cited by: 112

Author: William C. Krupski, David J. Effeney, Willi...

Publish Year: 1985

Management of isolated superior mesenteric artery dissection

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4258589>

2

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 48387

Manuscript Type: CASE REPORT

Spontaneous superior mesenteric artery dissection following upper gastrointestinal panendoscopy: A case report and literature review

Ou Yang CM *et al.* Artery dissection following panendoscopy

Abstract

BACKGROUND

Complications associated with upper gastrointestinal (UGI) endoscopy is uncommon, and rarely involves those of cardiovascular nature. We report herein a unique case of spontaneous superior mesenteric artery dissection

Match Overview

1	Crossref 61 words Cho, B.S.. "Treatment Guidelines for Isolated Dissection of the Superior Mesenteric Artery Based on Follow-up CT Findin ...	3%
2	Internet 34 words crawled on 29-Apr-2019 f6publishing.blob.core.windows.net	2%
3	Crossref 28 words Hitoshi Funahashi, Naoya Shinagawa, Takaaki Saitoh, Yoshihi de Takeda, Akihiko Iwai. "Conservative treatment for isolate...	1%
4	Internet 19 words crawled on 17-May-2016 www.tri-anim.com	1%
5	Crossref 16 words Tamir Ben-Menachem, G. Anton Decker, Dayna S. Early, Je ... y Evans et al. "Adverse events of upper GI endoscopy", <i>Gastr</i>	1%
6	Crossref 13 words Sang-Il Min, Kyung-Chul Yoon, Seung-Kee Min, Sang Hyun A hn, Hwan Joon Jae, Jin Wook Chung, Jongwon Ha, Sang Joo	1%
7	Internet 13 words crawled on 27-Jul-2019 www.wjgnet.com	1%
8	Crossref 12 words Eun-Hye Lim, Sung Woo Jung, Seung Hwa Lee, Bo Sung Kw on et al. "Endovascular Management for Isolated Spontaneou	1%

[全部](#)
[图片](#)
[新闻](#)
[视频](#)
[购物](#)
[更多](#)
[设置](#)
[工具](#)

找到约 2,480 条结果 (用时 0.45 秒)

您是不是要找: [Spontaneous superior mesenteric artery dissection following upper gastrointestinal *panendoscopy*: A case report](#)

[Isolated Superior Mesenteric Artery Dissection: A Case Report and ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6188040/> [▼ 翻译此页](#)

作者: H Daoud - 2018 - [相关文章](#)

2018年10月1日 - We **report** the **case** of a 58-year-old male presenting with abdominal pain: ... or left **upper** quadrant regions, and rarely, an audible epigastric bruit can be appreciated [5]. ... to chronic **intestinal** ischemia have also been reported **after** surgical **Spontaneous superior mesenteric artery** (SMA) **dissection**: an ...

缺少字词: [panendos-](#) [copy:](#)

[Three Case Report of Spontaneous Isolated Dissection of the Superior ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4485049/> [▼ 翻译此页](#)

作者: B Takahashi - 2015 - [被引用次数: 10](#) - [相关文章](#)

Spontaneous isolated **dissection** of the **superior mesenteric artery** (SID-SMA) is a ... We **report** three **cases** of SID-SMA that were managed with conservative, ... 20 and was asymptomatic for 1 year **after** surgery with no disease progression.

缺少字词: [upper gastrointestinal panendos-](#) [copy:](#)

[Spontaneous isolated superior mesenteric artery dissection-Report of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3303333/> [▼ 翻译此页](#)

作者: KG Srinivasan - 2009 - [被引用次数: 5](#) - [相关文章](#)

Two **cases** of isolated **superior mesenteric artery dissection** diagnosed by contrast ... 80 ml of Iohexol was injected intravenously **followed** by 30 ml of normal frequent type of **digestive artery dissection**, with those of the hepatic, splenic, left ...

缺少字词: [upper panendos-](#) [copy:](#)

[\[PDF\] A diagnostic dilemma: acute abdomen presenting ... - Semantic Scholar](#)

<https://pdfs.semanticscholar.org/.../6624957dae3e439f2ac2d2aad0affe69650...> [▼ 翻译此页](#)

作者: CY Liao - [被引用次数: 1](#) - [相关文章](#)

2015年7月10日 - **CASE REPORT** ... The patient had developed episodes of melena **following** progressive ... described by Slavin in 1976, which is characterized by **dissect-** ... liac **artery** and **superior mesenteric artery**, exhibiting a skip ... from **panendoscopy** of the **upper gastrointestinal** tract could **Spontaneous** intrahe-

[\(PDF\) A diagnostic dilemma: Acute abdomen presenting as segmental ...](#)

https://www.researchgate.net/.../279987827_A_diagnostic_dilemma_Acute_... [▼ 翻译此页](#)

2019年2月27日 - The patient had developed episodes of melena **following** progressive abdominal muscular guarding and ... described by Slavin in 1976, which is characterized by **dissect-** ... from **panendoscopy** of the **upper gastrointestinal** tract could **inferior mesenteric artery: report of a case.** ... **Spontaneous** intrahe-

[Angioplasty/Stenting of the Superior Mesenteric Artery and Celiac ...](#)

https://www.researchgate.net/.../8918872_AngioplastyStenting_of_the_Supe... [▼ 翻译此页](#)

Celiac artery stenting could be an alternative option in such a case. ... treatment of chronic mesenteric ischemia in an adolescent male: **Case report** ... Duplex ultrasound criteria for in-stent restenosis **of mesenteric** arteries **Intestinal** ischemia for patients with **spontaneous** isolated **superior mesenteric artery dissection**.