

国内版

国际版



Diabetes empowerment scores among type 2 diabetes mellitus patients and its co



All

Images

Videos

翻译成中文

关闭取词

4,580 Results

Any time ▾

## Predictors of Diabetes Self-Management among Type 2 ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › [J Diabetes Res](#) › v.2016; 2016

Aug 03, 2016 · This cross-sectional **study** was conducted **among** samples from four randomly selected **diabetes** clinics in Sarawak, **Malaysia**. The aim was to determine the predictors for DSM. Face-to-face interview using questionnaire was used to collect data. Four hundred respondents with **type 2 diabetes mellitus** (T2DM) were recruited.

Cited by: 5

Author: Azylina Gunggu, Chang Ching Thon, Che...

Publish Year: 2016

## Cross-sectional study of patients with type 2 diabetes in ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › Journal List › [BMJ Open](#) › v.6(7); 2016

Jul 29, 2016 · Cross-sectional **study** of **patients** with **type 2 diabetes** in OR Tambo district, South Africa ... . 7 About 2 million people are living with **diabetes mellitus** (DM) in South Africa alone. 1 It is, however, ... Daramola et al 26 reported a prevalence of 71% in a **primary** healthcare **setting** in Western Cape, though in a different province and periurban ...

Cited by: 5

Author: Oladele Vincent Adeniyi, Parimalaranie Y...

Publish Year: 2016

## Patient-Centered Care, Diabetes Empowerment, and Type 2 ...

[clinical.diabetesjournals.org/content/35/5/281](http://clinical.diabetesjournals.org/content/35/5/281) ▾

Dec 01, 2017 · Abstract. IN BRIEF **Type 2 diabetes** has been labeled an epidemic in many American Indian communities. Thus, identifying **factors** that improve medication adherence for American Indian **patients** is crucial. We found significant and positive relationships **among** patient-centered **care**,



**Name of Journal:** *World Journal of Diabetes*

**Manuscript NO:** 48461

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**Diabetes empowerment scores among type 2 diabetes mellitus patients and its correlated factors: A cross-sectional study in a primary care setting in Malaysia**

Thew Hui Zhu, Ching Siew Mooi, Nurainul Hana Shamsuddin

**Abstract**

**Background:** There is a limited study on diabetes empowerment among type 2

### Match Overview

1	Internet 60 words crawled on 10-Jul-2017 <a href="http://bmccomplementaltermmed.biomedcentral.com">bmccomplementaltermmed.biomedcentral.com</a>	2%
2	Internet 35 words crawled on 10-Sep-2018 <a href="http://jpma.org.pk">jpma.org.pk</a>	1%
3	Internet 35 words crawled on 28-Apr-2016 <a href="http://jdmdonline.biomedcentral.com">jdmdonline.biomedcentral.com</a>	1%
4	Internet 30 words crawled on 11-Dec-2016 <a href="http://www.jpmp.org">www.jpmp.org</a>	1%
5	Internet 29 words crawled on 23-Feb-2018 <a href="http://www.who.int">www.who.int</a>	1%
6	Internet 22 words crawled on 11-Mar-2019 <a href="http://journals.sagepub.com">journals.sagepub.com</a>	1%
7	Internet 17 words crawled on 24-Sep-2013 <a href="http://mjpsychiatry.org">mjpsychiatry.org</a>	1%
8	Internet 17 words crawled on 11-Jan-2017 <a href="http://www.questia.com">www.questia.com</a>	1%





国内版

国际版

Diabetes empowerment scores among type 2 diabetes mellitus patients and its cc



All

Images

Videos

翻译成中文

关闭取词

5,360 Results

Any time ▾

## Predictors of Diabetes Self-Management among Type 2 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4987486>

Aug 03, 2016 · This cross-sectional **study** was conducted **among** samples from four randomly selected **diabetes** clinics in Sarawak, **Malaysia**. The aim was to determine the predictors for DSM. Face-to-face interview using questionnaire was used to collect data. Four hundred respondents with **type 2 diabetes mellitus** (T2DM) were recruited.

**Cited by:** 5

**Author:** Azylina Gunggu, Chang Ching Thon, Chea...

**Publish Year:** 2016

## Cross-sectional study of patients with type 2 diabetes in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4986079>

Cross-sectional **study** of **patients** with **type 2 diabetes** in OR Tambo district, South Africa ... . 7 About 2 million people are living with **diabetes mellitus** (DM) in South Africa alone. 1 It is, however, ... Daramola et al 26 reported a prevalence of 71% in a **primary** healthcare **setting** in Western Cape, though in a different province and periurban ...

**Cited by:** 5

**Author:** Oladele Vincent Adeniyi, Parimalarani Yog...

**Publish Year:** 2016

## Patient-Centered Care, Diabetes Empowerment, and Type 2 ...

[clinical.diabetesjournals.org/content/35/5/281](https://clinical.diabetesjournals.org/content/35/5/281) ▾

Dec 01, 2017 · Abstract. IN BRIEF **Type 2 diabetes** has been labeled an epidemic in many American Indian communities. Thus, identifying **factors** that improve medication adherence for American Indian **patients** is crucial. We found significant and positive relationships **among** patient-centered **care**, medication adherence, and **diabetes empowerment**.

**Author:** Nathan L. Ratner, Emily B. Davis, Laur...

**Publish Year:** 2017

## Cross-sectional study of patients with type 2 diabetes in ...

<https://bmjopen.bmj.com/content/6/7/e010875> ▾

Jul 01, 2016 · This **study** examines the sociodemographic and clinical determinants of uncontrolled **type 2 diabetes mellitus** (T2DM) in individuals attending **primary** healthcare in OR Tambo district, South Africa. Design **A** cross-sectional analytical **study**. **Setting** **Primary** healthcare **setting** in OR Tambo district, South Africa.