Immune checkpoint inhibitor-induced diarrhea/colitis: Endoscopic and pathologic



关闭取词

AII

Images

Videos

翻译成中文

27,200 Results

Any time *

Severe **colitis** can lead to severe dehydration or intestinal perforation. Endoscopic lesions and histopathological features of immune checkpoint inhibitor-induced colitis are similar to an inflammatory bowel disease (IBD) flare. Patients with immune checkpoint inhibitor-induced diarrhea and colitis are treated with corticosteroids.

Immune Checkpoint Inhibitor-Induced Colitis: Diagnosis an... www.ncbi.nlm.nih.gov/pubmed/28540478

Is this answer helpful?





Immune Checkpoint Inhibitor-Induced Colitis: Diagnosis and ...

https://www.ncbi.nlm.nih.gov/pubmed/28540478

Severe colitis can lead to severe dehydration or intestinal perforation. Endoscopic lesions and histopathological features of immune checkpoint inhibitor-induced colitis are similar to an inflammatory bowel disease (IBD) flare. Patients with immune checkpoint inhibitor-induced diarrhea and colitis are treated with corticosteroids.

Cited by: 18 Author: Caroline Prieux-Klotz, Marie Dior, Diane D...

Publish Year: 2017

Endoscopic and Histologic Features of Immune Checkpoint ...

https://academic.oup.com/ibdjournal/article/24/8/1695/4989161 •

Apr 27, 2018 Diarrhea and colitis are the second most common immune checkpoint inhibitor (ICPI)induced adverse events. However, a comprehensive characterization of the endoscopic and histologic features of ICPI-induced diarrhea and colitis is lacking.

Cited by: 18 Author: Yinghong Wang, Hamzah Abu-Sbeih, Emil...

Publish Year: 2018 Author: Wang, Yinghong

Immune-checkpoint inhibitor-induced diarrhea and colitic



Immune checkpoint inhibitor-induced diarrhea/colitis: Endoscopic and pathologic



AII

Images

Videos

翻译成中文

关闭取词

27,200 Results

Any time ▼

Severe **colitis** can lead to severe dehydration or intestinal perforation. **Endoscopic** lesions and histopathological features of **immune checkpoint inhibitor-induced colitis** are similar to an inflammatory bowel disease (IBD)

flare. Patients with **immune checkpoint inhibitor-induced diarrhea** and **colitis** are treated with corticosteroids.

Immune Checkpoint Inhibitor-Induced Colitis: Diagnosis an... www.ncbi.nlm.nih.gov/pubmed/28540478

Is this answer helpful? if





Immune Checkpoint Inhibitor-Induced Colitis: Diagnosis and ...

https://www.ncbi.nlm.nih.gov/pubmed/28540478

Severe **colitis** can lead to severe dehydration or intestinal perforation. **Endoscopic** lesions and histopathological features of **immune checkpoint inhibitor-induced colitis** are similar to an inflammatory bowel disease (IBD) flare. Patients with **immune checkpoint inhibitor-induced diarrhea** and **colitis** are treated with corticosteroids.

Cited by: 18 Author: Caroline Prieux-Klotz, Marie Dior, Diane D...

Publish Year: 2017

Endoscopic and Histologic Features of Immune Checkpoint ...

https://academic.oup.com/ibdjournal/article/24/8/1695/4989161 *

Apr 27, 2018 · Diarrhea and colitis are the second most common immune checkpoint inhibitor (ICPI)-induced adverse events. However, a comprehensive characterization of the endoscopic and histologic features of ICPI-induced diarrhea and colitis is lacking.

Cited by: 18 Author: Yinghong Wang, Hamzah Abu-Sbeih, Emil...

Publish Year: 2018 Author: Wang, Yinghong

Immune-checknoint inhibitor-induced diarrhea and colitic

Quotes Excluded

Bibliography Excluded


Name of Journal: World Journal of Gastrointestinal Pathophysiology

Manuscript NO: 48680

Manuscript Type: MINIREVIEWS

Immune checkpoint inhibitor-induced diarrhea/colitis: Endoscopic and pathologic findings

Nishida T et al. Immune checkpoint inhibitor-induced diarrhea/colitis



Immune checkpoint inhibitor-induced diarrhea/colitis: Endoscopic and





〇 전체

🔛 이미지

■ 뉴스 〈

⊘ 쇼핑 ▶ 동영상

: 더보기

설정 도구

검색결과 약 59,100개 (0.54초)

Immune checkpoint inhibitor-induced diarrhea/colitis: Endoscopic and pathologic findings에 대한 학술자료

Immune-checkpoint inhibitor-induced diarrhea and ··· - Wang - 22회 인용

응 https://www.ncbi.nlm.nih.gov > pmc > PMC6397821 ▼ 이 페이지 번역하기

Immune checkpoint inhibitor-induced colitis: A comprehensive review

A Som 저술 - 2019 - 관련 학술자료

2019. 2. 26. - Immune checkpoint inhibitors (ICIs) are monoclonal antibodies that target ...

Endoscopically, it is indistinguishable from inflammatory bowel disease with **Histologic findings** may precede the onset of **diarrhea** or **colitis**.

응 https://www.ncbi.nlm.nih.gov > pmc > PMC5946546 ▼ 이 페이지 번역하기

Immune-checkpoint inhibitor-induced diarrhea and colitis in ... - NCBI

Y Wang 저술 - 2018 - 22회 인용 - 관련 학술자료

Results 링크로 이동 - **Immune checkpoint inhibitor** agent administered by ... **Endoscopic and histological** characterization of our cohort had been ...

 $Abstract \cdot Background \cdot Methods \cdot Discussion$

관련 질문

What is immunotherapy induced colitis?
