



国内版

国际版

Atypical cutaneous lesions in advanced-stage Hodgkin's lymphoma: A case report



All

Images

Videos

翻译成中文

关闭取词

61,400 Results

Any time ▾

Pityriasis rosea-like cutaneous eruption as the presenting ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4619165>

Sep 30, 2015 · Pityriasis rosea-like **cutaneous** eruption as the presenting symptom of **Hodgkin lymphoma**. **Case report** and **review** of the literature. 1Mount **Sinai Medical** Center, Department of Pathology and Laboratory Medicine, Miami Beach, Florida, USA; 2Department of **Dermatology** and **Cutaneous Surgery**, University of Miami Miller School of Medicine, Miami, FL, USA.

Author: Elena Vrotsos, Jacquelyn Dosal, Martin ... **Publish Year:** 2015

[PDF] Atypical presentation of non-Hodgkins lymphoma of the ...

<https://pdfs.semanticscholar.org/3486/f4d01074e3a1e2d103d0ab855c1bca489361.pdf>

mandible: A rare **case report** and literature **review** Soujanya Reddy, N. R. Diwakar Department of **Oral Medicine** and **Radiology**, Bangalore Institute of Dental Sciences and Research Centre, Bengaluru, Karnataka, India Abstract **Non-Hodgkin's lymphoma** (NHL) and HL are neoplasm's originating from cells of the **lymphoid** lineage.

Cutaneous T-Cell Lymphoma with Porokeratosis-Like Lesions ...

edoj.org/eg/vol010/0102/010/01.htm ▾

Cutaneous T-Cell Lymphoma with Porokeratosis-Like **Lesions: A Case Report and Review of Literature** Tawfiq S, Aziz Z, Sultan A, Amer H, Sadek AM. Cairo Hospital for Dermatology, Andrology & STIs (Al-Haud Al-Marsoud)

[PDF] Primary cutaneous hodgkin lymphoma: a revisit and ...

<https://medcraveonline.com/ICPJL/ICPJL-03-00067.pdf>

However, primary **cutaneous** Hodgkin lymphoma (PCHL) is an entity of much debate and worthy of further discussion. We herein **report a case** and present a comprehensive **review** of the **literature**. **Case report** A 58-year-old Hispanic woman presented with a 3-month history of a painless, non-healing **skin** ulcer on the right forearm. She also had

Specific skin lesions occurring in a patient with Hodgkin ...

<https://www.onlinelibrary.wiley.com/doi/abs/10.1046/j.1440-0960.1999.00315.x>

Ibrahim Khalifeh, Lauren C. Hughey, Conway C. Huang, Vishnu V. B. Reddy and Klaus Sellheyer, Solitary

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 48875

Manuscript Type: CASE REPORT

Atypical cutaneous lesions in advanced-stage Hodgkin's lymphoma: A case report and review of literature

Fulvio Massaro, Angela Ferrari, Enrico Zendri, Magda Zanelli, Francesco Merli

Abstract

BACKGROUND

Cutaneous involvement in Hodgkin lymphoma is a rare finding. A small number of cases

Match Overview

Match Number	Match Type	Match Description	Similarity
1	Crossref 20 words	"13th European Congress of Clinical Microbiology and Infectious Diseases", <i>Clinical Microbiology and Infection</i> , 2003	1%
2	Crossref 13 words	Introcaso, C.E.. "Cutaneous Hodgkin's disease", <i>Journal of the American Academy of Dermatology</i> , 200802	1%
3	Crossref 11 words	Magnus Arpi, Marc Vancanneyt, Jean Swings, Jørgen J. Leisner. "Six Cases of Lactobacillus Bacteraemia: Identification o ...	1%
4	Crossref 10 words	Marco Colleoni, Patrizia Nelli, Gigliola Sgarbossa, Francesca Pancheri, Paolo Manente. "Primary Cutaneous Rhabdomyo ...	1%
5	Crossref 10 words	Sophie Song. "Hodgkin Lymphoma". <i>Hematopathology</i> , 2008	1%
6	Crossref 10 words	"Abstracts from the 30th Annual Meeting of the Society of General Internal Medicine", <i>Journal of General Internal Medicine</i> ,	1%



国内版

国际版

Atypical cutaneous lesions in advanced-stage Hodgkin's lymphoma: A case report



All

Images

Videos

翻译成中文

开启取词

54,900 Results

Any time ▾

Pityriasis rosea-like cutaneous eruption as the presenting ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4619165>

Sep 30, 2015 · In conclusion, the presentation of Hodgkin lymphoma as a pityriasis rosea-like cutaneous eruption is rare and clinicians should be aware of this presentation. In this paper we review the non-specific cutaneous manifestations of Hodgkin lymphoma in an effort to raise awareness of the diversity of early cutaneous signs of Hodgkin lymphoma.

Author: Elena Vrotsos, Jacquelyn Dosal, Marti... Publish Year: 2015

[PDF] Atypical presentation of non-Hodgkins lymphoma of the ...

<https://pdfs.semanticscholar.org/3486/f4d01074e3a1e2d103d0ab855c1bca489361.pdf>

Reddy and Diwakar Non-Hodgkins lymphoma Journal of Advanced Clinical & Research Insights Vol. 2:4 Jul-Aug 2015 183 fragment which proved conclusively the lesion to be as a B-cell lymphoblastic lymphoma. NHL are generally treated with radiotherapy in stage I and presentation of non-Hodgkins lymphoma of the mandible: 2015;2:180-183.

Primary Cutaneous T-Cell Lymphoblastic Lymphoma: Case ...

<https://www.hindawi.com/journals/crihem/2019/3540487> ▾

Cutaneous involvement by precursor T-cell lymphoblastic leukemia/lymphoma (T-ALL/LBL) is rare, and almost all cases are seen in association with bone marrow, blood, and/or lymph node involvement. Presentation with isolated skin involvement is very rare. Literature review revealed only one case report of primary cutaneous T-cell LBL.

Author: Sharad Khurana, Manuel Beltran, Liuy... Publish Year: 2019

Cutaneous T-Cell Lymphoma with Porokeratosis-Like Lesions ...

doj.org/eg/vol010/0102/010/01.htm ▾

Cutaneous T-Cell Lymphoma with Porokeratosis-Like Lesions: A Case Report and Review of Literature Tawfiq S, Aziz Z, Sultan A, Amer H, Sadek AM. Cairo Hospital for Dermatology, Andrology & STIs (Al-Haud Al-Marsoud)

[PDF] Primary cutaneous hodgkin lymphoma: a revisit and ...

medcraveonline.com/ICPJL/ICPJL-03-00067.pdf

cutaneous HL was probably a case secondary to systemic disease described by Thomas Hodgkin himself in 1832, as stated by Fernandez-Flores A. 4 It is usually seen in stage IV disease and is

[PDF] CASE REPORT Open Access Secondary cutaneous Epstein ...

<https://diagnosticpathology.biomedcentral.com/track/pdf/10.1186/1746-1596-7-7>

angioimmunoblastic T-cell lymphoma (AITL) have been described. We report a case of AITL of which secondary cutaneous EBV-associated diffuse large B-cell lymphoma (DLBCL) developed after the initial diagnosis of AITL. A 65-year-old Chinese male patient was diagnosed as AITL based on typical histological and immunohistochemical

Cited by: 19 Author: Qing-Xu Yang, Xiao-Juan Pei, Xiao-Ying ...

Publish Year: 2012