



All

Images

Videos

58,800 Results

Any time ▾

Predictors of recurrence of Crohn's disease after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4202368>

Oct 21, 2014 · Recurrence after ileocelectomy for Crohn's disease (CD) is common and occurs in up to 80% of patients. Such **recurrence** can result in repeated surgical interventions, an increased need for medical **treatment** and, frequently, an **impaired quality** of life.

Cited by: 16

Author: Tara M Connelly, Evangelos Messaris

Publish Year: 2014

Crohn's disease recurrence can be prevented after ileal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1773309>

Crohn's disease recurrence can be prevented **after ileal resection**. In this study 6-mercaptopurine was more effective than **placebo**. **Clinical recurrence rates** at 24 months amounted to 50% for 6-mercaptopurine, 59% for mesalamine, and 69% for placebo. **Endoscopic recurrence rates** were 68%, 77%, and 87% respectively.

Cited by: 53

Author: Paul Rutgeerts

Publish Year: 2002

Bowel Resection Surgery | InflammatoryBowelDisease.net

<https://inflammatoryboweldisease.net/treatment/surgery-overview/bowel-resection-surgery>

Bowel Resection Surgery. Both **cause chronic** inflammation in the digestive tract. While the inflammation in UC is confined to the **colon and rectum**, inflammation in CD can occur anywhere along the digestive tract, from the mouth to the anus. The pattern ...

Factors Associated with Operative Recurrence Early After ...

<https://link.springer.com/article/10.1007/s11605-011-1552-4>

May 28, 2011 · Welsch T, Hinz U, Löffler T, Muth G, Herfarth C, Schmidt J, Kienle P. Early re-laparotomy for post-operative complications is a significant **risk factor for recurrence after ileocaecal resection for Crohn's disease**.

Cited by: 15

Author: Wisam Khoury, Scott A. Strong, Victor ...

Publish Year: 2011

Location: Cleveland

Crohn's disease recurrence can be prevented after ileal ...

<https://gut.bmj.com/content/51/2/152>

Aug 01, 2002 · The majority of patients suffering from **Crohn's disease** will undergo at least one surgical **resection** of the **bowel** in the course of their **disease**. Surgery greatly improves the quality of life in these patients but the beneficial effect is only temporary. **After** ileal or ileocolonic **resection** there is a 20–30% symptomatic **recurrence** rate in the first year **after** surgery, with a 10% increase in ...

Name of Journal: *World Journal of Gastrointestinal Pharmacology and Therapeutics*

Manuscript NO: 49160

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

²
Risk factors for recurrence after bowel resection for Crohn's disease

Chen ZX *et al.* Recurrence risk of Crohn's disease

Ze-Xian Chen, Yong-Le Chen, Xiao-Ming Huang, Xu-Tao Lin, Xiao-Wen He,
Ping Lan

Abstract

BACKGROUND

← Match Breakdown

2

Crossref 10 words
Kwan Mo Yang, Chang Sik Yu, Jong Lyul Lee, Chan Wook Kim et al. "Risk factors for postoperative recurrence after p...

<1%

Match 1 of 1

Crossref - 2 sources 10 words

● Kwan Mo Yang, Chang Sik Yu, Jong Lyul Lee, Chan Wook Kim et al. "Risk factors for postoperative recurrence after...

● Kwan Mo Yang, Chang Sik Yu, Jong Lyul Lee, Chan Woo...

<1%

<1%

52%

↑ 0K/s
↓ 0K/s

+

Exclude Sources



All

Images

Videos

翻译成中文

关闭取词

44,000 Results

Any time ▾

Predictors of recurrence of Crohn's disease after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4202368>

Oct 21, 2014 · Recurrence after ileocelectomy for Crohn's disease (CD) is common and occurs in up to 80% of patients. Such **recurrence** can result in repeated surgical interventions, an increased need for medical **treatment** and, frequently, an **impaired quality** of life.

Cited by: 17

Author: Tara M Connelly, Evangelos Messaris

Publish Year: 2014

Long-term Results and Recurrence-Related Risk Factors for ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/2478885> ▾

May 01, 2016 · Conclusions. We have noticed that some **factors** influence the **recurrence** of the **disease**, including the habit of **cigarette smoking** and the age at diagnosis, especially in men. A family history of **IBD** is another positive **correlation with recurrence risk**, as is the location of the **disease** in the upper part of the **bowel**.

Cited by: 10

Author: Marilena Fazi, Francesco Giudici, Cristina...

Publish Year: 2016

Author: Marilena Fazi, MD

Crohn's disease recurrence can be prevented after ileal ...

<https://gut.bmj.com/content/51/2/152> ▾

Aug 01, 2002 · Most patients will eventually **suffer recurrence**, and a reoperation rate of 50–60% is generally reported. The need for simple and effective **prophylactic therapy after bowel resection for Crohn's disease** is great. The natural evolution of **postoperative Crohn's recurrence** has ...

Cited by: 59

Author: Paul Rutgeerts

Publish Year: 2002

Bowel Resection Surgery | InflammatoryBowelDisease.net

<https://inflammatoryboweldisease.net/treatment/surgery-overview/bowel-resection-surgery> ▾

For some patients, **bowel resection surgery** can be successful in **reducing** and even eliminating **symptoms** caused by CD for a long period of time. 1,2 While patients often have years of relief from their **symptoms after surgery**, studies show that around half of patients who have **bowel resection** will

See

Gastro

Gastro

focuse

Q 전체

🖼 이미지

📰 뉴스

📺 동영상

🛒 쇼핑

⋮ 더보기

설정

도구

검색결과 약 2,900,000개 (0.68초)

<https://www.ncbi.nlm.nih.gov/pmc/PMC5670279> ▼ 이 페이지 번역하기

Risk factors for postoperative recurrence of Crohn's disease ...

A Gklavas 저술 - 2017 - 8회 인용 - 관련 학술자료

Surgery-related factors 링크로 이동 - Smoking is a well-established, modifiable **risk factor**. There are sufficient data that correlate penetrating **disease**, perianal involvement, extensive resections, prior **surgery**, histological features (plexitis **and** granulomas), **and** improper management **after resection with** high rates for **recurrence**.

[Abstract](#) · [Patient-related factors](#) · [Disease-related factors](#) · [Histology-related factors](#)

관련 질문

Can Crohn's disease return after surgery? ▼

How quickly does Crohn's return after surgery? ▼

What percentage of Crohn's patients require surgery? ▼

How long does Crohn's disease stay in your system? ▼

사용자 의견

<https://www.ncbi.nlm.nih.gov/pmc/PMC4202368> ▼ 이 페이지 번역하기

Predictors of recurrence of Crohn's disease after ... - NCBI - NIH

TM Connelly 저술 - 2014 - 26회 인용 - 관련 학술자료