



13,400 Results

Any time ▾

Nutritional interventions for the adjunctive treatment of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4171568>

Sep 16, 2014 · The predominant **treatment strategy** for schizophrenia is **anti-psychotic medication** (with or without additional **talking therapy**) even though this approach lacks efficacy in managing the negative **symptoms** of the condition, is not effective in one-third of the patient group and the side effects of the **medication** can be severe and debilitating.

Cited by: 23

Author: Megan Anne Arroll, Lorraine Wilder, Jame...

Publish Year: 2014

The effectiveness of psychodynamic psychotherapies: An ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4471961>

Jun 04, 2015 · Although there are no **adequate meta-analytic summaries**, this narrative review clearly reveals that an interpersonal form of **dynamic therapy** has substantial and relatively **long-term effects**, with medium effect sizes compared to **enhanced treatment** as usual, and that PDT may be able to **reduce long-term** health care costs for **somatic disorders**.

Cited by: 78

Author: Peter Fonagy

Publish Year: 2015

The effectiveness of psychodynamic psychotherapies: An ...

<https://onlinelibrary.wiley.com/doi/full/10.1002/wps.20235>

A pilot study of psychodynamic **art therapy** vs. treatment as usual with a small sample found a post-treatment reduction in positive psychotic symptoms, which dissipated 6 weeks later 165. Comment There is increasing optimism about the value of psychological **therapy** for psychosis, although the supporting evidence is limited even for CBT.

Cited by: 78

Author: Peter Fonagy

Publish Year: 2015

Art Therapy for schizophrenia or schizophrenia-like illnesses

https://www.researchgate.net/publication/7531780_Art_Therapy_for_schizophrenia_or...

Art Therapy for schizophrenia or schizophrenia-like illnesses. It has proved to be difficult to estimate how widely this **intervention** is available. However, there are descriptions of its use with people with **schizophrenia**, individually and in groups, in inpatient and **outpatient settings** as ...

Clinical management of negative symptoms of schizophrenia ...

<https://www.sciencedirect.com/science/article/pii/S0163725815001230>

Overwhelming research evidence suggests that the negative symptoms of **schizophrenia** (NSS) contribute more to impaired quality of life and poor functioning than positive symptoms, and that NSS, including affective flattening, avolition and anhedonia, are present in at least one fifth of patients diagnosed

Do adjunctive art therapies reduce symptomatology in schizoj



All

Images

Videos

关闭取词

28,400 Results

Any time ▾

Nutritional interventions for the adjunctive treatment of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4171568>

Sep 16, 2014 · The predominant **treatment strategy** for **schizophrenia** is **anti-psychotic medication** (with or without additional talking **therapy**) even though this approach lacks efficacy in managing the negative **symptoms** of the condition, is not effective in one-third of the patient group and the side effects of the **medication** can be severe and debilitating.

Cited by: 23

Author: Megan Anne Arroll, Lorraine Wilder, Jame...

Publish Year: 2014

Ondansetron – a promising adjunctive treatment for ...

https://www.researchgate.net/publication/328523838_Ondansetron_-_a_promising...

There is growing evidence that **adjunctive ondansetron treatment improves symptomatology** associated with **schizophrenia**, particularly with respect to the positive, negative and **cognitive symptoms**.

Potential for SERMs as Adjunctive Therapy for Schizophrenia

<https://www.psychiatryadvisor.com/home/schizophrenia-advisor/potential-for-serms-as...> ▾

Mar 22, 2018 · Raloxifene has demonstrated **mostly positive** results in **meta-analyses** of men and women with **schizophrenia** who received the **selective estrogen receptor modulator** as **adjunctive therapy**.

Author: Suzanne Bujara

Adjunctive Therapy for Schizophrenia: Current and Emerging ...

https://www.medscape.org/viewarticle/738924_2 ▾

Augmentation with a second **antipsychotic** in patients with **schizophrenia** who partially respond to **clozapine - a meta-analysis**. J Clin Psychopharmacol. 2007;27:198-204. **Abstract**; Taylor DM, **Smith L**. **Augmentation** of clozapine with a second **antipsychotic--a meta-analysis** of randomized, placebo-controlled studies.

Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 49454

Manuscript Type: META-ANALYSIS

Do adjunctive art therapies reduce symptomatology in schizophrenia? A meta-analysis

Laws KR *et al.* Art therapies for schizophrenia symptoms

Keith R Laws, William Conway

Abstract

BACKGROUND

Match Overview

1	Internet 78 words crawled on 07-Oct-2019 bmcpyschology.biomedcentral.com	2%
2	Crossref 70 words Keith R. Laws, Nicole Darlington, Tejinder K. Kondel, Peter J. McKenna, Sameer Jauhar. "Cognitive Behavioural Therapy..."	2%
3	Internet 22 words crawled on 06-May-2019 www.buamplab.com	1%
4	Internet 22 words crawled on 11-Jun-2017 sro.sussex.ac.uk	1%
5	Internet 19 words crawled on 21-Apr-2016 cdn.basw.co.uk	<1%
6	Internet 17 words crawled on 11-Jul-2019 systematicreviewsjournal.biomedcentral.com	<1%
7	Internet 15 words crawled on 01-Jun-2017 documents.mx	<1%
8	Internet 14 words crawled on 28-Aug-2019 bmcpyschiatry.biomedcentral.com	<1%
9	Crossref 13 words Eldré W. Beukes, Vinaya Manchaiah, David M. Baguley, Peter M. Allen, Gerhard Andersson. "Internet-based intervention"	<1%
10	Internet 12 words crawled on 05-Aug-2019 link.springer.com	<1%
11	Internet 12 words crawled on 29-May-2019 www.science.gov	<1%

找到约 223,000 条结果 (用时 0.62 秒)

Google 学术: Do adjunctive art therapies reduce symptomatology in schizophrenia? A meta-analysis

... symptoms of schizophrenia change over time? A meta- ... - Savill - 被引用次数: 43

... therapy as an adjunctive treatment for schizophrenia: a ... - Visceglia - 被引用次数: 111

The promise of cognitive behavior therapy for treatment ... - Thase - 被引用次数: 44

Group art therapy as an adjunctive treatment for people with ...

https://www.ncbi.nlm.nih.gov > pmc > articles > PMC3289714 > 翻译此页

作者: MJ Crawford - 2012 - 被引用次数: 102 - 相关文章

2012年2月28日 - The MATISSE (Multicenter study of Art Therapy In Schizophrenia): ... All primary statistical analyses were done using the intention to treat principle. Although drugs can reduce the symptoms of schizophrenia, many ... Efficacy of psychological therapy in schizophrenia: conclusions from meta-analyses.

其他用户还问了以下问题	
What is adherence therapy?	▼
Can schizophrenia be managed?	▼
How is art therapy effective?	▼
What is art therapy and how does it work?	▼

反馈

Effectiveness of Art Therapy With Adult Clients in 2018—What ...

https://www.ncbi.nlm.nih.gov > pmc > articles > PMC6124538 > 翻译此页

作者: D Reggev - 2018 - 被引用次数: 3 - 相关文章