



All

Images

Videos

翻译成中文

关闭取词

19,000 Results

Any time ▾

Donor-Derived Hepatic Neuroendocrine Tumor: Pause Before ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5087570>

The rate of donor-derived cancers has been estimated among transplanted cadaveric organs to be 0.017% (18 of 108 062), but the incidence appears to be increasing, possibly due to aging of the donor pool. 6,10,12 Of the 6 donor-derived malignancies, 3 occurred in **liver** recipients. 5 Although donor-derived NETs are rare, other donor-derived ...

Author: Yasir Al-Azzawi, Lance L. Stein, Rosh... **Publish Year:** 2016

Retransplantation for donor-derived neuroendocrine tumor ...

onlinelibrary.wiley.com/doi/10.1002/lt.22196/full

Jan 20, 2011 · Although **tumor** transmission through **liver** transplantation (LT) is a rare occurrence, the consequences can be devastating, even when a very aggressive management approach is adopted. We **report** the **case** of a donor-derived small cell **neuroendocrine tumor** (NET) in a patient who underwent LT for cholangiocarcinoma.

Published in: **Liver Transplantation** · 2011

Authors: Rehana Begum · Denise M Harnois · Raj Satyanarayana · Murli Krishna · Kevin C Halli...

Affiliation: Mayo Clinic

Retransplantation for donor-derived neuroendocrine tumor ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/lt.22196>

Oct 11, 2010 · Although **tumor** transmission through **liver** transplantation (LT) is a rare occurrence, the consequences can be devastating, even when a very aggressive management approach is adopted. We **report** the **case** of a **donor-derived** small cell **neuroendocrine tumor** (NET) in a patient who underwent LT for cholangiocarcinoma.

Cited by: 5 **Author:** Rehana Begum, Denise Harnois, Raj Sat...

Publish Year: 2011

1
Name of Journal: *World Journal of Clinical Cases*
Manuscript NO: 49566
Manuscript Type: CASE REPORT

Liver re-transplantation for donor-derived neuroendocrine tumor: A case report

Mrzljak A *et al.* Liver re-transplantation for donor-derived tumor

Anna Mrzljak, Branislav Kocman, Anita Skrtic, Ivana Furac, Jelena Popic, Lucija Franusic, Renata Zunec, Davor Mayer, Danko Mikulic

Abstract

BACKGROUND

Donor-origin cancer is a well-recognized but rare complication after liver transplantation (LT). The rise in the use of extended criteria donors due to the current shortage of organs increases the risk. Data on donor-origin neuroendocrine neoplasms (NENs) and the most appropriate treatment for it is scarce. Herein, we report a case of a patient who developed a NEN confined to the liver after LT and was treated with liver re-transplantation.

CASE SUMMARY

A 49-year old man with no other medical co-morbidities underwent a liver transplantation in 2013 for alcoholic liver cirrhosis. The donor was a 73 year old female with no known malignancies. Early after LT, a hypoechogenic (15 mm) lesion was detected in the left hepatic lobe on abdominal ultrasound (US). The lesion was stable for next 11 mo, when abdominal magnetic resonance (MR) identified 2 hypovascular lesions (20 and 11 mm), with atypical enhancement pattern. Follow-up abdominal US revealed no new lesions for the next 2.5 years, when MR showed a

Match Overview

1	Internet 32 words crawled on 20-Jun-2019 f6publishing.blob.core.windows.net	1%
2	Crossref 24 words Dominique S V M Clement , Margot E T Tesselaar , Monique E van Leerdam , Rajaventhana Srirajaskanthan , John K Ramag ...	1%
3	Crossref 15 words Gunaseelan Narayanan , Marianne Sheila , Josiah Chai , Lawrence W. Stanton . "Generation of sibling-matched induced pl ...	1%
4	Internet 15 words crawled on 18-Mar-2019 onlinelibrary.wiley.com	1%
5	Crossref 15 words "Clinical Vignettes/Case Reports - Biliary/Pancreas", The American Journal of Gastroenterology , 2015.	1%
6	Internet 13 words crawled on 09-Apr-2019 tlcr.amegroups.com	1%

Q 전체

이미지

뉴스

동영상

쇼핑

더보기

설정

도구

검색결과 약 719,000개 (0.64초)

Liver re-transplantation for donor-derived neuroendocrine tumor: A case report에 대한 학술자료

Donor transmitted and de novo **cancer** after **liver** ... - Desai - 18회 인용

Transmission of donor melanoma to multiple organ ... - Morris-Stiff - 74회 인용

Donor derived malignancy following transplantation: a ... - Gandhi - 65회 인용

Donor-Derived Hepatic Neuroendocrine Tumor: Pause Before ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5087570/> ▼ 이 페이지 번역하기

Y Al-Azzawi 저술 - 2016 - 관련 학술자료

CASE REPORT 링크로 이동 - At transplantation, she was critically ill with a Model for ... The arterially enhancing lesions did not meet **Liver Imaging Reporting** and Data ... the **liver**, the multidisciplinary team decided that **retransplantation** ...

Retransplantation for donor-derived neuroendocrine tumor. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/21254348> - 이 페이지 번역하기

R Begum 저술 - 2011 - 6회 인용 - 관련 학술자료

Although tumor transmission through **liver transplantation** (LT) is a rare ... We **report** the **case** of a **donor-derived** small cell **neuroendocrine tumor** (NET) in a ...

(PDF) Donor-Derived Hepatic Neuroendocrine Tumor: Pause Before ...

https://www.researchgate.net/.../303904695_Donor-Derived_Hep... - 이 페이지 번역하기

2019. 7. 31. - PDF | Gastrointestinal **neuroendocrine tumors** (NET) are rare but the ... **Donor- Derived Hepatic Neuroendocrine Tumor: Pause Before Proceeding With Liver Retransplantation Donor-derived cancers after liver transplantation were Selection A 213-Case European Liver Transplant Registry Study.**