

Match Overview

| | | |
|---|---|-----|
| 1 | Internet 29 words crawled on 29-Aug-2019 f6publishing.blob.core.windows.net | 1% |
| 2 | Internet 14 words crawled on 26-Aug-2019 www.oncotarget.com | <1% |

¹ **Name of Journal: *World Journal of Orthopedics***

Manuscript NO: 49898

Manuscript Type: REVIEW

Impact of dental clearance on total joint arthroplasty, a systematic review

Frey C *et al.* Impact of dental clearance on arthroplasty

Abstract

Many orthopedic surgeons require that their patients obtain dental clearance before elective total joint arthroplasty (TJA). However, there is no consensus substantiating the practice. To this end, a systematic review on the prevalence of dental pathology in TJA patients, risk factors for failing dental screening, and impact of dental evaluations was performed. Literature was sourced from PubMed and Scopus databases. Six papers were



Total Joint Arthroplasty: Should Patients Have ...

<https://www.sciencedirect.com/science/article/pii/S0883540313008644>

Obtaining dental clearance prior to elective total joint arthroplasty is a common practice; however, little published data exist to justify this requirement. Dental clearance data for 365 elective total knee and total hip arthroplasty patients were gathered prospectively.

Cited by: 12 Author: Alexander Lampley, Ronald C. Huang, W...

Publish Year: 2014

Preoperative opioid use is associated with worse patient ...

<https://bmcmusculoskeletdisord.biomedcentral.com/articles/10.1186/s12891-019-2619-8> ▾

May 18, 2019 · A significant number of patients use opioids prior to total joint arthroplasty (TJA) in North America and there is growing concern that preoperative opioid use negatively impacts postoperative patient outcomes after surgery. This systematic review and meta-analysis evaluated the current evidence investigating the influence of preoperative opioid use on postoperative patient ...

Author: C. Michael Goplen, Wesley Verbeek, ... Publish Year: 2019

Author: C. Michael Goplen

Impact of enhanced recovery after surgery on postoperative ...

<https://pmj.bmj.com/content/94/1118/678> ▾

Dec 01, 2018 · Objectives To evaluate the effects of enhanced recovery after surgery (ERAS) on the postoperative recovery of patients who underwent total hip arthroplasty (THA) or total knee arthroplasty (TKA). Methods The PubMed, Embase, Cochrane and ISI Web of Science databases were searched to identify literature including randomised controlled trials (RCTs), cohort studies and ...

Author: Qi-Feng Deng, Hui-Yun Gu, Wu-ya Pe... Publish Year: 2018

Online: ISSN 1469-0756

The Effect of Bariatric Surgery Prior to Lower-Extremity ...

<https://link.springer.com/article/10.1007/s11420-019-09674-2> ▾

BMI body mass index, BS bariatric surgery, PJI periprosthetic joint infection, THA total hip arthroplasty, TKA total knee arthroplasty, TJA total joint arthroplasty One study (7.6%) used descriptive statistics to evaluate whether the amount of time between BS and ...

Author: Alex Gu, Alex Gu, Jordan S. Cohen, ... Publish Year: 2019

1,890,000 Results Any time

Patient-Related Risk Factors for Periprosthetic Joint ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4777569>

Mar 03, 2016 · Patient-Related Risk Factors for Periprosthetic Joint Infection after Total Joint Arthroplasty: A Systematic Review and Meta-Analysis Setor K. Kunutsor , * Michael R. Whitehouse , Ashley W. Blom , Andrew D. Beswick , and INFORM Team ¶

Cited by: 110 Author: Setor K. Kunutsor, Michael R. Whitehous...
Publish Year: 2016

Total Joint Arthroplasty: Should Patients Have ...

<https://www.sciencedirect.com/science/article/pii/S0883540313008644>

Obtaining dental clearance prior to elective total joint arthroplasty is a common practice; however, little published data exist to justify this requirement. Dental clearance data for 365 elective total knee and total hip arthroplasty patients were gathered prospectively.

Cited by: 11 Author: Alexander Lampley, Ronald C. Huang, W...
Publish Year: 2014

The Influence of Anesthesia and Pain Management on ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3971229>

Nov 02, 2013 · Given the increasing use of hip and knee arthroplasty in younger populations and the resultant trend toward a wider age distribution for patients undergoing total joint arthroplasty [28, 40, 43], different anesthetic and pain management techniques may be appropriate in different patient populations based on the patient-specific risk for ...

Cited by: 71 Author: Michael G. Zywiol, Atul Prabhu, Anthony ...
Publish Year: 2014

Preoperative opioid use is associated with worse patient ...

<https://bmcmusculoskeletdisord.biomedcentral.com/articles/10.1186/s12891-019-2619-8>

May 18, 2019 · A significant number of patients use opioids prior to total joint arthroplasty (TJA) in North America and there is growing concern that preoperative opioid use negatively impacts postoperative patient outcomes after surgery. This systematic review and meta-analysis evaluated the current evidence investigating the influence of preoperative opioid use on postoperative patient ...

Author: C. Michael Goplen, Wesley Verbeek, ... Publish Year: 2019

Postoperative antibiotic prophylaxis in total hip and knee ...

cmajopen.ca/content/3/3/E338.full

On 25, 2015, T. J. Minicuci, et al. published this article. It is part of the journal...



전체

이미지

뉴스

동영상

쇼핑

더보기

설정

도구

검색결과 약 3,650,000개 (0.58초)

<https://www.ncbi.nlm.nih.gov> > pubmed- 이 페이지 번역하기

Perioperative Antibiotic Prophylaxis in Total Joint Arthroplasty ...

A Siddiqi 저술 - 2019 - 2회 인용 - 관련 학술자료

2019. 5. 1. - ... Prophylaxis in **Total Joint Arthroplasty: A Systematic Review and Meta-Analysis**

Schulich School of Medicine & **Dentistry** (D.B.), Western University, ... (3) Department of Health

Research Methods, Evidence, and **Impact**, ...

누락된 검색어: clearance

<https://www.ncbi.nlm.nih.gov> > pmc > PMC5226971 < 이 페이지 번역하기

Suppl-2, M3: The Prevention of Periprosthetic Joint Infections

F Küçükdurmaz 저술 - 2016 - 8회 인용 - 관련 학술자료

2016. 11. 30. - Periprosthetic joint infection (PJI) following **total joint arthroplasty** (TJA) ... been

demonstrated between routine **dental clearance** and PJI incidence [5, 6]. limits which also **effects**

the orthopedic operating room personnel [92, 93]. after cardiac or orthopedic surgery: **systematic**

review and **meta-analysis**.

<https://academic.oup.com> > article > suppl_3 > iii62- 이 페이지 번역하기

Enhanced recovery after surgery for primary hip and knee ...

EM Soffin 저술 - 2016 - 72회 인용 - 관련 학술자료

2016. 12. 9. - A **systematic review** of clinical pathways used in **joint replacement** surgery ...

Ultimately, this could produce a ceiling **effect** on their clinical and economic advantages. ... establish

achievable goals for postoperative **oral** intake, analgesia, ... in any markers of catabolism (insulin

resistance, glucose **clearance**, ...