



All

Images

Videos

翻译成中文

关闭取词

19,500 Results

Any time ▼

Endoscopic submucosal dissection of gastric fundus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3786878>

Endoscopic resection of gastric subepithelial tumors (SETs) carries a high risk of perforation, particularly for tumors located at the gastric fundus and originating from the muscularis propria. Based on our experience with endoscopic submucosal dissection (ESD) and a novel endoscopic device, namely ...

Cited by: 12

Author: Lei Li, Feng Wang, Bo Wu, Qingcai Wan...

Publish Year: 2013

Efficacy and safety of endoscopic resection for small ...

https://www.researchgate.net/publication/329203372_Efficacy_and_safety_of_endoscopic...

Request PDF on ResearchGate | Efficacy and safety of endoscopic resection for small submucosal tumors originating from the muscularis propria layer in the gastric fundus | Background Gastric small ...

Endoscopic full-thickness resection with defect closure ...

<https://link.springer.com/article/10.1007/s00464-015-4076-2> ▼

Endoscopic full-thickness resection (EFTR) is a mini-invasive technique for gastric subepithelial tumors originating from the muscularis propria, which enables a full-thickness resection of tumors and can provide a complete basis for pathological diagnosis. Gastric fistula closure after EFTR is a challenge for endoscopists.

Cited by: 29

Author: Jintao Guo, Zhijun Liu, Siyu Sun, Xiang Li...

Publish Year: 2015

Endoscopic full-thickness resection: Current status

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4541380>

Aug 21, 2015 · Endoscopic full-thickness resection of a gastric gastrointestinal stromal tumors after prior transmural suturing. A: Endoscopic image of the subepithelial tumor in the gastric corpus; B: EUS-image showing an inhomogeneous tumor arising from the muscularis...

Cited by: 51

Author: Arthur Schmidt, Benjamin Meier, Karel C...

Publish Year: 2015

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 49998

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Endoscopic full-thickness resection for treating small tumors originating from the muscularis propria in the gastric fundus: An improvement in technique over 15 years

Ge N *et al.* Endoscopic resection of gastric muscularis tumors

Nan Ge, Jin-Long Hu, Fei Yang, Fan Yang, Si-Yu Sun

Abstract

Match Overview

1	Crossref 31 words "International Surgical Week ISW 2011", World Journal of Surgery, 2011	1%
2	Internet 15 words crawled on 23-Jan-2019 www.wjgnet.com	1%
3	Crossref 15 words "UEG Week 2018 Poster Presentations", United European Gastroenterology Journal, 2018	1%
4	Crossref 13 words Bing Li, Tao Chen, Zhi-Peng Qi, Li-Qing Yao, Mei-Dong Xu, Qiang Shi, Shi-Lun Cai, Di Sun, Ping-Hong Zhou, Yun-Shi Z	<1%
5	Crossref 11 words "UEG Week 2016 Poster Presentations", United European Gastroenterology Journal, 2016	<1%
6	Crossref 11 words "UEG Week 2014 Poster Presentations", United European Gastroenterology Journal, 2014.	<1%
7	Crossref 10 words "Poster - Endoscopy : Poster - Endoscopy", Journal of Gastroenterology and Hepatology, 2015.	<1%



国内版

国际版

Endoscopic full-thickness resection for treating small tumors originating from the r



All

Images

Videos

翻译成中文

关闭取词

12,800 Results

Any time ▼

Endoscopic full-thickness resection: Current status

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4541380>

Aug 21, 2015 · Endoscopic full-thickness resection of a gastric gastrointestinal stromal tumors after prior transmural suturing. A: Endoscopic image of the subepithelial tumor in the gastric corpus; B: EUS-image showing an inhomogeneous tumor arising from the muscularis...

Cited by: 53

Author: Arthur Schmidt, Benjamin Meier, Karel C...

Publish Year: 2015

Endoscopic full-thickness resection with defect closure ...

<https://link.springer.com/article/10.1007/s00464-015-4076-2> ▼

Endoscopic full-thickness resection (EFTR) is a mini-invasive technique for gastric subepithelial tumors originating from the muscularis propria, which enables a full-thickness resection of tumors and can provide a complete basis for pathological diagnosis. Gastric fistula closure after EFTR is a challenge for endoscopists.

Cited by: 32

Author: Jintao Guo, Zhijun Liu, Siyu Sun, Xiang Li...

Publish Year: 2015

Endoscopic full-thickness resection for gastric ...

www.scielo.br/scielo.php?script=sci_arttext&pid=S0104-42302018001101002 ▼

Endoscopic enucleation for gastric subepithelial tumors originating in the muscularis propria layer. Surg Endosc. 2011;25(2):468-74. [Links] 19. Feng Y, Yu L, Yang S, Li X, Ding J, Chen L, et al. Endolumenal endoscopic full-thickness resection of muscularis propria-originating gastric submucosal tumors.

Cited by: 1

Author: Ju Huang, Xiang-Shu Xian, Liu-Ye Huang, ...

Publish Year: 2018

Endoscopic full thickness resection for gastric tumors ...

<https://www.wjgnet.com/1948-5190/full/v8/i14/489.htm> ▼

AIM: To do systematic review of current literature for endoscopic full thickness resection (EFTR) technique for gastric tumors originating from muscularis propria.. METHODS: An extensive English literature search was done till December 2015; using PubMed and Google scholar to identify the peer reviewed original and review articles using keywords-EFTR, gastric tumor, muscularis propria.

Cited by: 7

Author: Deepanshu Jain, Ejaz Mahmood, Aakash...

Publish Year: 2016