



All

Images

Videos

翻译成中文

关闭取词

7,480 Results

Any time ▾

Case Report: Cytomegalovirus-induced colonic stricture ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3794276>

Background. **Gastrointestinal cytomegalovirus (CMV)** infection can have serious morbidity and mortality and it occurs as an opportunistic **infection in immunocompromised patients**. Fortunately, it is very rare in **immunocompetent patient** where it is usually mild and self-limiting. But it rarely induces serious complications in an **immunocompetent adult**.

Cited by: 5

Author: B V Dinesh, Karthikeyan Selvaraju, Samp...

Publish Year: 2013

Severe cytomegalovirus infection in apparently ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2289809>

Mar 27, 2008 - Introduction. To the contrary, in **immunocompetent patients**, primary **CMV infection** typically runs an undifferentiated viral syndrome, or is manifested by a **mononucleosis-like syndrome**. **Infections** in the **immunocompetent** and **immunosuppressed** are not rare; seroprevalence for CMV worldwide ranges from ~60%–100% [1].

Cited by: 489

Author: Petros I Rafailidis, Eleni G Mourtzoukou, ...

Publish Year: 2008

[PDF] Toxic Megacolon Associated with Cytomegalovirus ...

https://www.jstage.jst.go.jp/article/internalmedicine/51/19/51_51.8145/_pdf/-char/en

Most cases of cytomegalovirus (CMV) colitis in patients with **inflammatory bowel disease (IBD)** occur in those treated with **immunosuppressants** and/or corticosteroids. We herein present the case of a 57-year-old man with **toxic megacolon** associated with CMV ...

[PDF] Case Report Cytomegalovirus Colitis in an ...

www.crs.org.tw/upload_newsletter/9707/64_05-R96023.pdf

gastrointestinal bleeding, and toxic megacolon. The **symptoms of CMV colitis** can **mimic ischemic colitis**, **pseudomembranous colitis**, and **colitis** associated with other pathogens. Therefore, in any **patient** with bloody or **watery diarrhea**, fever, **abdominal pain**, and negative stool cultures, **CMV colitis** should always be on the list of differential diagnoses.

Authors: Mongwei Lin · Jintung Liang · Kingjen Chang · Pohuang Lee · Beenren Lin

About: Colitis

Name of Journal: *World Journal of Clinical Cases*

Manuscript No: 50090

Manuscript Type: CASE REPORT

Cytomegalovirus ileo-pancolitis presenting as toxic megacolon in an immunocompetent patient: A case report

Cho JH *et al.* CMV enterocolitis in an immunocompetent patient

Joon Hyun Cho, Joon Hyuk Choi

Abstract

BACKGROUND

Cytomegalovirus (CMV) enterocolitis presenting in the form of pancolitis or involving the small and large intestines in an immunocompetent patient is rarely encountered, and CMV enterocolitis presenting with a serious complication, such as toxic megacolon, in an immunocompetent adult has only been reported on a few occasions.

CASE SUMMARY

¹¹ We describe the case of a 70-year-old male with no history of inflammatory bowel disease or immunodeficiency who presented with toxic megacolon and subsequently developed massive hemorrhage as a complication of CMV ileo-pancolitis. The patient

Match Overview

1	Crossref 106 words Yi-Hsuan Lin. "Recurrent cytomegalovirus colitis with toxic megacolon in an immunocompetent elderly man", <i>Journal</i>	4%
2	Crossref 76 words Khee-Siang Chan, Wen-Ying Lee, Wen-Liang Yu. "Coexisting cytomegalovirus infection in immunocompetent p...	3%
3	Internet 41 words crawled on 12-Aug-2017 scielo.isciii.es	2%
4	Internet 40 words crawled on 13-Jun-2017 www.wjgnet.com	2%
5	Crossref 28 words Jae Ho Park, Hee Seok Moon. "Cytomegalovirus colitis in immunocompetent patients", <i>Intestinal Research</i> , 201	1%
6	Crossref 23 words Polymnia Galiatsatos. "Meta-analysis of Outcome of Cytomegalovirus Colitis in Immunocompetent Hosts", <i>Dige</i>	1%
7	Crossref 22 words Joon Hyun Cho. "Massive esophageal bleeding in long-standing achalasia complicated by esophageal carcino	1%
8	Internet 21 words www.ncbi.nlm.nih.gov	1%
9	Crossref 14 words William F. Stenson. "Inflammatory Bowel Disease", <i>Textbook of Gastroenterology</i> , 11/14/2008	1%
10	Internet 13 words crawled on 29-Nov-2017 www.e-sciencecentral.org	1%
11	Crossref 12 words "Clinical Vignettes", <i>The American Journal of Gastroenterology</i> , 2012	<1%



国内版

国际版

Cytomegalovirus ileo-pancolitis presenting as toxic megacolo



All

Images

Videos

关闭取词

6,880 Results

Any time ▾

Case Report: Cytomegalovirus-induced colonic stricture ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3794276>

Sep 10, 2013 - Background. Gastrointestinal cytomegalovirus (CMV) infection can have serious morbidity and mortality and it occurs as an opportunistic infection in immunocompromised patients. Fortunately, it is very rare in immunocompetent patient where it is usually mild and self-limiting. But it rarely induces serious complications in an immunocompetent adult.

Cited by: 5

Author: B V Dinesh, Karthikeyan Selvaraju, Samp...

Publish Year: 2013

Reactivated cytomegalovirus proctitis in an ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5286859>

Feb 01, 2017 - CMV proctitis can present in two distinct forms, primary and reactivated. However, reactivated CMV proctitis is rarely reported as a causative etiology of nosocomial diarrhea, except in transplant patients. Herein we present a case of reactivated CMV proctitis in an immunocompetent patient, presenting as nosocomial diarrhea.

[PDF] Toxic Megacolon Associated with Cytomegalovirus ...

https://www.jstage.jst.go.jp/article/internalmedicine/51/19/51_51.8145/_pdf/-char/en

Most cases of cytomegalovirus (CMV) colitis in patients with inflammatory bowel disease (IBD) occur in those treated with immunosuppressants and/or corticosteroids. We herein present the case of a 57-year-old man with toxic megacolon associated with CMV colitis in corticosteroid-naïve ulcerative colitis ...

[PDF] Case Report Cytomegalovirus Colitis in an ...

<https://pdfs.semanticscholar.org/26fc/e84a8e77f340483ab52d659eccc281a015ab.pdf>

Cytomegalovirus; Colitis; Immunocompetent Most cases of cytomegalovirus (CMV) colitis occur in immunocompromised patients, including those with congenital or acquired immunodeficiency disease, those receiving immunosuppressive drugs, and transplant patients. Only a small number of immunocompetent patients with CMV colitis have been reported worldwide. We describe the first ...