



7,760 Results

Any time ▾

A massive ovarian mucinous cystadenoma: a case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2848663>

Mar 11, 2010 · **Mucinous cystadenoma** is a benign ovarian tumour. It is reported to occur in middle-aged women. It is rare among adolescents or in association with pregnancy. On gross appearance, **mucinous tumours** are characterised by cysts of variable sizes without surface invasion. Only 10% of primary **mucinous cystadenoma** is bilateral. In our case, the tumour was unilateral, affecting the left ovary.

Cited by: 6

Author: Remah M Kamel

Publish Year: 2010

[PDF] Osseous Metaplasia in Ovarian Endometrial Cyst: A Case ...

<https://biomedres.us/pdfs/BJSTR.MS.ID.003959.pdf>

entity and is usually associated with cystic **teratoma**, **mucinous cystadenoma** [5], papillary serous cystadenocarcinoma [6], endometrioid adenocarcinoma [7] and thecoma [8]. We present a rare case of ovarian endometriosis with osseous metaplasia of the endometrial cyst. Case Report A 25 years old female was presented with heaviness and pain

Ovarian ossification associated with endometriosis ...

https://www.researchgate.net/publication/6209376_Ovarian_ossification_associated_with...

The most common findings associated with ovarian ossification is **dermoid cyst**, **osseous metaplasia** in stroma rich in serous or **mucinous neoplasm** and ossification of chocolate cyst.

The Role of 3-Dimensional Power Doppler Imaging in the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3162982>

Conventional sonography is the primary imaging tool for these pregnant women who present with an ovarian teratoma. In some cases, however, sonography diagnosis is difficult. We report a case of ovarian teratoma during pregnancy diagnosed by three-dimensional Power Doppler. The cyst was removed via laparotomy without fetal or maternal complications.

Author: Konstantinos Kalmantis, Christos Iava... Publish Year: 2011

Case Report - Mature ovarian teratoma with gliomatosis ...

https://www.researchgate.net/publication/7492299_Case_Report_-_Mature_ovarian_teratoma...

Gliomatosis peritonei is a rare occurrence and has been found exclusively in females with ovarian teratoma (immature and rarely in mature), though there are stray reports of its association with ...

Name of Journal: *World Journal of Obstetrics and Gynecology*

Manuscript NO: 50784

Manuscript Type: CASE REPORT

Association of endometrioma with ovarian teratoma and mucinous cystadenoma in a patient diagnosed with endometriosis: A case report

Samaneh Rokhgireh, Abolfazl Mehdizadehkashi, Kobra Tahermanesh, Mansoureh Gorginzadeh

Abstract

BACKGROUND

Co-occurrence of different tumor types in a same patient's ovaries diagnosed with endometriosis is a rare phenomenon.

Match Overview

1	Internet 12 words crawled on 01-Feb-2015 www.reportworld.co.kr	1%
2	Crossref 10 words Laura Merras-Salmio. "OVARIAN GRANULOSA CELL TUMORS IN CHILDHOOD", <i>Pediatric Hematology and Oncology</i>	1%
3	Crossref 10 words Nezhat, Farr Reza, Tanja Pejovic, Fernando M. Reis, and Shun-Wei Guo. "The Link Between Endometriosis and Ovarian Cancer"	1%



7,760 Results

Any time ▾

A massive ovarian mucinous cystadenoma: a case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2848663>

Mar 11, 2010 · **Mucinous cystadenoma** is a benign ovarian tumour. It is reported to occur in middle-aged women. It is rare among adolescents or in **association with pregnancy**. On gross appearance, **mucinous tumours** are characterised by cysts of variable sizes without surface invasion. Only 10% of primary **mucinous cystadenoma** is bilateral. In our case, the **tumour** was unilateral, affecting the left ovary.

Cited by: 6

Author: Remah M Kamel

Publish Year: 2010

Rare case of perplexing ovarian endometriosis - Fertility ...

[https://www.fertstert.org/article/S0015-0282\(10\)00461-9/fulltext](https://www.fertstert.org/article/S0015-0282(10)00461-9/fulltext)

This case report describes **ovarian endometriosis** with **coincidental teratoma** and **mucinous cystadenoma** as a separate pathology. This coexistence of **mature teratomas** and **endometriosis** has been reported in some isolated case reports (15 x 15 Ferrario, E. **Association of ovarian endometriosis and dermoid cyst**.

Cited by: 1

Author: Johannes L. van der Merwe, Igno Siebert,...

Publish Year: 2010

Ovarian ossification associated with endometriosis ...

https://www.researchgate.net/publication/6209376_Ovarian_ossification_associated_with...

The most common findings associated with **ovarian ossification** is **dermoid cyst**, **osseous metaplasia** in **stroma rich** in **serous** or **mucinous neoplasm** and ossification of **chocolate cyst**.

Exploring the Histogenesis of Ovarian Mucinous and ...

<https://www.archivesofpathology.org/doi/full/10.1043/1543-2165-132.11.1753>

Occasional **mucinous cystadenomas** contain a relatively small nodule of Brenner (transitional cell) **tumor**, with a reported incidence of about 1.3% of **ovarian mucinous neoplasms** ranging up to 4% in 1 series.¹⁻¹² Also, **Brenner tumors** often have **mucinous epithelial cells** lining the center of transitional cell nests, and they occasionally develop a discrete **mucinous component** identical in other respects to **mucinous cystadenoma**.

Cited by: 112

Author: Jeffrey D. Seidman, Fatemeh Khedmati

Publish Year: 2009