

Subcutaneous metastasis of gastric cancer at left armpit: A cas



ALL

IMAGES

VIDEOS

关闭取词

2,770,000 Results

Any time ▾

Subcutaneous metastasis arising from gastric cancer: A ...

<https://www.ncbi.nlm.nih.gov/pubmed/28413658>

Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8-1.0%. Cutaneous metastasis of cancer generally appears late in the course of the disease. Surgical resection of metastatic skin tumors is occasionally undertaken as palliative treatment to improve the patient's quality of life by controlling severe symptoms, including pain and hemorrhage.

Cited by: 1

Author: Tsutomu Namikawa, Eri Munekegawa, Masa...

Publish Year: 2017

Subcutaneous metastasis arising from gastric cancer: A ...

europepmc.org/articles/PMC5374947

The most common metastatic sites of gastric cancer are the lymph nodes, liver and peritoneum, while it may be associated with multiple sites of metastasis. Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8–1.0% (1–3). We herein report a case of subcutaneous metastasis from gastric cancer in a patient who underwent surgical resection and ...

Subcutaneous metastasis arising from gastric cancer: A ...

<https://www.spandidos-publications.com/mco/6/4/515> ▾

We herein report a case of subcutaneous metastasis from gastric cancer in a patient who underwent surgical resection and systemic chemotherapy. Case report A 59-year-old man was referred to the Kochi Medical School Hospital (Nankoku, Japan) in February, 2016, due to left shoulder pain.

Cited by: 1

Author: Tsutomu Namikawa, Eri Munekegawa, Masa...

Publish Year: 2017

Subcutaneous metastasis arising from gastric cancer: A ...

<https://www.spandidos-publications.com/mco/6/4/515/abstract> ▾

Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8-1.0%. Cutaneous metastasis of cancer generally appears late in the course of the disease. Surgical resection of metastatic skin tumors is occasionally undertaken as palliative treatment to improve the patient's quality of life by controlling severe symptoms, including pain and hemorrhage.

Cited by: 1

Author: Tsutomu Namikawa, Eri Munekegawa, Masa...

Publish Year: 2017

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 50883

Manuscript Type: CASE REPORT

Subcutaneous metastasis of gastric cancer at left armpit: A case report

He FJ *et al.* Subcutaneous metastasis of gastric cancer

Feng-Jun He, Peng Zhang, Mo-Jin Wang, Yi Chen, Wen Zhuang

Abstract

BACKGROUND

Gastric cancer is the third most lethal malignant tumor worldwide. Metastasis

Match Overview

1	Internet 51 words crawled on 12-Jul-2019 www.wjgnet.com	3%
2	Crossref 22 words J.J. Bonenkamp. "Extended Lymph-Node Dissection for C... stic Cancer", New England Journal of Medicine, 03/25/199	1%
3	Crossref 16 words Yang, X, S Liu, and Q Yan. "Role of fucosyltransferase IV in... epithelial-mesenchymal transition in breast cancer cells",	1%
4	Crossref 15 words Luis Castelo-Branco, Karima Oualla, Pedro Castelo-Brar... o, Ramon Andrade De Mello. "Chapter 15 Gastric Cancer",	1%
5	Internet 13 words crawled on 05-Oct-2019 f6publishing.blob.core.windows.net	1%



2,790,000 Results

Any time ▼

Subcutaneous metastasis arising from gastric cancer: A ...

europepmc.org/articles/PMC5374947

The most common metastatic sites of gastric cancer are the lymph nodes, liver and peritoneum, while it may be associated with multiple sites of metastasis. Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8–1.0% (1–3). We herein report a case of subcutaneous metastasis from gastric cancer in a patient who underwent surgical resection and ...

Subcutaneous metastasis arising from gastric cancer: A ...

<https://www.ncbi.nlm.nih.gov/pubmed/28413658>

Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8-1.0%. Cutaneous metastasis of cancer generally appears late in the course of the disease. Surgical resection of metastatic skin tumors is occasionally undertaken as palliative treatment to improve the patient's quality of life by controlling severe symptoms, including pain and hemorrhage.

Cited by: 1

Author: Tsutomu Namikawa, Eri Munekegawa, Masa...

Publish Year: 2017

Subcutaneous metastasis arising from gastric cancer: A ...

https://www.researchgate.net/publication/314010674_Subcutaneous_metastasis_arising...

Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8-1.0%. Cutaneous metastasis of cancer generally appears late in the course of the disease.

Subcutaneous metastasis arising from gastric cancer: A ...

<https://www.spandidos-publications.com/mco/6/4/515/abstract> ▼

Subcutaneous metastasis from gastric cancer is a rare manifestation, with a reported incidence of 0.8-1.0%. Cutaneous metastasis of cancer generally appears late in the course of the disease. Surgical resection of metastatic skin tumors is occasionally undertaken as palliative treatment to improve the patient's quality of life by controlling severe symptoms, including pain and hemorrhage.

Cited by: 1

Author: Tsutomu Namikawa, Eri Munekegawa, Masa...

Publish Year: 2017

Metastasis of advanced gastric cancer to the extraocular ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/s13256-019-2031-x> ▼

Apr 26, 2019 · A computed tomography scan showed enlargement of the medial rectus muscle in her left eye. She was diagnosed as having gastric cancer metastasis to the medial rectus muscle of her