



国内版 国际版

Chat with Bing

Resection of recurrent third branchial cleft fistulas assisted by



Sign in



ALL

IMAGES

VIDEOS

开启取词

Add Bing Firefox extension

7,640 Results

Any time

Third branchial cleft anomalies - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1043181017300696>

Other complications from the treatment of a **third branchial cleft** anomaly include **wound infection**; bleeding; **salivary fistula**; **vocal cord paresis** or paralysis; **injury** to the superior laryngeal, hypoglossal, facial, or glossopharyngeal nerves; and **Horner's syndrome**.

Author: Janet W. Lee, Jamie Lauren Funamura **Publish Year:** 2017

Excision of branchial cysts - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1043181005000680>

Theoretically, a **third arch pouch** and cleft anomaly should pass between **third and fourth arch** structures. Therefore, a complete **fistula** would then start in the **pyriform sinus**, pierce the thyroid-hyoid membrane, pass above the superior laryngeal and hypoglossal nerves, go beneath the glossopharyngeal nerve and carotid artery, pierce the platysma and surface in the skin anterior to the SCM (Figure 17).

Cited by: 9 **Author:** John Houck

Publish Year: 2005

Resection of recurrent branchial cleft deformity using ...

https://www.researchgate.net/publication/262190106_Resection_of_recurrent_branchial...

A total of 19 cases of recurrent **second, third, and fourth branchial cleft deformities** were treated using the selective **neck dissection technique**, during which the sternocleidomastoid muscle ...

Author: Qian Cai, Yong Pan, Yaodong Xu, Pin...

Safe Answers Section 1 - Head and Neck Flashcards | Quizlet

<https://quizlet.com/9748864/safe-answers-section-1-head-and-neck-flash-cards>

Third branchial cleft tract - opening on the lower anterior border of the SCM extends behind both carotids and passes below the hypoglossal nerves to the pharynx **Fourth branchial cleft tract** - Rare - starts usually behind the lower portion of SCM and extends downward to under the aortic arch, then loops upward and ascends next to the **recurrent** ...

Ten years of experience with third and fourth branchial ...

https://www.academia.edu/16537393/Ten_years_of_experience_with_third_and_fourth...

There was re- **third and fourth branchial fistulae** are rare, most being currence in 1 case in which no evidence of a tract was secondary to **recurrent infection and repeated surgery**. 1,7 found. One patient had exploration of the left thyroid As with other **branchial remnants**, the sinus tracts are lobe and

1

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 50894

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Resection of recurrent third branchial cleft fistulas assisted by flexible pharyngotomy

Ding XQ *et al.* Branchial cleft fistula resection by endoscopy

Abstract

BACKGROUND

Treatment of fistulas arising from the third branchial cleft includes

Match Overview

1

Internet 13 words
crawled on 19-Oct-2019
f6publishing.blob.core.windows.net

1%

2

Crossref 12 words
Derks, Laura S. M., Hidde J. Veenstra, Karin P. Q. Oomen,
Lucienne Speleman, and Inge Stegeman. "Surgery versus en

1%



All

Images

Videos

关闭取词

7,620 Results

Any time ▼

Third branchial cleft anomalies - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1043181017300696>

Other complications from the treatment of a **third branchial cleft anomaly** include **wound infection**; bleeding; **salivary fistula**; **vocal cord paresis** or paralysis; **injury** to the superior laryngeal, hypoglossal, facial, or glossopharyngeal nerves; and **Horner's syndrome**.

Author: Janet W. Lee, Jamie Lauren Funamura Publish Year: 2017

Third or fourth branchial pouch sinus lesions: a case ...

<https://journalotohns.biomedcentral.com/articles/10.1186/s40463-019-0371-6> ▼

The purpose of this study was to develop an effective management algorithm for lesions of **third or fourth branchial sinuses**. Case series with chart review. Data from patients who were identified as having **third or fourth branchial pouch sinus lesions** in a single institution between January 2014 and December 2018 were retrospectively collected.

Excision of branchial cysts - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1043181005000680>

Pathogenesis. The abnormal persistence of **branchial apparatus remnants** gives rise to **branchial anomalies** (ie, cysts, **fistulae**, and sinuses). A **cyst** is lined by epithelium but has no external opening. A **sinus** is a **blind pocket** that opens internally (persistence of a pouch) or externally (persistence of a cleft).

Cited by: 9

Author: John Houck

Publish Year: 2005

Minimally Invasive Endoscopic Surgical Repair of Recurrent ...

https://www.researchgate.net/publication/273897005_Minimally_Invasive_Endoscopic...

Minimally Invasive Endoscopic Surgical Repair of Recurrent Complete Third Branchial Fistula in a Nine Year Old Girl Article · June 2014 with 6 Reads How we measure 'reads'

Operative Otolaryngology - 3rd Edition

<https://www.elsevier.com/books/operative-otolaryngology/myers/978-0-323-40150-0?...> ▼

Emergent operative technologies and surgical approaches have transformed today's otolaryngology-head and neck surgery, and the 3rd Edition of Operative Otolaryngology brings you up to date with all that's new in the field. You'll find detailed, superbly illustrated guidance on all of the endoscopic, microscopic, laser, surgically-implantable, radio-surgical, neurophysiological monitoring ...