

Match Overview

1	Crossref 136 words M G McNamara, A Lopes, H Wasan, D Malka et al. "715PI mpact of anatomic site of biliary tract tumour origin and con	3%
2	Crossref 87 words Z. Lakkis, D. Vernerey, D. Mege, J.-L. Faucheron et al. "I... rbidity and oncological outcomes of rectal cancer impaired	2%
3	Internet 74 words crawled on 01-Jan-2020 www.wjgnet.com	1%
4	Internet 68 words crawled on 25-Jul-2019 tcr.amegroups.com	1% ➡
5	Crossref 34 words Angélique Vienot, Guillaume Beinse, Christophe Louvet, L ouis de Mestier et al. "Overall Survival Prediction and Usef	1%
6	Internet 32 words crawled on 13-Jun-2018 mdpi.com	1%
7	Crossref 31 words "Textbook of Gastrointestinal Oncology", Springer Science and Business Media LLC, 2019	1%
8	Internet 26 words crawled on 03-Nov-2016 www.spandidos-publications.com	1%

18

Name of Journal: *World Journal of Gastrointestinal Oncology***Manuscript NO:** 51067**Manuscript Type:** ORIGINAL ARTICLE*Observational Study*

17

**FOLFOXIRI vs FOLFIRINOX as first-line chemotherapy in patients with advanced
pancreatic cancer: A population-based cohort study**Vienot A *et al.* FOLFOXIRI in advanced pancreatic cancerAngélique Vienot, Hortense Chevalier, Clément Bolognini, Elisabeta Gherga, Elodie
Klaier, Aurélia Meurisse, Marine Jary, Stefano Kim, Christelle d'Engremont, Thierry



国内版 国际版

FOLFOXIRI vs FOLFIRINOX as first-line chemotherapy in patients with advar



登录



网页 图片 视频 学术 词典 地图

试用 Microsoft Edge >

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确 >

12,100 条结果 时间不限 ▾

First-line treatment with FOLFOXIRI for advanced ... 翻译此页

Cited by: 18 Author: Caterina Vivaldi, Chiara Caparello, Gianna...

Publish Year: 2016

2016-8-15 · FOLFIRINOX is a standard first-line treatment for advanced pancreatic cancer (aPC). The Gruppo Oncologico Nord Ovest (GONO) FOLFOXIRI regimen demonstrated efficacy in metastatic colorectal cancer. We aimed to evaluate activity and tolerability of FOLFOXIRI regimen in patients with aPC and to explore putative prognostic factors.

<https://www.ncbi.nlm.nih.gov/pubmed/27038273>

FOLFOXIRI versus FOLFIRINOX in first-line ... 翻译此页

Author: A Vienot, H Chevalier, C Bolognini, E ... Publish Year: 2019

2019-10-1 · Advanced pancreatic ductal adenocarcinoma (aPDAC) remains a challenging, non-curable disease. FOLFIRINOX regimen is the standard in first-line chemotherapy (L1) in this setting. FOLFOXIRI, a similar schedule with a lower dose of irinotecan and no bolus 5-fluorouracil, has demonstrated efficacy and good tolerance in metastatic colorectal cancer.

https://academic.oup.com/annonc/article/30/Supplement_5/mdz247.043/5576492 ▾

First-line treatment with FOLFOXIRI for advanced ... 翻译此页

Cited by: 18 Author: Caterina Vivaldi, Chiara Caparello, Gianna...

Publish Year: 2016

FOLFIRINOX is a standard first-line treatment for advanced pancreatic cancer (aPC). The Gruppo Oncologico Nord Ovest (GONO) FOLFOXIRI regimen demonstrated efficacy in metastatic colorectal cancer. We aimed to evaluate activity and tolerability of FOLFOXIRI regimen in patients with aPC and to explore putative prognostic factors.



FOLFOXIRI vs FOLFIRINOX as first-line chemotherapy in patien



ALL

IMAGES

VIDEOS

开启取词

11,100 Results

Any time ▼

Folfirinox versus gemcitabine/nab-paclitaxel as first-line ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6764033>

Sep 25, 2019 · Papneja N, Zaidi A, Chalchal H, et al. Comparisons of outcomes of real-world patients with advanced pancreatic cancer treated with FOLFIRINOX versus gemcitabine and nab-paclitaxel: a population-based cohort study. *Pancreas*. Epub ahead of print 7 June 2019. DOI: 10.1097/MPA.0000000000001340. [Google Scholar]

First-line treatment with FOLFOXIRI for advanced ...

<https://onlinelibrary.wiley.com/doi/full/10.1002/ijc.30125>

FOLFIRINOX is a standard first-line treatment for advanced pancreatic cancer (aPC). The Gruppo Oncologico Nord Ovest (GONO) FOLFOXIRI regimen demonstrated efficacy in metastatic colorectal cancer. We aimed to evaluate activity and tolerability of FOLFOXIRI regimen in patients with aPC and to explore putative prognostic factors.

Cited by: 18

Author: Caterina Vivaldi, Chiara Caparello, Gianna...

Publish Year: 2016

First-line treatment with FOLFOXIRI for advanced ...

<https://www.ncbi.nlm.nih.gov/pubmed/27038273>

Aug 15, 2016 · FOLFIRINOX is a standard first-line treatment for advanced pancreatic cancer (aPC). The Gruppo Oncologico Nord Ovest (GONO) FOLFOXIRI regimen demonstrated efficacy in metastatic colorectal cancer. We aimed to evaluate activity and tolerability of FOLFOXIRI regimen in patients with aPC and to explore putative prognostic factors.

Cited by: 18

Author: Caterina Vivaldi, Chiara Caparello, Gianna...

Publish Year: 2016

The efficacy and safety of modified FOLFIRINOX as first ...

<https://cancercommun.biomedcentral.com/articles/10.1186/s40880-019-0367-7>

May 08, 2019 · Oxaliplatin, irinotecan, 5-fluorouracil, and l-leucovorin (FOLFIRINOX) has become one of the first-line treatment options for advanced pancreatic cancer (PC). However, the relatively high rate of grade 3 or 4 adverse events associated with the standard dosage of FOLFIRINOX limits its widespread use in clinical practice. In this study, we were to evaluate the efficacy and safety of a modified ...

Author: Zhi-Qiang Wang, Fei Zhang, Ting Den...

Publish Year: 2019

Author: Zhi-Qiang Wang

701POutcomes of first-line FOLFIRINOX (FFX) versus ...

https://academic.oup.com/annonc/article/30/Supplement_5/mdz247.028/5576360