



All

Images

Videos

关闭取词

384,000 Results

Any time ▾

Prevalence of and factors associated with diarrhoeal ...

<https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-018-6266-z> ▾

Dec 11, 2018 · Globally, **diarrhoea** is one of the major causes of morbidity and mortality among children under than 5 years of age. There is a scarcity of published data on acute gastroenteritis (AGE) prevalence in Malaysia among children. This study aims to determine factors associated with diarrhoea in children aged less than 5 years in Malaysia. Data from the National Health and Morbidity Survey ...

Cited by: 1

Author: Fazly Azry Abdul Aziz, Noor Ani Ahmad, ...

Publish Year: 2018

A Review of the Global Burden, New Diagnostics, and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6055529>

Jul 05, 2018 · Amebic colitis is a leading cause of severe **diarrhea** worldwide and is listed among the top 15 causes of **diarrhea** in the first 2 years of life in children living in the developing world, where **diarrhea** remains the third leading cause of death, accounting for 9% of all deaths in children ...

Cited by: 20

Author: Debbie-Ann T Shirley, Laura Farr, Koji Wa...

Publish Year: 2018

The global problem of childhood diarrhoeal diseases ...

<https://journals.sagepub.com/doi/10.1177/2049936117744429>

Dec 07, 2017 · **Diarrhoea** is caused by a wide range of aetiological agents which include viruses, bacteria and parasites. 25,26 In low- and middle-income countries (LMICs), bacterial enteritis has been shown to be very common. 5,17,27 A study on causes of **diarrhoea among children** presenting to health facilities in sub-Saharan Africa and Asia prior to rotavirus vaccine introduction found that across ...

Cited by: 10

Author: Margaret Mokomane, Ishmael Kasvosve, ...

Publish Year: 2018

[PDF] Diarrheal Diseases - DCP3

<https://dcp-3.org/sites/default/files/dcp2/DCP19.pdf>

Diarrheal diseases remain a leading cause of preventable death, especially among children under five in developing countries. This chapter reviews and prioritizes a number of available interventions. The normal intestinal tract regulates the absorption and secretion of electrolytes and water to meet the body's

Journal name: *World Journal of Clinical Cases*

Manuscript NO: 51085

Manuscript Type: ORIGINAL ARTICLE

**Pathogens causing diarrhoea among Bangladeshi children with malignancy:
Results from two pilot studies**

Sabina Karim, Ferdousi Begum, Afiquil Islam, Monowar Ahmad Tarafdar, Mamtaz Begum, Md Johirul Islam, Bushra Malik, Md Shamim Ahsan, Ameneh Khatami, Harunor Rashid

Abstract

BACKGROUND

Diarrhoea is a frequent symptom among children with cancer, and occurs due to a composite effect of underlying disease and immunosuppression consequent to therapy, malnutrition and non-infective aetiologies such as mucositis. In a large proportion of cases, the aetiology of diarrhoea remains unknown but often multiple pathogens, including parasites, are attributed.

Match Overview



1

Internet 15 words
www.ncbi.nlm.nih.gov

1%

2

Internet 14 words
crawled on 20-Sep-2011
www.nci.edu.eg

1%

389,000 Results

Any time ▾

Prevalence of and factors associated with diarrhoeal ...

<https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-018-6266-z> ▾

Dec 11, 2018 · Globally, **diarrhoea** is one of the major **causes** of morbidity and mortality **among children** under than 5 years of age. There is a scarcity of published data on acute gastroenteritis (AGE) prevalence in Malaysia **among children**. This study aims to determine factors associated with **diarrhoea** in **children** aged less than 5 years in Malaysia. Data from the National Health and Morbidity Survey ...

Cited by: 1

Author: Fazly Azry Abdul Aziz, Noor Ani Ahmad, ...

Publish Year: 2018

The global problem of childhood diarrhoeal diseases ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5761924>

Dec 07, 2017 · Acute diarrhoeal **diseases** remain a leading **cause** of global morbidity and mortality particularly **among young children** in resource-limited countries. Recent large **studies** utilizing case-control design, prospective sampling and more sensitive and ...

Cited by: 10

Author: Margaret Mokomane, Ishmael Kasvosve, ...

Publish Year: 2018

Diarrhoeal disease: How Bangladesh took on a global killer

<https://www.telegraph.co.uk/global-health/science-and-disease/bangladesh-took-global...> ▾

May 23, 2018 · As the birthplace of cholera – one of the biggest and deadliest **causes** of **diarrhoea** – Bangladesh has a lot of experience in dealing with diarrhoeal **disease** and, more recently, of doing so ...

Prevention of diarrhoea in young children in developing ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2486931>

Abstract. An updated review of nonvaccine interventions for the prevention of childhood **diarrhoea** in developing countries is presented. The importance of various key preventive strategies (breast-feeding, water supply and sanitation improvements) is confirmed and certain aspects of others (promotion of personal and domestic hygiene, weaning education/food hygiene) are refined.

Cited by: 272

Author: S. R. A. Huttly, S. S. Morris, V. Pisani

Publish Year: 1997

Hygiene and sanitation risk factors of diarrhoeal disease ...