

Treatment of severe upper gastrointestinal bleeding caused by



ALL

IMAGES

VIDEOS

关闭取词

19,000 Results

Any time ▾

Management of acute upper gastrointestinal bleeding | The ...

<https://www.bmj.com/content/364/bmj.l536> ▾

Mar 25, 2019 - A recent multicenter observational study of 619 patients requiring endoscopic therapy for upper gastrointestinal bleeding reported that 44% were taking an antithrombotic drug at presentation, with 25% taking more than one.⁴¹ Although these drugs are a recognized risk factor for upper gastrointestinal bleeding,^{42 43} no clear evidence indicates that their use worsens outcomes after the bleed...

Cited by: 1

Author: Adrian J Stanley, Loren Laine

Publish Year: 2019

An Evidence-Based Review of Gastrointestinal Bleeding ...

<https://www.reliasmedia.com/articles/144557-an-evidence-based-review-of...> ▾

In infants to adolescents, common etiologies of upper GI bleeding are similar to those of adults, including Mallory-Weiss syndrome, presence of esophageal or gastrointestinal foreign body, esophagitis, peptic ulcers and gastritis, pill esophagitis associated with antibiotics or NSAIDs, hepatic vein obstruction (Budd-Chiari syndrome), or esophageal varices due to liver disease caused by cystic fibrosis, biliary atresia, and portal vein thrombosis...

Upper Gastrointestinal Bleeding (UGIB) Treatment ...

<https://emedicine.medscape.com/article/187857-treatment> ▾



Treatment

Safety

Management

Signs and symptoms

Adm



The goal of medical therapy in upper gastrointestinal bleeding (UGIB) is to correct shock and coagulation abnormalities and to stabilize the patient so that further evaluation and treatment can proceed. High doses of proton pump inhibitors may reduce the need for endoscopic therapy (see Treatment with proton pump inhibitors). Pulmonary artery catheters may be helpful to guide therapy. Foley catheter placement is mandatory to allow a continuous evaluation of the urinary output as a guide to renal perfusion. This lab...

[See more on medscape.com](#)

Published: Mar 21, 2016

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 51313

Manuscript Type: CASE REPORT

Treatment of severe upper gastrointestinal bleeding caused by Mallory-Weiss Syndrome after a primary coronary intervention for acute inferior wall myocardial infarction: A case report

Du BB *et al.* Acute UGIB after AMI PCI

Bei-Bei Du, Xing-Tong Wang, Xiang-Dong Li, Pei-Pei Li, Wei-Wei Chen, Si-Ming Li, Ping Yang

Match Overview

1	Internet 13 words crawled on 26-Feb-2019 link.springer.com	1%
2	Internet 13 words crawled on 09-Jan-2018 www.jove.com	1%
3	Crossref 12 words Charles Cannan, Matthias G Friedrich. "Cardiac magneti... esonance imaging: current status and future directions", Ex	1%



All

Images

Videos

关闭取词

19,000 Results

Any time ▾

Management of acute upper gastrointestinal bleeding | The ...

<https://www.bmj.com/content/364/bmj.l536> ▾

Mar 25, 2019 - A recent multicenter observational study of 619 patients requiring endoscopic therapy for upper gastrointestinal bleeding reported that 44% were taking an antithrombotic drug at presentation, with 25% taking more than one.⁴¹ Although these drugs are a recognized risk factor for upper gastrointestinal bleeding,^{42 43} no clear evidence indicates that their use worsens outcomes after the bleed...

Cited by: 1

Author: Adrian J Stanley, Loren Laine

Publish Year: 2019

Mallory-Weiss Syndrome: A Commonly Overlooked Cause of ...

<https://www.sciencedirect.com/science/article/pii/S0016508563800438>

Mallory-Weiss Syndrome: A Commonly Overlooked Cause of Upper Gastrointestinal Bleeding: Report of Three Cases and Review of the Literature Author links open overlay panel William O. Dobbins III M.D. Show more

Cited by: 19

Author: William O. Dobbins

Publish Year: 1963

Chapter 15: GI Disorders Papadakis Flashcards | Quizlet

<https://quizlet.com/230787387/chapter-15-gi-disorders-papadakis-flash-cards> ▾

Start studying Chapter 15: GI Disorders Papadakis. Learn vocabulary, terms, and more with flashcards, games, and other study tools. ... and bleeding secondary to a mucosal tear at the gastroesophageal junction (Mallory-Weiss syndrome). ... All patients with acute upper gastrointestinal bleeding and suspected cirrhosis should be admitted to an ICU.

An Evidence-Based Review of Gastrointestinal Bleeding ...

<https://www.reliasmedia.com/articles/144557-an-evidence-based-review-of...> ▾

In infants to adolescents, common etiologies of upper GI bleeding are similar to those of adults, including Mallory-Weiss syndrome, presence of esophageal or gastrointestinal foreign body, esophagitis, peptic ulcers and gastritis, pill esophagitis associated with antibiotics or NSAIDs, hepatic vein obstruction (Budd-Chiari syndrome), or esophageal varices due to liver disease caused by cystic fibrosis, biliary atresia, and portal vein thrombosis...

Pathophysiology II- Chapter 34 vocab Flashcards | Quizlet