



All

Images

Videos

开启取词

16,600 Results

Any time ▾

Nasal Type Extranodal Natural Killer/T (NK/T) Cell ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5153321>

Dec 09, 2016 · Nasal natural killer/T cell lymphoma (Nasal NKTCL), which is a subtype of peripheral T cell lymphoma, constitutes about 1.4% of all lymphomas. NKTCL is usually diagnosed at a late stage because it presents with nonspecific symptoms in the early stages.

Cited by: 1

Author: Ma'in Ali Al Shawabkeh, Mansour Al Sula...

Publish Year: 2016

Extranodal natural killer/T-cell lymphoma, nasal type ...

<https://www.spandidos-publications.com/ol/8/5/2253> ▾

The present study reports a case of extranodal natural killer (NK)/T-cell lymphoma, nasal type, involving the skin. The clinical manifestations, pathological characteristics, treatment and prognosis of the case were analyzed to improve the clinical diagnosis and treatment for this disease.

Cited by: 3

Author: Yan Zheng, Jinjing Jia, Wensheng Li, Jua...

Publish Year: 2014

(PDF) Extranodal natural killer/T-cell lymphoma, Nasal ...

https://www.researchgate.net/publication/266624991_Extranodal_natural_killerT-cell...

Extranodal natural killer/T-cell lymphoma, Nasal type, Involving the skin, Misdiagnosed as nasosinusitis and a fungal infection: A case report and literature review

CD30+ extranodal natural killer/T-cell lymphoma mimicking ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3997696>

Feb 28, 2014 · The current study presents a case of a 23-year-old male with CD30 + nasal-type extranodal natural killer/T-cell lymphoma (NKTL), with unusual clinical features mimicking phlegmonous myositis. The patient initially presented with swelling and tenderness of the left lower limb, particularly around the left ankle.

Cited by: 1

Author: Yan-Jia Yang, Ya-Xin Li, Yan-Bin Liu, Mei ...

Publish Year: 2014

Extranodal nasal-type natural killer/T-cell lymphoma with ...

<https://bmcurol.biomedcentral.com/articles/10.1186/s12894-017-0273-8> ▾

Sep 06, 2017 · Extranodal natural killer/T-cell lymphoma (ENKTL) usually presents as a localized disease in the nasal cavity; extension to the male genitourinary system is very rare and has been characterized only recently. Most cases present with predominantly extranodal involvement, advanced



国内版 国际版

Muscular involvement of extranodal natural killer/T cell lymph



Sign in



All

Images

Videos

关闭取词

Add Bing Firefox extension >

16,800 Results

Any time ▾

Extranodal natural killer/T-cell lymphoma, nasal type ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4186554>

Extranodal natural killer/T-cell lymphoma, nasal type, involving the skin, misdiagnosed as nasosinusitis and a fungal infection: A case report and literature review YAN ZHENG , 1 JINJING JIA , 1 WENSHENG LI , 2 JUAN WANG , 1 QIONG TIAN , 1 ZHENGXIAO LI , 1 JING YANG , 3 XINYU DONG , 1 PING PAN , 1 and SHENGXIANG XIAO 1

Cited by: 3 Author: Yan Zheng, Jinjing Jia, Wensheng Li, Jua...

Publish Year: 2014

[PDF] Extranodal natural killer T cell lymphoma, nasal type ...

https://www.researchgate.net/publication/266624991_Extranodal_natural_killerT-cell...

Extranodal natural killer/T-cell lymphoma, nasal type, involving the skin, misdiagnosed as nasosinusitis and a fungal infection: A case report and literature review

Nasal Type Extranodal Natural Killer/T (NK/T) Cell ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5153321>

Dec 09, 2016 - Nasal natural killer/T cell lymphoma (Nasal NKTCL), which is a subtype of peripheral T cell lymphoma, constitutes about 1.4% of all lymphomas. NKTCL is usually diagnosed at a late stage because it presents with nonspecific symptoms in the early stages.

Cited by: 1 Author: Ma'in Ali Al Shawabkeh, Mansour Al Sula...

Publish Year: 2016

CD30+ extranodal natural killer/T-cell lymphoma mimicking ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3997696>

Feb 28, 2014 - The current study presents a case of a 23-year-old male with CD30 + nasal-type extranodal natural killer/T-cell lymphoma (NKTL), with unusual clinical features mimicking phlegmonous myositis. The patient initially presented with swelling and tenderness of the left lower limb, particularly around the left ankle.

Cited by: 1 Author: Yan-Jia Yang, Ya-Xin Li, Yan-Bin Liu, Mei ...

Publish Year: 2014

(PDF) Primary extranodal natural killer/T-cell lymphoma of ...

https://www.researchgate.net/publication/273835530_Primary_extranodal_natural_killerT...

Extranodal natural killer (NK)/T-cell lymphoma (ENKTL) is an aggressive disease with poor



All

Images

Videos

关闭取词

12,200 Results

Any time ▾

Uveitis and Myositis as Immune Complications in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5078671>

Extranodal NK/T-cell nasal lymphoma is rarely associated with skin lesions mimicking inflammatory or reactive disorders with a similar histopathologic pattern. Muscle involvement is ...

Author: Maria José Gómez-Crespo, Aránzazu ... Publish Year: 2016

Neurolymphomatosis in a Patient with Extranodal NK/T-cell ...

https://www.researchgate.net/publication/260445259_Neurolymphomatosis_in_a_Patient...

Neurolymphomatosis in a Patient with Extranodal NK/T-cell Lymphoma, Nasal-type: A Case Report and Literature Review Article · Literature Review in Internal Medicine 53(5):471-5 · March 2014 with ...

[PDF] Case Report Uveitis and Myositis as Immune ...

<downloads.hindawi.com/journals/crihem/2016/7297920.pdf>

NK/T-cell lymphomas are a group of clonal proliferations of NK- or, rarely, T-cell types and have peculiar clinicopathologic features. Most common site of involvement is the upper aerodigestive tract (nasal cavity, nasopharynx, paranasal sinuses, and

Author: Maria José Gómez-Crespo, Aránzazu ... Publish Year: 2016

Aggressive Lymphoma “Sarcoma Mimicker” Originating in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4934407>

Jul 05, 2016 · However, diffuse large B-cell lymphoma is the most common histological subtype of non-Hodgkin lymphoma, primarily arising in the retroperitoneal region. In this article, we report a rare case of an adult male diagnosed with primary diffuse large B-cell lymphoma of the gluteal and adductor muscles with aggressive bone involvement.

Author: Sarah A. Elkourashy, Abdulqadir J. N... Publish Year: 2016

[PDF] Extranodal Non-Hodgkin Lymphoma Involving the ...

<www.ajnr.org/content/ajnr/19/10/1849.full.pdf>

Summary: Involvement of the skeletal muscle by non-Hodgkin lymphoma (NHL) is unusual. The most commonly affected muscles are those of the extremities, pelvis, and gluteal regions; rarely are the muscles in the head and neck involved. We report the clinical, CT, and MR imaging findings in two patients with extranodal NHL in the head

1

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 51667

Manuscript Type: CASE REPORT

Muscular involvement of extranodal natural killer/T cell lymphoma misdiagnosed as polymyositis: A case report and review of literature

Abstract

BACKGROUND

Natural killer/T cell lymphoma (NK/T cell lymphoma), is a rare and highly aggressive malignant tumor, as a special form of non-Hodgkin's lymphoma. Although extranodal involvement is not infrequent, include the skin,

Match Overview

1	Internet 58 words crawled on 06-Oct-2019 f6publishing.blob.core.windows.net	4%
2	Crossref 34 words Hye Sook Min, Chang Lim Hyun, Jin Ho Paik, Yoon Kyung J eon, Giyoung Choi, Sung-Hye Park, Jeong Wook Seo, Chul	2%
3	Crossref 21 words Liang Wang, Zhao Wang, Zhong-jun Xia, Yue Lu, Hui-qiang H uang, Yu-jing Zhang. "CD56-negative extranodal NK/T cell l...	1%
4	Internet 14 words crawled on 13-Oct-2019 www.wjgnet.com	1%
5	Crossref 13 words F.P. Wilson, S.H. Nasr, G.S. Markowitz, E.C. Naylor, P.L. ... erman, V.D. D'Agati. "A destructive nasal lesion and glomeru	1%



All

Images

Videos

关闭取词

16,600 Results

Any time ▾

Extranodal natural killer/T-cell lymphoma, nasal type ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4186554>

Extranodal natural killer/T-cell lymphoma, nasal type, involving the skin, misdiagnosed as nasosinusitis and a fungal infection: **A case report and literature review** YAN ZHENG , 1 JINJING JIA , 1 WENSHENG LI , 2 JUAN WANG , 1 QIONG TIAN , 1 ZHENGXIAO LI , 1 JING YANG , 3 XINYU DONG , 1 PING PAN , 1 and SHENGXIANG XIAO 1

Nasal Type Extranodal Natural Killer/T (NK/T) Cell ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5153321>

Dec 09, 2016 · **Nasal natural killer/T cell lymphoma (Nasal NKTCL)**, which is a subtype of peripheral T cell lymphoma, constitutes about 1.4% of all lymphomas. NKTCL is usually diagnosed at a late stage because it presents with nonspecific symptoms in the early stages.

Cited by: 1

Author: Ma'in Ali Al Shawabkeh, Mansour Al Sula...

Publish Year: 2016

[PDF] Extranodal nasal-type natural killer/T-cell lymphoma with ...

<https://bmculol.biomedcentral.com/track/pdf/10.1186/s12894-017-0273-8>

CASE REPORT Open Access Extranodal nasal-type natural killer/T-cell lymphoma with penile involvement: a case report and review of the literature Xiaotian Wang¹, Zimu Gong², Shawn Xiang Li^{2,3}, Wei Yan² and Yongsheng Song^{1*} Abstract Background: Extranodal natural killer/T-cell lymphoma (ENKTL) usually presents as a localized disease in the nasal

Author: Xiaotian Wang, Zimu Gong, Shawn Xi...

Publish Year: 2017

Primary extranodal natural killer/T-cell lymphoma of ...

onlinelibrary.wiley.com/doi/10.1111/1759-7714.12254/full

Herein, we discuss the clinicopathological features of this case and review the literature on primary extranodal NK/T-cell lymphoma of the lung. Compared with other patients, who died after the first cycle of chemotherapy and/or within three months, our patient had longer survival under aggressive chemotherapy and auto-peripheral blood stem ...

Published in: Thoracic Cancer · 2016

Authors: Chuchun Chien · Herngsheng Lee · Minhsi Lin · Pinpen Hsieh

About: Lymphoma · Natural killer T cell · Text mining · Bioinformatics

Neurolymphomatosis associated with muscle and cerebral