

Interaction of arylsulfatases A and B with maspin: A possible e



ALL

IMAGES

VIDEOS

关闭取词

3,060 Results

Any time ▾

Epigenetics in cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2802667>

Sep 13, 2009 - The mechanism by which a tumor cell accumulates such widespread epigenetic abnormalities during cancer development is still not fully understood. The selective advantage of these epimutations during tumor progression is possible, but it is unlikely that the multitude of epigenetic alterations that reside in a cancer epigenome occur in a random fashion and then accumulate inside ...

Cited by: 2029 Author: Shikhar Sharma, Theresa K. Kelly, Peter ...

Publish Year: 2010

Immunity, Inflammation, and Cancer: Cell

[https://www.cell.com/fulltext/S0092-8674\(10\)00060-7](https://www.cell.com/fulltext/S0092-8674(10)00060-7) ▾

Mar 19, 2010 - Inflammatory responses play decisive roles at different stages of tumor development, including initiation, promotion, malignant conversion, invasion, and metastasis. Inflammation also affects immune surveillance and responses to therapy. Immune cells that infiltrate tumors engage in an extensive and dynamic crosstalk with cancer cells, and some of the molecular events that mediate this dialog ...

Cited by: 6738 Author: Sergei I. Grivennikov, Florian R. Greten, ...

Publish Year: 2010

Cancer microenvironment, inflammation and cancer stem ...

surgicalneurologyint.com/surgicalint-articles/cancer-microenvironment-inflammation-and... ▾

Nanog is expressed in a number of cancers including cancer of the breast, cervix, kidney, prostate, lung, brain, ovary, gastric carcinoma, and oral cancers. Strong expression of nanog is an indicator of a poor prognosis in ovarian serous carcinoma, colorectal cancer, and breast cancer patients.[76 95] The expression of nanog is higher in cancer stem cells than nonstem cells. Importantly, overexpression of ...

Caveolin-1 and mitochondrial SOD2 (MnSOD) function as ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3047109>

Feb 15, 2011 - Intersection of fibroblast proteomics with the transcriptome of human breast cancer tumor stroma. Gene transcripts that were consistently upregulated in tumor stroma were selected and assigned a p value, with a cut-off of $p < 0.05$ (contains 6,777 genes) (discussed in ...

Cited by: 90 Author: Casey Trimmer, Federica Sotgia, Federic...

Publish Year: 2011

The Role of Osteopontin in Tumor Progression and ...

<https://cebn.aacrjournals.org/content/16/6/1087> ▾

1
Name of journal: *World Journal of Clinical Cases*
ESPS Manuscript NO: 51691
Manuscript Type: ORIGINAL ARTICLE

Observational study

Interaction of arylsulfatases A and B with maspin: A possible explanation for dysregulation of tumor cell metabolism and invasive potential of colorectal cancer

Zsolt Kovacs, Ioan Jung, Krisztina Szalman, Laura Baniyas, Tivadar Jr. Bara, Simona Gurzu

ABSTRACT

BACKGROUND

Abstract text partially visible at the bottom of the page.

Match Overview

1	Internet 33 words crawled on 20-Jun-2019 f6publishing.blob.core.windows.net	1%
2	Internet 10 words crawled on 18-Sep-2019 ikee.lib.auth.gr	<1%



All

Images

Videos

关闭取词

3,060 Results

Any time ▾

Epigenetics in cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2802667>

Sep 13, 2009 · The **mechanism** by which a **tumor cell accumulates** such widespread epigenetic **abnormalities** during cancer development is still not fully understood. The selective advantage of these **epimutations** during **tumor progression** is **possible**, but it is unlikely that the multitude of epigenetic alterations that reside in a **cancer epigenome** occur in a random fashion and then accumulate inside ...

Cited by: 2029

Author: Shikhar Sharma, Theresa K. Kelly, Peter ...

Publish Year: 2010

Immunity, Inflammation, and Cancer: Cell

[https://www.cell.com/fulltext/S0092-8674\(10\)00060-7](https://www.cell.com/fulltext/S0092-8674(10)00060-7) ▾

Mar 19, 2010 · Inflammatory responses play decisive roles at different stages of **tumor** development, including initiation, promotion, malignant conversion, invasion, and metastasis. Inflammation also affects immune surveillance and responses to therapy. Immune cells that infiltrate tumors engage in an extensive and dynamic crosstalk with **cancer cells**, and some of the molecular events that mediate this dialog ...

Cited by: 6738

Author: Sergei I. Grivennikov, Florian R. Greten, ...

Publish Year: 2010

Cell-Type-Specific Repression of the Maspin Gene Is ...

https://www.researchgate.net/publication/231589123_Cell-Type-Specific_Repression_of...

The high levels of **maspin** expression observed both in primary and **metastatic lesions** of the three types of cancer suggest an **important role of maspin** expression in these tumors and the **potential** ...

Cancer microenvironment, inflammation and cancer stem ...

surgicalneurologyint.com/surgicalint-articles/cancer-microenvironment-inflammation-and... ▾

Nanog is expressed in a number of cancers including cancer of the **breast**, cervix, kidney, prostate, lung, brain, ovary, **gastric carcinoma**, and oral cancers. Strong expression of **nanog** is an indicator of a poor prognosis in **ovarian serous carcinoma**, colorectal cancer, and **breast cancer patients**. [76 95] The expression of **nanog** is higher in cancer stem cells than nonstem cells. Importantly, overexpression of ...

Loss of maspin expression contributes to a more invasive ...

https://www.researchgate.net/publication/6436975_Loss_of_maspin_expression_contributes...