



ALL

IMAGES

VIDEOS

关闭取词

6,960,000 Results

Any time ▾

Accuracy, validity and reliability in assessment and in ...

<https://www.ncbi.nlm.nih.gov/pubmed/16788075>

Accuracy, validity and reliability in **assessment** and in evaluation of **services for older people**: the role of the interRAI MDS **assessment** system. Carpenter GI. Comment on Age Ageing. 2006 Jul;35(4):434-8.

Cited by: 76

Author: G. Iain Carpenter

Publish Year: 2006

Survivorship care plans: a work in progress

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4059811>

In **Canada and the United Kingdom**, about 1 and 2 million people respectively are currently **living** with and beyond cancer 4 – 7. In the **United States**, the number of survivors rose to 11.7 million in 2007 from 3 million in 1971 8 .

Cited by: 24

Author: H.M.L. Daudt, C. van Mossel, D.L. Denni...

Publish Year: 2014

[PDF] Older people with social care needs and multiple long ...

<https://www.nice.org.uk/guidance/ng22/evidence/full-guideline-552742669>

Older people with **social care** needs and multiple **long-term** conditions 6 of 166 duties, and deliver **support to older people** with multiple **long-term** conditions and their carers. In focusing on wider wellbeing and **person-centred** support, the Care Act also encourages more integrated working and coordinated engagement between

What works in implementation of integrated care programs ...

<https://academic.oup.com/intqhc/article/29/5/612/4079832> ▾

Aug 09, 2017 · Evaluating the Impact of Integrated Health and Social Care Teams on Older People Living in the Community **United Kingdom** Brown et al. Integrated health and **social care** teams, weekly meetings, co-location, **assessment and case management** Method: Quasi-experimental

Cited by: 13

Author: M Kirst, M Kirst, J Im, T Burns, GR Bake...

Publish Year: 2017

Nutritional assessment and screening in children | Nursing ...

<https://www.nursingtimes.net/clinical-archive/nutrition/nutritional-assessment-and...>

Older children should be weighed with a minimum of clothing. The choice of scales will be determined by the **child's age**, size and general condition. Care should be taken when positioning the **child** on the

Match Overview

1	Crossref 96 words "SIOG 2016 – Abstract Submission – Poster Presentations", Journal of Geriatric Oncology, 2016	3%
2	Internet 14 words crawled on 24-Jun-2019 link.springer.com	<1%
3	Internet 13 words crawled on 11-Dec-2015 www.cbsnv.com	<1%

Name of Journal: World Journal of Clinical Oncology

Manuscript NO: 52040

Manuscript Type: EVIDENCE-BASED MEDICINE

Assessment methods and services for older people with cancer in the United Kingdom

Tania Kalsi, Danielle Harari

National cancer strategy calls for comprehensive assessments for older people but current practice across the United Kingdom is not well described.

AIM

To identify current assessment methods and access to relevant supporting services for older people with cancer.

METHODS

A web-based survey (SurveyMonkey) targeting health professionals (oncologists, cancer surgeons, geriatricians, nurses and allied health professionals) was distributed January - April 2016 *via* United Kingdom nationally recognised professional societies. Responses were analysed in frequencies and percentages. Chi Square was used to compare differences in responses between different groups.



ALL

IMAGES

VIDEOS

关闭取词

6,720,000 Results

Any time ▾

Accuracy, validity and reliability in assessment and in ...

<https://www.ncbi.nlm.nih.gov/pubmed/16788075>

Accuracy, validity and reliability in **assessment** and in evaluation of **services for older people**: the role of the interRAI MDS **assessment** system. Carpenter GI. *Comment on Age Ageing*. 2006 Jul;35(4):434-8.

Cited by: 76

Author: G. Iain Carpenter

Publish Year: 2006

Survivorship care plans: a work in progress

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4059811>

In **Canada** and the **United Kingdom**, about 1 and 2 million **people** respectively are currently **living** with and beyond cancer 4 – 7. In the **United States**, the **number of survivors** rose to 11.7 million in 2007 from 3 million in 1971 8 .

Cited by: 24

Author: H.M.L. Daudt, C. van Mossel, D.L. Denni...

Publish Year: 2014

[PDF] Older people with social care needs and multiple long ...

<https://www.nice.org.uk/guidance/ng22/evidence/full-guideline-552742669>

Older **people** with **social care** needs and multiple **long-term** conditions 6 of 166 duties, and deliver **support to older people** with multiple **long-term** conditions and their carers. In focusing on wider wellbeing and **person-centred** support, the Care Act also encourages more integrated working and coordinated engagement between

What works in implementation of integrated care programs ...

<https://academic.oup.com/intqhc/article/29/5/612/4079832> ▾

Aug 09, 2017 · Evaluating the Impact of Integrated Health and Social Care Teams on Older People Living in the Community **United Kingdom** Brown et al. Integrated health and **social care** teams, weekly meetings, co-location, **assessment and case management** Method: Quasi-experimental

Cited by: 13

Author: M Kirst, M Kirst, J Im, T Burns, GR Bake...

Publish Year: 2017

Nutritional assessment and screening in children | Nursing ...

<https://www.nursingtimes.net/clinical-archive/nutrition/nutritional-assessment-and...>

Older **children** should be weighed with a minimum of clothing. The choice of scales will be determined by the **child's age**, size and general condition. Care should be taken when positioning the **child** on the