



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 52286

Title: Total hip replacement using MINIMA short stem. A short-term follow-up study

Reviewer's code: 01220036

Position: Editorial Board

Academic degree: DNB, MD

Professional title: Attending Doctor

Reviewer's country: United States

Author's country: Greece

Manuscript submission date: 2019-10-29

Reviewer chosen by: Ruo-Yu Ma

Reviewer accepted review: 2019-11-19 20:35

Reviewer performed review: 2019-11-19 20:50

Review time: 1 Hour

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

needs some editing as regards grammar

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 52286

Title: Total hip replacement using MINIMA short stem. A short-term follow-up study

Reviewer's code: 00505434

Position: Peer Reviewer

Academic degree: MD

Professional title: Professor, Surgeon

Reviewer's country: United States

Author's country: Greece

Manuscript submission date: 2019-10-29

Reviewer chosen by: Ruo-Yu Ma

Reviewer accepted review: 2019-12-03 22:18

Reviewer performed review: 2019-12-05 16:14

Review time: 1 Day and 17 Hours

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input checked="" type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

This is a retrospective study of a prospectively collected data concerning the use of a short femoral stem for total hip arthroplasty in 61 consecutive patients with at least 1 year follow-up. Although a small number of cases and short-term follow-up, the clinical and radiological results are excellent. The manuscript is well written. The report is the first of this specific design of the short femoral stem. Longer follow up and more subjects enrollment would be the next step. This reviewer would suggest minor modification of the conclusion in the abstract: to be concise about the findings.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☒ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☒ No