



18,800 Results Any time ▾

Intra-antral application of an anti-fungal agent for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3443669>

Treatment has been via use of either surgical or medical modalities, or a combination of the two. Here, we present a case of utilization of intra-antral application of an anti-fungal agent in the management of recurrent fungal sinusitis in an indigent Nigerian patient.

Author: Adekunle D Dunmade, Olushola A Afo... Publish Year: 2012

Microbiology Case Study: A 16 Year Old with Rhinosinusitis ...

<https://labmedicineblog.com/.../microbiology-case-study-a-16-year-old-with-rhinosinusitis> ▾

Jul 10, 2017 · Microbiology Case Study: A 16 Year Old with Rhinosinusitis. It is a type 1 and 3 hypersensitivity reaction mediated process due to high levels of mold-specific IgE. 4 Skin prick testing is also positive in patients with allergic fungal rhinosinusitis (AFRS) which further indicates that the pathophysiology is an immunologic versus infectious process.

Case Report: Invasive rhinosinusitis by Exserohilum ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3987205>

We report a unique case of chronic invasive fungal rhinosinusitis by *E. rostratum* in an immunocompetent patient of the paediatric age group. Apart from the outbreak in the USA, this fungus has been implicated in 10 cases of acute invasive rhinosinusitis and 9 cases of allergic fungal sinusitis

Cited by: 5 Author: Ayush Gupta, Immaculata Xess, S C Sha...

Publish Year: 2014

Pediatric alternating allergic fungal rhinosinusitis: A ...

<https://www.sciencedirect.com/science/article/pii/S2210261218305224>

Allergic fungal rhinosinusitis (AFRS) was first reported as a distinct clinical entity in 1976. It is coupled with the clinical entity of fungus ball (mycetoma) as a form of noninvasive fungal sinus disease, separate from and unrelated to invasive fungal sinus pathology.

Author: Danah H. Althomaly, Ali A. AlMomen Publish Year: 2019

Prevalence and clinical profile of fungal rhinosinusitis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5010432>

Fungal infections can occur in any age group, but symptoms differ based on the immunity status of the

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 52394

Manuscript Type: CASE REPORT

Analysis of the pathogenetic process of fungal rhinosinusitis: Two case reports

Lin-Lin Wang, Feng-Ji Chen, Long-Su Yang, Jie-En Li

Abstract

BACKGROUND

Fungal rhinosinusitis is an infectious and/or allergic disease caused by fungi in the sinus and nasal cavity. Due to the warm and humid climate in Guangxi Zhuang Autonomous Region, the incidence of fungal rhinosinusitis is higher than that in other provinces. However, its physiological mechanism is not yet clear. Not every patient colonized by fungi develops a fungal infection. To a large extent, the immune status

Match Overview

1	Crossref 149 words Simon Vautier, Donna M. MacCallum, Gordon D. Brown. "C... type lectin receptors and cytokines in fungal immunity", <i>Cyt</i>	4%
2	Crossref 68 words Anne K. Ellis, Mark W. Tenn. "Advances in rhinitis", <i>Annals o f Allergy, Asthma & Immunology</i> , 2018	2%
3	Internet 28 words crawled on 12-Jun-2019 www.tandfonline.com	1%
4	Crossref 27 words Shigeharu Fujieda, Yoshimasa Imoto, Yukinori Kato, Taka... ro Ninomiya et al. "Eosinophilic chronic rhinosinusitis", <i>Alle</i>	1%
5	Internet 16 words crawled on 21-Dec-2019 www.karger.com	<1%
6	Internet 12 words crawled on 22-Jun-2017 www.jove.com	<1%
7	Internet 12 words core.ac.uk	<1%



ALL

IMAGES

VIDEOS

关闭取词

15,200 Results

Any time ▾

Two Cases of Invasive Fungal Rhinosinuitis | Request PDF

https://www.researchgate.net/.../269783342_Two_Cases_of_Invasive_Fungal_Rhinosinuitis

In this study, we report the clinical features and prognosis of 6 cases of invasive fungal rhinosinuitis (IFRS). The 6 patients were all males and were aged 71–86 years.

An unusual case of complicated rhinosinuitis of the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6537237>

May 26, 2019 · The most common cause of isolated sphenoid sinus opacification is infections: 28.3% of all cases are due to chronic rhinosinuitis without nasal polyps, 20.3% to mucocoeles, 12.5% to fungal sinusitis, 7.7% to malignant neoplasms, 7% to intracranial lesions, 5.7% to benign neoplasms, 3.4% to chronic rhinosinuitis with nasal polyps and 4.7% to other lesions. 3

Author: Gian Luca Fadda, Gian Luca Fadda, ... Publish Year: 2019

Fungal Rhinosinuitis: A Retrospective Microbiologic and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3299344>

Feb 08, 2012 · The remaining two patients (ages 63 and 65) presented with a history of presumed chronic rhinosinuitis and no known risk factors for fungal sinusitis. Both of these patients showed chronic inflammation and associated mucosal ulceration with submucosal invasive fungal forms without angioinvasion (Figure 4).

Cited by: 90 Author: Kathleen T. Montone, Virginia A. Livolsi, ...

Publish Year: 2012

[Clinical analyses of the diagnosis and treatment of ...

<https://www.ncbi.nlm.nih.gov/pubmed/27625123>

Aug 07, 2016 · RESULTS: Nine cases of chronic IFRS (including 1 case of mucor, 7 cases of aspergillus and 1 case of rhinocerebral zygomycosis) were cured, but the vision loss, diplopia or blindness, hard palate perforation remained. Five cases of acute IFRS included 3 cases of mucor and 2 cases ...

Author: Shi Gg, Shi L, Zhang Zy, Wan Yz, Li ... Publish Year: 2016

Frozen-section biopsy analysis for acute invasive fungal ...

<https://www.sciencedirect.com/science/article/pii/S0194599807000150>



15,400 Results

Any time ▾

Two Cases of Invasive Fungal Rhinosinusitis | Request PDF

https://www.researchgate.net/.../269783342_Two_Cases_of_Invasive_Fungal_Rhinosinusitis

In this study, we report the clinical features and prognosis of 6 cases of invasive fungal rhinosinusitis (IFRS). The 6 patients were all males and were aged 71–86 years.

Fungal Rhinosinusitis: A Retrospective Microbiologic and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3299344>

Feb 08, 2012 · The remaining two patients (ages 63 and 65) presented with a history of presumed chronic rhinosinusitis and no known risk factors for fungal sinusitis. Both of these patients showed chronic inflammation and associated mucosal ulceration with submucosal invasive fungal forms without angioinvasion (Figure 4).

Cited by: 90

Author: Kathleen T. Montone, Virginia A. Livolsi, ...

Publish Year: 2012

[Clinical analyses of the diagnosis and treatment of ...

<https://www.ncbi.nlm.nih.gov/pubmed/27625123>

Aug 07, 2016 · RESULTS: Nine cases of chronic IFRS (including 1 case of mucor, 7 cases of aspergillus and 1 case of rhinocerebral zygomycosis) were cured, but the vision loss, diplopia or blindness, hard palate perforation remained. Five cases of acute IFRS included 3 cases of mucor and 2 cases ...

Author: Shi Gg, Shi L, Zhang Zy, Wan Yz, Li ... Publish Year: 2016

Pediatric alternating allergic fungal rhinosinusitis: A ...

<https://www.sciencedirect.com/science/article/pii/S2210261218305224>

Allergic fungal rhinosinusitis (AFRS) was first reported as a distinct clinical entity in 1976 . It is coupled with the clinical entity of fungus ball (mycetoma) as a form of noninvasive fungal sinus disease, separate from and unrelated to invasive fungal sinus pathology.

Author: Danah H. Althomaly, Ali A. AlMomen Publish Year: 2019

Prevalence and clinical profile of fungal rhinosinusitis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5010432>

All the invasive fungal rhinosinusitis cases (n = 12 [40%]) and chronic indolent fungal rhinosinusitis (n = 2 [6.6%]) were successfully managed by a combination of surgical debridement, followed by antifungal therapy, whereas the majority of the cases were fungus ball (n = 14 [46.6%]) were treated by endoscopic-assisted sinus surgery.