



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 52502

Title: Image guided percutaneous gastrostomy catheter placement: How we do it safely and efficiently

Reviewer's code: 01429497

Position: Editorial Board

Academic degree: MD, PhD

Professional title: Chief Doctor, Research Scientist, Surgeon

Reviewer's country: Greece

Author's country: United States

Reviewer chosen by: Artificial Intelligence Technique

Reviewer accepted review: 2019-11-14 09:58

Reviewer performed review: 2019-11-21 11:53

Review time: 7 Days and 1 Hour

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

It is a long-story presentation of an existed method for gastrostomy placement. I need the authors to clearly state the strict indications for radiologically performed gastrostomies; and to underline that this method is inferior to endoscopic one, due to increased percentage of complications, the duration of the procedure and the need of the patient to be moved to the X-ray suite [use of x-ray and CT]. minor points A lot of talk for a known procedure. What is exactly the new? If any much be underlined.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 52502

Title: Image guided percutaneous gastrostomy catheter placement: How we do it safely and efficiently

Reviewer's code: 02946462

Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Associate Professor

Reviewer's country: Romania

Author's country: United States

Reviewer chosen by: Artificial Intelligence Technique

Reviewer accepted review: 2019-11-17 20:42

Reviewer performed review: 2019-12-08 22:38

Review time: 21 Days and 1 Hour

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

Interesting topic. A video recording for better understanding would be useful

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No