

Match Overview

| | | |
|---|---|-----|
| 1 | Internet 20 words crawled on 11-Apr-2019 www.wjgnet.com | 1% |
| 2 | Internet 18 words crawled on 02-Aug-2019 www.dovepress.com | 1% |
| 3 | Internet 15 words crawled on 05-Dec-2019 f6publishing.blob.core.windows.net | <1% |
| 4 | Crossref 14 words Chai Hong Rim , Hyung Joon Yim , Sunmin Park , Jinsil Seong . "Recent clinical applications of external beam radiother | <1% |
| 5 | Crossref 14 words Jorge A. Marrero , Laura M. Kulik , Claude Sirlin , Andrew X. Zhu et al. "Diagnosis, Staging and Management of Hepatoc | <1% |
| 6 | Internet 12 words crawled on 26-Feb-2017 www.health-policy-systems.com | <1% |
| 7 | Crossref 12 words Carlos Manterola , Luis Grande , Tamara Otzen , Galo Duque e. "Surgical treatment results of hepatocellular carcinom | <1% |
| 8 | Internet 12 words crawled on 05-Jan-2020 www.researchsquare.com | <1% |
| 9 | Crossref 12 words Yeun-Yoon Kim , Mi-Suk Park , Khalid Suliman Aljoqiman , Jin-Young Choi , Myeong-Jin Kim . "Gadoxetic acid-enhance | <1% |

³ Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 52507

Manuscript Type: REVIEW

Indications of external radiotherapy for hepatocellular carcinoma from updated clinical guidelines: Diverse global viewpoints

Park S *et al.* Indications of external radiotherapy for HCC from updated clinical guidelines

Sunmin Park, Won Sup Yoon, Chai Hong Rim



ALL

IMAGES

VIDEOS

关闭取词

12,300 Results

Any time ▼

The Optimal Selection of Radiotherapy Treatment for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3343153>

Hepatocellular carcinoma (HCC) represents a critical issue in global health. Cancer statistics list this disease as the third most common cause of cancer-related deaths worldwide. 1 According to guidelines of the American Association for the Study of Liver Diseases (AASLD), potentially curative therapies can treat the very early and early stages of the disease.

Cited by: 19

Author: Ik Jae Lee, Jinsil Seong

Publish Year: 2012

Current topics in the surgical treatments for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5881293>

In addition, portal vein tumor thrombus should not be precluded from surgical resection, so that these guidelines recommend the widest surgical indication. 18 However, the newly updated Japan Society of Hepatology (JSH) guidelines recommend that the optimal treatment strategy for HCC with vascular invasion should be selected from TACE, liver resection, hepatic arterial infusion therapy, and ...

Cited by: 4

Author: Daisuke Ban, Toshiro Ogura, Keiichi Aka...

Publish Year: 2018

External Radiation versus Internal Radiation for Patients ...

www.jcancer.org/v10p1171.htm ▼

2. Internal radiation provides a better prognosis in both OS and CSS. 3. Patients in stage IV could benefit from internal radiation preferentially, while for patients in stage III, internal radiation therapy makes no difference compared with external radiation. Keywords: Hepatocellular carcinoma, radiation therapy, SEER . Introduction

Author: Xuan Wang, Mo Chen, Ran Wei, Zhen...

Publish Year: 2019

AGA Clinical Practice Update on Surveillance for ...

<https://www.sciencedirect.com/science/article/pii/S154235651930744X>

In the European Association for the Study of the Liver and American Association for the Study of Liver Diseases guidelines for diagnosis and management of PSC, cholecystectomy is recommended in PSC patients regardless of gallbladder lesion size, 17, 52 whereas the American College of Gastroenterology clinical guideline suggests cholecystectomy for patients with gallbladder polyps greater than 8 mm, 26 and other society guidelines have concluded insufficient ...

Cited by: 1

Author: Christopher L. Bowlus, Joseph K. Lim, K...



12,300 Results

Any time ▾

The Optimal Selection of Radiotherapy Treatment for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3343153>

Hepatocellular carcinoma (HCC) represents a critical issue in global health. Cancer statistics list this disease as the third most common cause of cancer-related deaths worldwide. 1 According to guidelines of the American Association for the Study of Liver Diseases (AASLD), potentially curative therapies can treat the very early and early stages of the disease.

Cited by: 19

Author: Ik Jae Lee, Jinsil Seong

Publish Year: 2012

Current topics in the surgical treatments for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5881293>

In addition, portal vein tumor thrombus should not be precluded from surgical resection, so that these guidelines recommend the widest surgical indication. 18 However, the newly updated Japan Society of Hepatology (JSH) guidelines recommend that the optimal treatment strategy for HCC with vascular invasion should be selected from TACE, liver resection, hepatic arterial infusion therapy, and ...

Cited by: 4

Author: Daisuke Ban, Toshiro Ogura, Keiichi Aka...

Publish Year: 2018

External Radiation versus Internal Radiation for Patients ...

www.jcancer.org/v10p1171.htm ▾

2. Internal radiation provides a better prognosis in both OS and CSS. 3. Patients in stage IV could benefit from internal radiation preferentially, while for patients in stage III, internal radiation therapy makes no difference compared with external radiation. Keywords: Hepatocellular carcinoma, radiation therapy, SEER . Introduction

Author: Xuan Wang, Mo Chen, Ran Wei, Zhen...

Publish Year: 2019

AGA Clinical Practice Update on Surveillance for ...

<https://www.sciencedirect.com/science/article/pii/S154235651930744X>

In the European Association for the Study of the Liver and American Association for the Study of Liver Diseases guidelines for diagnosis and management of PSC, cholecystectomy is recommended in PSC patients regardless of gallbladder lesion size, 17, 52 whereas the American College of Gastroenterology clinical guideline suggests cholecystectomy for patients with gallbladder polyps greater than 8 mm, 26 and other society guidelines have concluded insufficient ...

Cited by: 1

Author: Christopher L. Bowlus, Joseph K. Lim, K...

Publish Year: 2019