



**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 53193

**Manuscript Type:** CASE REPORT

**Mesenteric phlebosclerosis with amyloidosis in association with the long-term use of medicinal liquor: A case report**

Yi-Bing Hu, Min-Li Hu, Jin Ding, Qun-Ying Wang, Xiao-Yun Yang

## Match Overview

1	<b>Crossref</b> 29 words Naoki Asayama, Yutaro Ogawa, Shinji Nagata. "Mesenteric phlebosclerosis causing a polypoid lesion mimicking color	1%
2	<b>Internet</b> 16 words crawled on 29-Nov-2017 <a href="http://www.e-sciencecentral.org">www.e-sciencecentral.org</a>	1%
3	<b>Crossref</b> 15 words Jeong-Hwan Park, Il-Suk Sohn, Byong-Jo Park, Eun-Sun ... n, Jin-Man Cho, Chong-Jin Kim. "A "ping-pong ball" in the l	1%
4	<b>Internet</b> 14 words crawled on 04-Apr-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
5	<b>Internet</b> 13 words crawled on 04-May-2019 <a href="http://bmccomplementalternmed.biomedcentral.com">bmccomplementalternmed.biomedcentral.com</a>	1%
6	<b>Internet</b> 12 words crawled on 07-Aug-2019 <a href="http://tessera.spandidos-publications.com">tessera.spandidos-publications.com</a>	1%
7	<b>Crossref</b> 12 words Shojiro Ichimata, Daiju Aoyagi, Mikiko Kobayashi, Takehiko Sugihara, Akihito Nishio, Masafumi Maruyama, Satoshi Shi	1%

Mesenteric phlebosclerosis with amyloidosis in association wit



ALL

IMAGES

VIDEOS

关闭取词

20,500 Results

Any time ▼

## Mesenteric phlebosclerosis associated with long-term oral ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-2036.2012.05221.x>

Nobuaki Hoshino, Suguru Hasegawa, Koya Hida, Kenji Kawada and Yoshiharu Sakai, Right hemicolectomy for **mesenteric phlebosclerosis** potentially caused by long-term use of herbal medicine: A case report and literature review, International Journal of Surgery Case Reports, 10.1016/j.ijscr.2016.05.051, 24, (191-194), (2016).

Cited by: 33

Author: K. Hiramatsu, H. Sakata, Y. Horita, N. Ori...

Publish Year: 2012

## Mesenteric phlebosclerosis associated with long-term oral ...

[https://www.researchgate.net/publication/229433836\\_Mesenteric\\_phlebosclerosis...](https://www.researchgate.net/publication/229433836_Mesenteric_phlebosclerosis...)

This crude drug called **geniposide** in English is a major constituent of the **Gardenia fruits**. The long-term use of **geniposide** in herbal medicines appears to be associated with **mesenteric ...**

## Total dosage of gardenia fruit used by patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4940942>

Jul 11, 2016 - **Mesenteric phlebosclerosis (MP)** is a disease characterized by fibrotic change or calcification of the mesenteric vein. Recently, there has been an increase in case reports of MP related to **herbal medicine usage**. Long-term intake of **gardenia fruit (GF)** is suspected as a possible cause.

Cited by: 9

Author: Yutaka Nagata, Tetsuo Watanabe, Kazuh...

Publish Year: 2016

## Idiopathic Mesenteric Phlebosclerosis Occurring in A Wife ...

[https://www.researchgate.net/publication/26323223\\_Idiopathic\\_Mesenteric...](https://www.researchgate.net/publication/26323223_Idiopathic_Mesenteric...)

Idiopathic **Mesenteric Phlebosclerosis** Occurring in A Wife and Her Husband. ... associated with long-term use of medical liquor: Two case reports and literature review ... appears to be associated ...

## Review article: herbal and dietary supplement ...

<https://beforeitsnews.com/healthcare/2012/11/review-article-herbal-and-dietary...> ▼

Interestingly, a case series and review of case reports from Japan suggested that long-term use of **geniposide-containing** herbal medicines appears to be associated with **mesenteric phlebosclerosis**. The mechanism is not well understood, but possibly is due to biotransformation of **geniposide** by **intestinal microflora** into more toxic metabolite, **genipin**, that is cytotoxic and can induce **cross-link formation** ...





ALL

IMAGES

VIDEOS

开启取词

20,400 Results

Any time ▾

## Mesenteric phlebosclerosis associated with long-term oral ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-2036.2012.05221.x>

Nobuaki Hoshino, Suguru Hasegawa, Koya Hida, Kenji Kawada and Yoshiharu Sakai, Right hemicolectomy for mesenteric phlebosclerosis potentially caused by long-term use of herbal medicine: A case report and literature review, International Journal of Surgery Case Reports, 10.1016/j.ijscr.2016.05.051, 24, (191-194), (2016).

Cited by: 33

Author: K. Hiramatsu, H. Sakata, Y. Horita, N. Ori...

Publish Year: 2012

## Total dosage of gardenia fruit used by patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4940942>

Jul 11, 2016 · Mesenteric phlebosclerosis (MP) is a disease characterized by fibrotic change or calcification of the mesenteric vein. Recently, there has been an increase in case reports of MP related to herbal medicine usage. Long-term intake of gardenia fruit (GF) is suspected as a possible cause.

Cited by: 9

Author: Yutaka Nagata, Tetsuo Watanabe, Kazuh...

Publish Year: 2016

## Mesenteric phlebosclerosis associated with long-term oral ...

[https://www.researchgate.net/publication/229433836\\_Mesenteric\\_phlebosclerosis...](https://www.researchgate.net/publication/229433836_Mesenteric_phlebosclerosis...)

Request PDF | Mesenteric phlebosclerosis associated with long-term oral intake of geniposide, an ingredient of herbal medicine | Idiopathic mesenteric phlebosclerosis (IMP) is a rare disease ...

## Idiopathic Mesenteric Phlebosclerosis Occurring in A Wife ...

[https://www.researchgate.net/publication/26323223\\_Idiopathic\\_Mesenteric...](https://www.researchgate.net/publication/26323223_Idiopathic_Mesenteric...)

Idiopathic Mesenteric Phlebosclerosis Occurring in A Wife and Her Husband. .... associated with long-term use of medical liquor: Two case reports and literature review ... appears to be associated ...

## Review article: herbal and dietary supplement ...

<https://beforeitsnews.com/healthcare/2012/11/review-article-herbal-and-dietary...> ▾

Interestingly, a case series and review of case reports from Japan suggested that long-term use of geniposide-containing herbal medicines appears to be associated with mesenteric phlebosclerosis.

## Gardenia jasminoides | SpringerLink

[https://link.springer.com/chapter/10.1007/978-94-017-8748-2\\_58](https://link.springer.com/chapter/10.1007/978-94-017-8748-2_58) ▾