

53272-Review.doc

Quotes Excluded
Bibliography Excluded

0% SIMILAR

Text-Only Report

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 53272


Manuscript Type: OPINION REVIEW

PEG - Too often? Too late? Who are the right patients for gastrostomy?

Christoph G Dietrich, Konrad Schoppmeyer

Abstract

Percutaneous endoscopic gastrostomy is an established method to provide nutrition to patients with restricted oral uptake of fluids and calories. Here, we review the methods, indications and complications of this procedure. While gastrostomy can be safely and easily performed during gastroscopy, the right patients and timing for this intervention are not always chosen. Especially in patients with dementia, the indication for and timing of gastrostomies are often improper. In this patient group, clear data for enteral nutrition are lacking; however, some evidence suggests that



Percutaneous gastrostomy - Too often? Too late? Who a





YJ



ALL

IMAGES

VIDEOS

29,900 Results

Any time ▼

Percutaneous endoscopic gastrostomy: Indications ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069302

Jun 28, 2014 · Core tip: Following its introduction in 1980, the **percutaneous** endoscopic **gastrostomy** (PEG) tube has become the modality of choice for nutritional support in **patients** who require long-term enteral feeding. In this review we describe the indications and contraindications of PEG tube placement. Potential complications of a PEG tube as well as their management and preventive measures are ...

Cited by: 263 Author: Ata A Rahnemai-Azar, Amir A Rahnemaia...

Publish Year: 2014

Percutaneous endoscopic gastrostomy (PEG): a practical ...

https://www.bmj.com/content/364/bmj.k5311 -

Jan 22, 2019 · Percutaneous endoscopic gastrostomy (PEG) tube feeding is a temporary or permanent treatment in patients unable to eat orally and requiring long term nutritional support (over 30 days) Advise patients to loosen the tube once or twice a week and flush it with warm water before and after feeds to prevent tube clogging and peristomal complications.

Author: Karima Farrag, Yogesh M Shastri, Ulri... Publish Year: 2019

Patients' perspectives of living with a percutaneous ...



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

28,900 Results

Any time ▼

Patients' perspectives of living with a percutaneous ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3503865

Sep 18, 2012 · Background. The growing awareness of the relevance of nutrition support in the treatment of diseases has contributed to a rapid increase in the use of **percutaneous** endoscopic **gastrostomy** (PEG) worldwide [1,2]. For **patients** with preserved intestinal function but with inadequate or no independent oral food intake, enteral nutrition therapy via PEG is one of the preferred alternatives to

Cited by: 17 Author: Lena Martin, Lena Martin, John Blomberg...

Publish Year: 2012

Percutaneous endoscopic gastrostomy (PEG): a practical ...

https://www.bmj.com/content/364/bmj.k5311

Jan 22, 2019 · **Percutaneous** endoscopic **gastrostomy** (**PEG**) tube feeding is a temporary or permanent treatment in **patients** unable to eat orally and requiring long term nutritional support (over 30 days)

Advise **patients** to loosen the tube once or twice a week and flush it with warm water before and after feeds to prevent tube clogging and peristomal complications.

Author: Karima Farrag, Yogesh M Shastri, Ulri... Publish Year: 2019

Prophylactic Versus Reactive Gastrostomy Tubes in Head and ...

https://pubs.asha.org/doi/10.1044/2019_PERS-SIG13-2019-0003

Dec 26, 2019 · Purpose **Patients** undergoing chemoradiation for treatment of head and neck cancer **often** develop swallowing problems that necessitate a **percutaneous gastrostomy** (PEG) tube. Studies comparing various outcomes related to timing of PEG tubes placed either prophylactically or reactively do not show a clear advantage to either method; however, pertinent patient factors may help determine ...

Author: Daniel J. Croake, Vrushali Angadi Publish Year: 2019

What are the possible complications of gastrostomy tube ...

https://www.medscape.com/answers/149589-124228/...

Apr 03, 2020 · Clinical experience of **percutaneous** endoscopic **gastrostomy** in Taiwanese **patients**-310 cases in 8 years. J Formos Med Assoc . 2007 Aug. 106(8):685-9. [Medline] .

/www.ncbi.nlm.nih.gov/pmc/articles/PMC3503865/