



国内版

国际版

Chidamide Based Combination Regimen following Radical C



ALL

IMAGES

VIDEOS

关闭取词

41 Results

Any time ▼

## Enteropathy-Associated T-Cell Lymphoma: Epidemiology ...

[https://www.researchgate.net/publication/51632945\\_Enteropathy-Associated\\_T-Cell...](https://www.researchgate.net/publication/51632945_Enteropathy-Associated_T-Cell...)

**Monomorphic epitheliotropic intestinal T-cell lymphoma (MEITL)**, previously known as enteropathy associated **T-cell lymphoma (EATL) type II**, ...

## Posters - 2017 - Journal of Digestive Diseases - Wiley ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/1751-2980.12518>

**Monomorphic epitheliotropic intestinal T-cell lymphoma (MEITL)**, once named as enteropathy-associated **T-cell lymphoma (EATL) type II**, is a rare disease, which accounts for the major **T cell lymphoma** type in Asia. It is characterized by rapid progression without association with celiac disease.

## How I treat enteropathy-associated T-cell lymphoma ...

[https://www.researchgate.net/publication/221771954\\_How\\_I\\_treat\\_enteropathy-associated...](https://www.researchgate.net/publication/221771954_How_I_treat_enteropathy-associated...)

**Monomorphic epitheliotropic intestinal T-cell lymphoma (MEITL)**, previously known as enteropathy associated **T-cell lymphoma (EATL) type II**, ...

## Histone deacetylase 1, 2, 6 and acetylated histone H4 in B ...

[https://www.researchgate.net/publication/24423995\\_Histone\\_deacetylase\\_1\\_2\\_6\\_and...](https://www.researchgate.net/publication/24423995_Histone_deacetylase_1_2_6_and...)

**Histone deacetylase (HDAC) inhibitors** are novel therapeutics in the treatment of peripheral T-cell lymphoma, unspecified (PTCL) and diffuse large **B-cell lymphoma (DLBCL)**...

## MedWorm: T-cell Lymphoma Research

<https://medworm.com/research/tcell-lymphoma.xml>

This feed contains the latest research in **T-cell Lymphoma** **MedWorm: T-cell Lymphoma Research** Primary **Cutaneous Gamma-Delta ( $\gamma\delta$ ) T-Cell Lymphoma (PCGDTCL)** is a rare primary cutaneous lymphoma of aggressive nature.

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 53522

**Manuscript Type:** CASE REPORT

**Chidamide based combination regimen following radical operation in the treatment of monomorphic epitheliotropic intestinal T cell lymphoma: Two case reports**

Ting-Zhi Liu, Yi-Jia Zheng, Zhan-Wen Zhang, Shan-Shan Li, Jiao-Ting Chen, Ai-Hua Peng, Ren-Wei Huang

## Abstract

### BACKGROUND

Monomorphic epitheliotropic intestinal T cell lymphoma (MEITL) is a rare extra-nodal T-cell lymphoma which has uniformly aggressive features with poor prognosis. No standardized treatment protocols have been established.

## Match Overview

1	<b>Crossref</b> 63 words Nicole M. Grigg-Gutierrez, Rodolfo Estremera-Marcial, William W. Cáceres, Doris H. Toro. "Primary Enteropathy-Asso...	2%
2	<b>Internet</b> 34 words crawled on 01-Jan-2020 <a href="#">biomeddefinition.com</a>	1%
3	<b>Internet</b> 28 words crawled on 02-Dec-2017 <a href="#">www.dovepress.com</a>	1%
4	<b>Crossref</b> 27 words Sarah Ondrejka, Deepa Jagadeesh. "Enteropathy-Associ... ed T-Cell Lymphoma", Current Hematologic Malignancy Re	1%
5	<b>Crossref</b> 20 words Udit Chander, Rebecca J. Leeman-Neill, Govind Bhagat. "... athogenesis of Enteropathy-Associated T Cell Lymphoma",	1%
6	<b>Internet</b> 17 words crawled on 12-Dec-2019 <a href="#">assets.cureus.com</a>	1%
7	<b>Internet</b> 16 words crawled on 21-Dec-2017 <a href="#">www.karger.com</a>	1%
	<b>Internet</b> 16 words	1%



国内版

国际版

Chidamide based combination regimen following radical oper



ALL

IMAGES

VIDEOS

108 Results

Any time ▼

## [How I treat enteropathy-associated T-cell lymphoma ...](#)

[https://www.researchgate.net/publication/221771954\\_How\\_I\\_treat\\_enteropathy-associated...](https://www.researchgate.net/publication/221771954_How_I_treat_enteropathy-associated...)

Enteropathy-associated **T-cell lymphoma** (EATL) and **monomorphic epitheliotropic intestinal T-cell lymphoma** (MEITL) are **two** rare forms of **T-cell lymphoma** that primarily present in the intestine and ...

## [Posters - 2017 - Journal of Digestive Diseases - Wiley ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/1751-2980.12518>

**Monomorphic epitheliotropic intestinal T-cell lymphoma** (MEITL), once named as enteropathy-associated **T-cell lymphoma** (EATL) type II, is a rare disease, which accounts for the major **T cell lymphoma** type in Asia. It is characterized by rapid ...

## [Enteropathy-Associated T-Cell Lymphoma: Epidemiology ...](#)

[https://www.researchgate.net/publication/51632945\\_Enteropathy-Associated\\_T-Cell...](https://www.researchgate.net/publication/51632945_Enteropathy-Associated_T-Cell...)

**Monomorphic epitheliotropic intestinal T-cell lymphoma** (MEITL), previously known as enteropathy associated **T-cell lymphoma** (EATL) type II, is a rare haematological malignancy with a difficult and ...

[www.mdpi.com](http://www.mdpi.com)

<https://www.mdpi.com/books/pdfdownload/book/2020> ▼

Special Issue Editors Giovanni Lodi University of Milan Italy Maddalena Manfredi University of Parma Italy Alberta Lucchese University of Campania "L. Vanvitelli" Italy Dorina

## [MedWorm: T-cell Lymphoma Research](#)

<https://medworm.com/research/tcell-lymphoma.xml>





国内版

国际版

Chidamide based combination regimen following radical oper



ALL

IMAGES

VIDEOS

108 Results

Any time ▾

## How I treat enteropathy-associated T-cell lymphoma ...

[https://www.researchgate.net/publication/221771954\\_How\\_I\\_treat\\_enteropathy-associated...](https://www.researchgate.net/publication/221771954_How_I_treat_enteropathy-associated...)

Enteropathy-associated **T-cell lymphoma** (EATL) and **monomorphic epitheliotropic intestinal T-cell lymphoma** (MEITL) are **two** rare forms of **T-cell lymphoma** that primarily present in the intestine and ...

## Enteropathy-Associated T-Cell Lymphoma: Epidemiology ...

[https://www.researchgate.net/publication/51632945\\_Enteropathy-Associated\\_T-Cell...](https://www.researchgate.net/publication/51632945_Enteropathy-Associated_T-Cell...)

**Monomorphic epitheliotropic intestinal T-cell lymphoma** (MEITL), previously known as enteropathy associated **T-cell lymphoma** (EATL) type II, is a rare haematological malignancy with a difficult and ...

## Posters - 2017 - Journal of Digestive Diseases - Wiley ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/1751-2980.12518>

**Monomorphic epitheliotropic intestinal T-cell lymphoma** (MEITL), once named as enteropathy-associated **T-cell lymphoma** (EATL) type II, is a rare disease, which accounts for the major **T cell lymphoma** type in Asia. It is characterized by rapid ...

[www.mdpi.com](https://www.mdpi.com)

<https://www.mdpi.com/books/pdfdownload/book/2020> ▾

Special Issue Editors Giovanni Iodi | University of Milan Italy Maddalena Manfredi | University of Parma

Chat with Bing



Eh, I seem to know why you query this.

Say something...