

Dear editors.

Thank you for reviewing my submission and suggesting some changes. I did the following changes as requested:

1- Peer-review report :

- Reviewer #1: patient refused to do follow up colonoscopy despite multiple attempts to contact him.
- Reviewer #2: I corrected the words Figure 1 and Figure 2 in place of figure 1 and figure 2. reference citations were corrected as (2-4) or (3,7) in place of (2),(3),(4) or (3),(7). Patient temperature was added in Celsius as well. Same day repeats were deleted from the time line history table.
- Reviewer #3: we mentioned in the text that there was no history abdominal pain, bloody diarrhea, arthralgia, visual problems or skin rash. Also we mentioned in past illnesses history that there is no personal or family history of colitis. Little data is available about the behavior of the adverse event in different types of cancer.
- Reviewer #4: further explanation about the figures was added.

2- Editorial Office's comments

- *Science Editor* :
  - o Language editing certificate was not provided as the writers are native English speakers.
  - o The written informed consent: endoscopic procedure consent was included which was mentioning that the data would be used. We provide the IRP approval of the case report.
  - o The highest single-source similarity index is 15% in the CrossCheck investigation, the repetitive parts. → we rephrased the repetitive parts.
- *Editorial Office Director*:
  - o the author contributions, key words and core tip section were added.
  - o the key words were added behind the abstract.
  - o Core tip section was written behind the key words
  - o I rewrote the case report section (Case Presentation), and added final diagnosis, treatment, outcome and follow up sections.
  - o PubMed and DOI numbers were added to the reference
  - o All figures were provided in a power points for edition if it was needed
  - o I reformed the discussion part.
- *Company Editor-in-Chief* : revision was done as above.

We appreciate your great efforts, please let me know if any additional changes needed.