



Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 53615

Manuscript Type: REVIEW

Moderators and mediators of antipsychotic response in delusional disorder: Further steps are needed

González-Rodríguez A *et al.* Moderators and mediators of antipsychotic response in DD

Alexandre González-Rodríguez, Armand Guàrdia, Diego José Palao, Javier Labad, Mary V Seeman

Abstract

Delusional disorder (DD) has been traditionally considered a relatively rare and treatment-resistant psychotic disorder. In the last decade, increasing

Match Overview

- 1

Internet 19 words
crawled on 05-Mar-2020
jpbs.hapres.com

<1%
- 2

Crossref 15 words
Narumoto, J.. "Regional cerebral blood flow changes in a pati
ent with delusional parasitosis before and after successful tr ...

<1%



14,100 Results

Any time ▾

Increasing antipsychotic dose for non response in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6494602>

May 11, 2018 · Increasing **antipsychotic** dose in non-responsive schizophrenia patients is often done in incremental **steps** — the dosage is systematically increased until a clinical **response** is reached or the side effects become too pronounced and no **further** gain in efficacy is obtained.

Cited by: 2

Author: Myrto T Samara, Elisabeth Klupp, Bartos...

Publish Year: 2015

Cognitive Mechanisms of Change in Delusions: An ...

<https://academic.oup.com/schizophreniabulletin/article/41/2/400/2526095> ▾

Jul 22, 2014 · Diagnoses were derived using OPCRIT from SCAN interviews (Schedules for Clinical Assessment in Neuropsychiatry) 54 and were as follows: **schizophrenia** 89 (88%); **delusional disorder** 3 (3%); **schizoaffective disorder** 6 (6%); and other **nonorganic psychotic disorders** 3 (3%). The participants were nearly all currently taking **antipsychotic medication** (94 of 101).

Cited by: 93

Author: Philippa Garety, Helen Waller, Richard E...

Publish Year: 2015

Delusional Disorder Guide: Causes, Symptoms and Treatment ...

<https://www.drugs.com/health-guide/delusional-disorder.html> ▾



What Is It?

Symptoms

Diagnosis

Expected Duration

Treatm



Delusional disorder is classified as a psychotic disorder, a disorder where a person has trouble recognizing reality. A delusion is a false belief that is based on an incorrect interpretation of reality. Delusions, like all psychotic symptoms, can occur as part of many different psychiatric disorders. But the term delusional disorder is used when delusions are the most prominent symptom. A person with this illness holds a false belief firmly, despite clear evidence or proof to the contrary. De...

[See more on drugs.com](#)



国内版

国际版

Moderators and mediators of antipsychotic response in delusional disorder



YJ



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确



12,300 条结果 时间不限

Predictors, moderators, and mediators (correlates) of ... [翻译此页](#)

Cited by: 118

Author: George I. Papakostas, Maurizio Fava

Publish Year: 2008

位置: 8600 Rockville Pike, Bethesda, MD

Predictors, moderators, and mediators (correlates) of treatment outcome in major depressive disorder ... (mediators of response). Conducting further studies designed to establish reliable, replicable, and robust biological factors which function as predictors, mediators, or moderators of clinical improvement in MDD could benefit, the field in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3181892>

In search of moderators and mediators of ... [翻译此页](#)

Cited by: 16

Author: Gerald M. Reaven, Jeffrey A. Lieberman, ...

Publish Year: 2009

In search of moderators and mediators of hyperglycemia with atypical antipsychotic treatment. ... of factors other than weight gain that increase the likelihood of a patient developing prediabetes or diabetes in response to treatment with atypical antipsychotics; a reflection, at least in part, of the types of analyses used in previous studies ...

<https://www.sciencedirect.com/science/article/pii/S0022395609000107>