

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 53966

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Effect of motivational interviewing on postoperative weight-control with obstructive sleep apnea-hypopnea syndrome

Sun XH *et al.* Motivational interviewing on postoperative weight-control with OSAHS

Xiang-Hong Sun, Peng-Shi Xue, Xiang-Xiu Qi, Ling Fan

Abstract

Match Overview

1	Internet 47 words crawled on 17-Apr-2020 downloads.hindawi.com	1%
2	Internet 36 words crawled on 29-Aug-2019 tessera.spandidos-publications.com	1%
3	Internet 22 words crawled on 19-Apr-2020 worldwidescience.org	1%
4	Internet 16 words crawled on 04-Jul-2020 www.spandidos-publications.com	<1%
5	Internet 14 words crawled on 11-Jun-2020 www.researchsquare.com	<1%
6	Crossref 10 words Natsuki Ikematsu, Masayuki Kashiwagi, Kenji Hara, Brian Waters, Aya Matsusue, Mio Takayama, Shin-ichi Kubo. "D ...	<1%
7	Internet 10 words crawled on 13-Jun-2020 www.wjgnet.com	<1%
8	Internet 10 words crawled on 05-Jul-2020 pesquisa.bvsalud.org	<1%

Effect of motivational interviewing on postoperative weight



ALL

IMAGES

VIDEOS

28,000 Results

Any time ▾

Motivational Enhancement to Improve Adherence to Positive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3792382>

Motivational Enhancement to Improve Adherence to Positive Airway Pressure in Patients with Obstructive Sleep Apnea: A Randomized Controlled Trial Mark S. Aloia , PhD, 1 J. Todd Arnedt , PhD, 2 Matthew Strand , PhD, 1 Richard P. Millman , MD, 3 and Belinda Borrelli , PhD 4

Motivational Enhancement to Improve Adherence to Positive ...

<https://academic.oup.com/sleep/article/36/11/1655/2558942> ▾

Nov 01, 2013 · INTRODUCTION. Obstructive sleep apnea (OSA) is estimated to affect 2% of women and 4% of men in the middle-aged work force in the United States, 1 with higher prevalence rates among the elderly and African Americans. 2,3 Untreated OSA is associated with impaired cognition and mood, hypertension and vascular disease, and increased motor vehicle accident risk. 4–8 Despite the ...

Cited by: 31 Author: Mark S. Aloia, J. Todd Arnedt, Matthew S...

Publish Year: 2013

The Role of Daytime Sleepiness in Psychosocial Outcomes ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3628668>

Individuals with obstructive sleep apnea-hypopnea syndrome (OSA) experience excessive daytime sleepiness and fatigue, decreased cognitive function and mood changes, resulting in significant, negative consequences in work and driving performance and lowered quality of life (see review by). Therefore, the



ALL

IMAGES

VIDEOS

13,300 Results

Any time ▾

Obstructive Sleep Apnea after Weight Loss: A Clinical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3629315>

Obstructive sleep apnea (OSA) is a commonly unrecognized condition with an especially high prevalence among morbidly obese subjects. 1, 2 OSA is characterized by apneas and hypopneas due to the collapse of upper airways and is defined by ≥ 5 apneas or hypopneas per hour during sleep, as measured by the apnea-hypopnea index (AHI). Mild OSA is defined as 5-15 episodes of apneas or ...

Cited by: 31

Author: Jan Magnus Fredheim, Jan Rollheim, Run...

Publish Year: 2013

The Role of Daytime Sleepiness in Psychosocial Outcomes ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3628668>

1. Introduction. Individuals with obstructive sleep apnea-hypopnea syndrome (OSA) experience excessive daytime sleepiness and fatigue, decreased cognitive function and mood changes, resulting in significant, negative consequences in work and driving performance, and lowered quality of life (see review by []). Therefore, the evaluation of OSA treatment on both nighttime and daytime consequences ...

Cited by: 18

Author: Esther Yuet Ying Lau, Gail A. Eskes, De...

Publish Year: 2013

Obesity: Risk factors, complications, and strategies for ...

<https://onlinelibrary.wiley.com/doi/10.1002/2327-6924.12510>

Obstructive sleep apnea (OSA), Pickwickian syndrome (obesity hypoventilation syndrome), higher rates of respiratory infections, asthma, hypoventilation, pulmonary emboli risk Surgical Increased surgical risk and postoperative complications, deep venous thrombosis, including wound infection, pulmonary embolism, and postoperative pneumonia

Cited by: 74

Author: Sharon M. Fruh

Publish Year: 2017

Clinical Management of Poor Adherence to CPAP ...

<https://www.researchgate.net/publication/8129985...>

Study objectives: Obstructive sleep apnea-hypopnea syndrome (OSAHS) is a common sleep disorder associated with a myriad of sequelae. OSAHS is effectively treated with continuous positive airway ...



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

13,300 Results

Any time ▼

Obstructive Sleep Apnea after Weight Loss: A Clinical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3629315>

Obstructive sleep apnea (OSA) is a commonly unrecognized condition with an especially high prevalence among morbidly obese subjects. 1, 2 OSA is characterized by apneas and hypopneas due to the collapse of upper airways and is defined by ≥ 5 apneas or hypopneas per hour during **sleep**, as measured by the **apnea-hypopnea** index (AHI). Mild OSA is defined as 5-15 episodes of apneas or ...

Cited by: 31

Author: Jan Magnus Fredheim, Jan Rollheim, Ru...

Publish Year: 2013

A Two-Year Weight Reduction Program in Obese Sleep Apnea ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2952753>

Oct 15, 2010 · **Obstructive sleep** apnea **syndrome** (OSAS) is a common disorder, in which recurrent episodes of upper airway obstruction during **sleep** cause repetitive episodes of transient oxygen desaturations. The **obstructive** apneas cause arousals and other impairments of **sleep** architecture and are typically associated with excessive snoring and daytime ...

Cited by: 58

Author: Pia Nerfeldt, Bengt Y. Nilsson, Liliana Ma...

Publish Year: 2010

Obesity: Risk factors, complications, and strategies for ...

<https://onlinelibrary.wiley.com/doi/10.1002/2327-6924.12510>

Obstructive sleep apnea (OSA), Pickwickian **syndrome** (obesity hypoventilation **syndrome**), higher rates of respiratory infections, asthma, hypoventilation, pulmonary emboli risk Surgical Increased surgical risk and **postoperative** complications, deep venous thrombosis, including wound infection, pulmonary embolism, and **postoperative** pneumonia

Cited by: 74

Author: Sharon M. Fruh

Publish Year: 2017

Clinical Management of Poor Adherence to CPAP ...

<https://www.researchgate.net/publication/8129985...>

Study objectives: **Obstructive sleep apnea hypopnea syndrome** (OSAHS) is a common **sleep** disorder