

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54104

Manuscript Type: CASE REPORT

Delayed cardiac tamponade diagnosed by point-of-care ultrasound in a neonate after peripherally inserted central catheter placement: A case report

Cui Y *et al.* Delayed cardiac tamponade after peripherally inserted central catheter placement

Yu Cui, Kai Liu, Li-Ming Luan, Peng Liang

Match Overview

1	Internet 38 words crawled on 21-Feb-2020 www.sonosite.com	3%
2	Internet 14 words crawled on 08-Aug-2020 www.wjgnet.com	1%

Delayed Cardiac Tamponade Diagnosed by Point-of-care ultrasound



Q ALL

IMAGES

VIDEOS

26,200 Results

Any time ▾

International evidence-based guidelines on Point of Care ...

<https://ccforum.biomedcentral.com/articles/10.1186/s13054-020-2787-9> ▾

Feb 24, 2020 · **Point-of-care ultrasound** (POCUS) is nowadays an essential tool in critical care. Its role seems more important in neonates and children where other monitoring techniques may be unavailable. POCUS Working Group of the European Society of Paediatric and **Neonatal** Intensive Care (ESPNIC) aimed to provide evidence-based clinical guidelines for the use of POCUS in critically ill neonates and ...

Cited by: 20

Author: Yogen Singh, Cecile Tissot, María V. Fr...

Publish Year: 2020

(PDF) Pericardial Tamponade in a Newborn Following ...

<https://www.researchgate.net/publication/51202155...>

Case Report: A 31-week-old preterm male infant developed a life-threatening **cardiac tamponade** 1 day **after** UVC insertion. Pericardiocentesis was performed, and saline contrast echocardiography ...

Iatrogenic acute cardiac tamponade during percutaneous ...

<https://www.sciencedirect.com/science/article/pii/S0147956315001600>

Nov 01, 2015 · Acute **cardiac tamponade** (ACT) is a life-threatening complication associated with a **peripherally inserted central catheter** (PICC) in premature neonates. We present a **case** of ACT in a 4-day-old male infant. On the second admission day, a **PICC** was inserted.

Cited by: 1

Author: Zou Minghui, Cui Hujun, Ma Li, Chen W...

Publish Year: 2015

(PDF) Cardiac tamponade and successful pericardiocentesis ...

<https://www.researchgate.net/publication/41436026...>

Cardiac tamponade and successful pericardiocentesis in an extremely low birth weight **neonate** with percutaneously inserted central venous line: **A case report** January 2010 Cases Journal 3(1):15

ALL

IMAGES

VIDEOS

20,000 Results

Any time ▼

[International evidence-based guidelines on Point of Care ...](#)

<https://ccforum.biomedcentral.com/articles/10.1186/s13054-020-2787-9> ▼

Feb 24, 2020 · **Point-of-care ultrasound** (POCUS) is nowadays an essential tool in critical care. Its role seems more important in neonates and children where other monitoring techniques may be unavailable. POCUS Working Group of the European Society of Paediatric and Neonatal Intensive Care (ESPNIC) aimed to provide evidence-based clinical guidelines for the use of POCUS in critically ill neonates and ...

Cited by: 20

Author: Yogen Singh, Cecile Tissot, María V. Fraga, ...

Publish Year: 2020

[\(PDF\) Pericardial Effusion/Cardiac Tamponade Induced by ...](#)

https://www.researchgate.net/publication/341406952_Pericardial_EffusionCardiac...

May 15, 2020 · Background: Although pericardial effusion/**cardiac tamponade** (PCE/CT) is a rare complication of **peripherally inserted central** catheters (PICCs), ...

[\(PDF\) Cardiac tamponade and successful pericardiocentesis ...](#)

<https://www.researchgate.net/publication/41436026...>

Cardiac tamponade and successful pericardiocentesis in an extremely low birth weight **neonate** with percutaneously **inserted central** venous line: **A case report**.pdf Available via license: CC BY 2.0 ...

[Iatrogenic acute cardiac tamponade during percutaneous ...](#)

<https://www.sciencedirect.com/science/article/pii/S0147956315001600>

Nov 01, 2015 · Acute **cardiac tamponade** (ACT) is a life-threatening complication associated with a **peripherally inserted central catheter** (PICC) in premature neonates. We present a **case** of ACT in a 4-day-old male infant. On the second admission day, a PICC was **inserted**.

Cited by: 1

Author: Zou Minghui, Cui Hujun, Ma Li, Chen Weida...

Publish Year: 2015

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

19,900 Results

Any time ▼

[International evidence-based guidelines on Point of Care ...](#)

<https://ccforum.biomedcentral.com/articles/10.1186/s13054-020-2787-9> ▼

Feb 24, 2020 · **Point-of-care ultrasound** (POCUS) is nowadays an essential tool in critical care. Its role seems more important in neonates and children where other monitoring techniques may be unavailable....

Cited by: 20

Author: Yogen Singh, Cecile Tissot, María V. Fraga, ...

Publish Year: 2020

[\(PDF\) Cardiac tamponade and successful pericardiocentesis ...](#)

<https://www.researchgate.net/publication/41436026...>

Cardiac tamponade and successful pericardiocentesis in an extremely low birth weight **neonate** with percutaneously inserted **central** venous line: **A case report**.pdf Available via license: CC BY 2.0 ...

[\(PDF\) Pericardial Effusion/Cardiac Tamponade Induced by ...](#)

https://www.researchgate.net/publication/341406952_Pericardial_EffusionCardiac...

May 15, 2020 · Background: Although pericardial effusion/**cardiac tamponade** (PCE/CT) is a rare complication of **peripherally inserted central** catheters (PICCs), ...

[Iatrogenic acute cardiac tamponade during percutaneous ...](#)

<https://www.sciencedirect.com/science/article/pii/S0147956315001600>

Nov 01, 2015 · Acute **cardiac tamponade** (ACT) is a life-threatening complication associated with a **peripherally inserted central catheter** (PICC) in premature neonates. We present a **case** of ACT in a 4-da...

Cited by: 1

Author: Zou Minghui, Cui Hujun, Ma Li, Chen Weida...

Publish Year: 2015

[Pericardiocentesis in cardiac tamponade: indications and ...](#)

<https://www.escardio.org/Journals/E-Journal-of...> ▼

Introduction

Cardiac Tamponade

Effect of Pericardiocentesis



Pericardiocentesis is the most useful therapeutic procedure for the early management or diagnosis of large, symptomatic pericardial effusion and cardiac tamponade. The first