

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54342

Manuscript Type: CASE REPORT

Myxofibrosarcoma of the scalp with difficulty in preoperative diagnosis: A case report and review of the literature

Xiao-Ting Ke, Xiong-Feng Yu, Ji-Yang Liu, Fang Huang, Mei-Gui Chen, Qing-Quan Lai

Match Overview

1	Crossref 78 words Qiubei, Zhu, Lin Cheng, Xu Yaping, Lin Shunzhang, and Fan Jingping. "Myxofibrosarcoma of the sinus piriformis: cas ...	3%
2	Crossref 44 words Andrea Sambri, Paolo Spinnato, Alberto Bazzocchi, Gian Marco Tuzzato, Davide Donati, Giuseppe Bianchi. "Does pre-	1%
3	Crossref 42 words Anastasiya Quimby, Abigail Estelle, Arun Gopinath, Rui Fernandes. "Myxofibrosarcoma in Head and Neck: Case Rep ...	1%
4	Internet 23 words crawled on 16-Feb-2020 www.spandidos-publications.com	1%
5	Internet 22 words crawled on 30-Jan-2020 link.springer.com	1%
6	Crossref 22 words Elias C. Primetis, Apostolos V. Dalakidis. "Chapter 30 CT ... nd MR Findings in Head and Neck Cancer", Springer Scien	1%
7	Crossref 14 words J. W. A. Bom, E. A. Baarsma. "Metastatic hypernephroma i n the tonsil", The Journal of Laryngology & Otology, 2007	<1%



Myxofibrosarcoma in the scalp: A case report



Sign in



ALL IMAGES VIDEOS

357,000 Results

Any time

Myxofibrosarcoma - Case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4782656>

Aug 07, 2014 · Histologically it is characterized by a proliferation of spindle cells in a **myxoid stroma**.

Myxofibrosarcoma has a high potential for local recurrence and metastasis, mainly when it presents a high or intermediate histological grade. We **report** the **case** of an eighty-four year old patient with a difficult diagnosis of a highly aggressive tumor.

Head and neck myxofibrosarcoma: a case report and review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4320505>

Myxofibrosarcoma is the most common **soft tissue sarcoma** that occurs in late adult life, peaking in the seventh decade, and it is mainly encountered in the lower extremities. **Myxofibrosarcoma** of the head and **neck** are extremely rare. To the best of our knowledge, only 19 **cases** ...

Cited by: 11

Author: Giovanni Dell'Aversana Orabona, Giorgio Ia...

Publish Year: 2014

Head and neck myxofibrosarcoma: a case report and review ...

<https://jmedicalcasereports.biomedcentral.com/...>

Dec 29, 2014 · **Myxofibrosarcoma** is the most common **soft tissue sarcoma** that occurs in late adult life, peaking in the seventh decade, and it is mainly encountered in the lower extremities. **Myxofibrosarcoma** of the head and **neck** are extremely rare.

Cited by: 11

Author: Giovanni Dell'Aversana Orabona, Giorgio Ia...

Publish Year: 2014

Author: Giovanni Dell'Aversana Orabona

[PDF] CASE REPORT Open Access Head and neck ...

<https://jmedicalcasereports.biomedcentral.com/track/pdf/10.1186/1752-1947-8-468>

Case presentation: In this **case report** we describe a 35-year-old Caucasian man who presented the first **case** of **myxofibrosarcoma** arising from the pterygopalatine fossa. The peculiar anatomical location and the extent in the midcheek region make this **case** a hard "challenge" for the surgeon, in order to guarantee wide surgical margins of resection.

Cited by: 11

Author: Giovanni Dell'Aversana Orabona, Giorgio Ia...

Publish Year: 2014

Myxofibrosarcoma in Head and Neck: Case Report of ...

<https://www.sciencedirect.com/science/article/pii/S0278239117311199>

Myxofibrosarcoma (MFS) is a malignant fibroblastic tumor that primarily affects the lower and upper extremities. It is usually described as a slow-growing tumor with high recurrence rates but low metastatic potential. The **reported** incidence of head and neck MFS is ...

Cited by: 1

Author: Anastasiya Quimby, Abigail Estelle, Arun G...

Publish Year: 2017

Myxofibrosarcoma Arising in the Maxillary Sinus: A Case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3267917>

Jul 27, 2011 · This is a **case report** of a patient presenting with a destructive lesion with histologic features of a low grade malignancy in a predominantly **myxoid matrix**. Various low grade **myxoid malignancies** were considered in the differential diagnosis of which an overview is presented.

Cited by: 4

Author: Ernst J. G. Norval, Erich J. Raubenheimer

Publish Year: 2011

Primary myxofibrosarcoma of the parotid: case report | BMC ...

<https://bmccancer.biomedcentral.com/articles/10.1186/1471-2407-10-246>

Jun 01, 2010 · **Myxofibrosarcoma** is common in the extremities of elderly people and is characterized by a high frequency of local recurrence. We **report** a 37 year old female who presented with a 4-month history of facial pain and a 3-month history of painful **progressive swelling** in the preauricular area. She underwent a total parotidectomy.

Cited by: 9

Author: Xu Li, Xin Chen, Zhao-Hui Shi, Yang Chen, J...

Publish Year: 2010

1

2

3

4

5

>

国内版

国际版

Myxofibrosarcoma of the scalp with difficulty in preopera



ALL

IMAGES

VIDEOS

20,800 Results

Any time ▼

[Head and neck myxofibrosarcoma: a case report and review ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4320505>

Myxofibrosarcoma is the most common **soft tissue sarcoma** that occurs in late **adult life**, peaking in the seventh decade, and it is mainly encountered in the lower extremities. **Myxofibrosarcoma of the head and neck** are extremely rare. To the best of our knowledge, only 19 **cases** have been described in the head and **neck** so far.

Cited by: 11

Author: Giovanni Dell'Aversana Orabona, Giorgio...

Publish Year: 2014

[Myxofibrosarcoma of the sinus piriformis: case report and ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3534627>

Myxofibrosarcoma is a common **sarcoma** in the extremities of older people, but is rare in the head and neck region. Here, we report the **case** of a 42-year-old male patient in whom **myxofibrosarcoma** generated from the **sinus piriformis**.

Cited by: 7

Author: Zhu Qiubei, Lin Cheng, Xu Yaping, Lin S...

Publish Year: 2012

[Myxofibrosarcoma of the mandible: a case report and review ...](#)

<https://bmcoralhealth.biomedcentral.com/track/pdf/10.1186/s12903-020-01094-7> ▼

CASE REPORT Open Access **Myxofibrosarcoma** of the mandible: **a case report and review of the literature** Zhengqiang Li, Xianwen Liu, Quanyin Zhang, Jie Zhang, Mingyi Huang and Shuguang Liu*

Abstract Background: **Myxofibrosarcoma** (MFS) is a soft tissue sarcoma that commonly occurs in late



Myxofibrosarcoma of the scalp with difficulty in preoper



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

20,300 Results

Any time ▼

Head and neck myxofibrosarcoma: a case report and review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4320505>

Myxofibrosarcoma is the most common **soft tissue sarcoma** that occurs in late **adult life**, peaking in the seventh decade, and it is mainly encountered in the lower extremities. **Myxofibrosarcoma of the head and neck** are extremely rare. To the best of our knowledge, only 19 **cases** have been described in the head and **neck** so far.

Cited by: 11

Author: Giovanni Dell'Aversana Orabona, Giorgio...

Publish Year: 2014

Myxofibrosarcoma of the sinus piriformis: case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3534627>

Myxofibrosarcoma is a common **sarcoma** in the extremities of older people, but is rare in the head and neck region. Here, we report the **case** of a 42-year-old male patient in whom **myxofibrosarcoma** generated from the **sinus piriformis**.

Cited by: 7

Author: Zhu Qiubei, Lin Cheng, Xu Yaping, Lin Sh...

Publish Year: 2012

Head and neck myxofibrosarcoma: a case report and review ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/1752-1947-8-468>

Dec 29, 2014 · **Myxofibrosarcoma** is the most common **soft tissue sarcoma** that occurs in **late adult life**, peaking in the seventh decade, and it is mainly encountered in the lower extremities.

Myxofibrosarcoma of the head and neck are extremely rare.

Cited by: 11

Author: Giovanni Dell'Aversana Orabona, Giorgio...

Publish Year: 2014

A case of myxofibrosarcoma of the maxilla with difficulty ...

global.bing.com/?FORM=Z9FD1k [springer.com/article/10.1007/s10147-011-0302-7](https://www.springer.com/article/10.1007/s10147-011-0302-7)