

Optimal dosing time of Dachenggi decoction for the protection of extrapancreatic o

Q All

Images

■ News

▶ Videos

Shopping

: More

Settings

Tools

About 28,000 results (0.63 seconds)

Did you mean: Optimal dosing time of Day Chengqi decoction for the protection of extrapancreatic organs in experimental acute pancreatitis

www.ncbi.nlm.nih.gov > pmc > articles > PMC5656457 ▼

Optimal timing for the oral administration of Da-Cheng-Qi ...

Oct 21, 2017 - To identify the optimal oral dosing time of Da-Cheng-Qi decoction (DCQD) in rats ... In animal experiments, it can ameliorate acute pancreatic, intestinal, lung and ... systemic inflammatory response syndrome and protect organ functions[9]. ... of experimental acute pancreatitis with Dachengqi Decoction via ...

by YM Zhang - 2017 - Cited by 3 - Related articles Missing: extrapancreatic | Must include: extrapancreatic

www.ncbi.nlm.nih.gov > pmc > articles > PMC5403892 -

Chinese Herbal Medicines Attenuate Acute Pancreatitis - NCBI


Apr 25, 2017 - Keywords: acute pancreatitis, Chinese herbal formulas, natural products, ... but also in the extrapancreas, and evolves into multiple organ injury and SIRS. ... during AP in a time- and dose-dependent manner (Gerasimenko et al., 2014). ... Dachengqi decoction (DCQD), first documented in "Shang Han Lun" ...

by H Xiang - 2017 - Cited by 21 - Related articles

europepmc.org > article > med ▼

Chinese Herbal Medicines Attenuate Acute Pancreatitis ...

Acute pancreatitis (AP) is a commonly occurring gastrointestinal disorder. ... the local pancreas



Optimal dosing time of Dachenggi decoction for the pro



Q

ALL IMAGES VIDEOS

3,270 Results Any time ▼

Optimal timing for the oral administration of Da-Cheng-Qi ...

https://www.ncbi.nlm.nih.gov/pubmed/29093618

Oct 21, 2017 · AIM: To identify the **optimal** oral **dosing time of Da-Cheng-Qi decoction** (DCQD) in rats with **acute pancreatitis** (AP) based on the pharmacokinetic and pharmacodynamic parameters.

METHODS: First, 24 male Sprague-Dawley rats were divided into a sham-operated group [NG(a)] and three model groups [4hG(a), 12hG(a) and 24hG(a)].

Cited by: 3 Author: Yu-Mei Zhang, Lin Zhu, Xian-Lin Zhao, H...

Publish Year: 2017

(PDF) Optimal timing for the oral administration of Da ...

with acute pancreatitis (AP) based on the pharmacokinetic and pharmacodynamic parameters.

https://www.researchgate.net/publication/320568760_Optimal_timing_for_the_oral...
Oct 21, 2017 · AIM To identify the optimal oral dosing time of Da-Cheng-Qi decoction (DCQD) in rats

Effect of Da-Cheng-Qi decoction for treatment of acute ...

https://cmjournal.biomedcentral.com/articles/10.1186/s13020-018-0195-8 -

Jul 13, 2018 · The traditional Chinese formula Da-Cheng-Qi-decoction (DCQD) has been used to treat