

Supplementary Table 1

Ref.	Age /Sex	Size of EHCC (mm)	Locatio n	Conn ectio n with liver	Mo the r her liver (post HCC	Treatment for ectopic HCC	HCC in mot her liver			OS (mo)	RFS (mo)	Recur rence	Ser um AF AF	AF PL	PIV KAI I	HB C V	H C V	Diff	A F	Hep Per- 3.	Gl yp 3.	p 5	C K 3	C K 7	C K1 8	C K2 0	Other IHC findin gs
							Conn ectio n with liver	Mo the r her liver (post HCC	Recur rence																		
)																											
Diego et al. 2019 ^[4]]	68F	80x60 x40	Between the liver, stomach and diaphra gm	Nil	NC	NT	Surgery	Alive	24	24	No recurrence	-	-	-	neg	ne g	mod	-	pos	pos	-	n eg	n eg	po s	ne g	CK34- c-KIT- vimentin in- chromogranin n- CDX2-	

												HMB4											
												5-, Melan											
												-A-											
												HMB4											
												5-, CK-											
Jin et al. 2017 ^[1]]	56M	multi ple	abdominal cavity	Nil	NC	NT	surgery	adjuvant	died	22	8	Multi ple recurrence in abdo men	8.0	-	-	HBs pos	ne g	-	n e	-	n eg	p os	ne g
Georg e et al. 2017 ^[5]]	69M	-	choledo chal cyst	-	NC	NT	biliary stent	-	-	-	-	2.9	-	-	neg	V-Ab po s	-	-	pos	-	-	-	-
Le et al. 2017 ^[6]]	44F	40x30, 50x40	head and body of pancrea s	Nil	NC	NT	surgery	alive	18	18	No recurrence	553 .9	-	-	HBc pos	ne g	-	p os	neg	-	n eg	ne g	Ki-67+(80%), Synapt opysin -, CK+, Pan+, Chrom

Aarås
et al
2015^[9]

																MUC1			
																-, TTF-			
																1-			
surgery+adj																			
Huan g et al. 2007 ^[1] 9]	62F	100×7 0×80	over the the left subphr	Nil	NC	NT	uvant	chemothera	No py (cisplatin+)	alive	8	8	No recurr ence	450 00	-	-	neg ne g	ne g	p os
Liu et al. 2007 ^[2] 0]	81F	150×1 00	lower abdom en	Nil	NC	NT	surgery	-	-	-	-	-	No 353 50	-	-	neg ne g	-	-	
Card ona et al. 2007 ^[2] 1]	58M	35×25 ×25	distal body of the pancrea s	Nil	NC	NT	surgery	alive	15	15	No recurr ence	-	-	-	neg ne g	n wel e pos g	-	-	
Shige	72M	140×1	in the	Nil	NC	NT	surgery	alive	12	2	Recur	991	74.	nor	neg ne	-	p pos	-	-
															n p po ne	-			

mori et al. 2006 ^[2] 2]	10×10	jejunu m approxi mately 100 cm from Treitz's ligame nt, between n the spleen and left diaphra gm	rence in the liver	00	1	mal	g	os	eg	os	s	g
Kim et al. 2003 ^[2] 3]	43F 0	100×7 n Nil NC NT surgery alive 23 7 the left ligame nt between n the left lobe and the diaphra	Multi ple recurr ence in both hepat ic lobes	nor mal	-	-	HBs Ag+	ne g	-	-	pos	-
Le Bail et al. 1999 ^[2] 4]	65F	60×55 the left ligame nt between n the left lobe and the diaphra	No recurr ence	-	-	-	neg	ne g	wel	-	-	-

gm
 Araka
 wa et
 al. 64M 45×20 ×20 gastric serosa Stalk HC NT surgery died 15 12 Recur
 1999[2] and liver neg ne p
 5] lung os

SM: Separated by membrane; FB: Connection by fibrous band; C: Cirrhosis; NC: No cirrhosis; HC: Hepatitis chr.; NT: No tumor in mother liver; Diff.: Differentiation; pos: Positive; neg: Negative; IHC: Immunohistochemical; Glyp3: Glypican3.