

## Match Overview

1	<b>Crossref</b> 37 words Ankit Mangla, Nikki Agarwal, Michael Russell Mullane. "Metastatic spread from squamous cell carcinoma of the hypopharynx..."	3%
2	<b>Crossref</b> 33 words Chun-Hong Lee, An-Shiou Day, Tzer-Zen Hwang. "Metastasis over implantable venous access ports", Head & Neck, 2012	3%
3	<b>Crossref</b> 30 words Jin-Chiao Lee, Chun-Han Chen, Tse-Ching Chen, Chun-Nan Yeh, Ta-Sen Yeh. "Preoperative tyrosine kinase inhibitors risk	2%
4	<b>Internet</b> 13 words crawled on 07-May-2020 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
5	<b>Crossref</b> 10 words Gang Wang, Gang-Gang Li, Sheng-Mao Zhu, Bao-Jia Cai, Peng-Jie Yu, Cheng-Wu Zhang. "Melanotic Xp11-associated tu..."	1%

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 54549

**Manuscript Type:** CASE REPORT

**Gastrointestinal stromal tumor metastasis<sup>1</sup> at the site of a totally implantable venous access port insertion: A rare case report**

Xiao-Nan Yin, Yuan Yin, Jiang Wang, Chao-Yong Shen, Xin Chen, Zhou Zhao, Zhao-Lun Cai, Bo Zhang

## Abstract

### BACKGROUND

The totally implantable venous access port (TIVAP) is an important device for patients



Gastrointestinal stromal tumor metastasis at the site of a totally imp



ALL

IMAGES

VIDEOS

10,000 Results

Any time ▾

## Single-incision laparoscopic resection of small bowel ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4916749>

Single-port access remains a good option for removal of these tumours, as long as the entire small bowel can be externalised and visualised. No data until date suggest increases in local recurrence, port site recurrences or inadequacy of resections with laparoscopic removal of such tumours.

Cited by: 3

Author: Terry P Nickerson, Johnathon M Aho, Juli...

Publish Year: 2016

## World Journal of Surgical Oncology | Articles

<https://wjso.biomedcentral.com/articles?searchType=...> ▾

Rupture of totally implantable central venous access devices (Intraports) in patients with cancer: report of four cases. Totally implantable central venous access devices (intraports) are commonly used in cancer patients to administer chemotherapy or parenteral nutrition. Rupture of intraport is a rare ...

## The Ins and Outs of Ports - CURE | Cancer Updates ...

<https://www.curetoday.com/publications/cure/2009/...> ▾

> In breast cancer cases, ports are usually not added during lumpectomy or other initial breast surgery. "You wouldn't know the staging or prognosis until after the pathology report," says Allen Cohn, MD, medical oncologist at Rocky Mountain Cancer Centers in Denver. It may turn out, he says, that a port isn't needed after all.

## Kazuki Yamashita's research works | Kawasaki Medical ...

[https://www.researchgate.net/scientific-contributions/39950843\\_Kazuki\\_Yamashita](https://www.researchgate.net/scientific-contributions/39950843_Kazuki_Yamashita)

Following a diagnosis of a gastrointestinal stromal tumor (GIST), partial resection of the stomach was performed in January 2003. The tumor was immunohistochemically positive for c-kit and CD34.

## Submucosal tumors: Comprehensive guide for the diagnosis ...

<https://onlinelibrary.wiley.com/doi/10.1111/den.12149>

Nearly 3% of patients visiting hospitals as a result of gastrointestinal (GI) symptoms may have SMT. 3, 4 GIST is considered to account for half of these incidentally found SMT in the stomach. 5, 6 Small GIST <1 cm, called 'mini GIST', are reportedly found in 3–10% of the stomach, 0.2% of the colon and 0.01% of the rectum. 5-8 Median size ...



国内版

国际版



Gastrointestinal stromal tumor metastasis at the site of a totally implanta



Sign in



ALL

IMAGES

VIDEOS

19,700 Results

Any time ▼

## Single-incision laparoscopic resection of small bowel ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4916749>

Single-**port access** remains a good option for removal of these tumours, as long as the entire small bowel can be externalised and visualised. No data until date suggest increases in local recurrence, **port site** recurrences or inadequacy of resections with laparoscopic removal of such tumours.

Cited by: 3

Author: Terry P Nickerson, Johnathon M Aho, Juli...

Publish Year: 2016

## Submucosal tumors: Comprehensive guide for the diagnosis ...

<https://onlinelibrary.wiley.com/doi/10.1111/den.12149>

Nearly 3% of patients visiting hospitals as a result of **gastrointestinal** (GI) symptoms may have SMT. 3, 4 **GIST** is considered to account for half of these incidentally found SMT in the stomach. 5, 6 Small **GIST** <1 cm, called 'mini **GIST**', are reportedly found in 3–10% of the stomach, 0.2% of the colon and 0.01% of the rectum. 5-8 Median size ...

Cited by: 132

Author: Toshirou Nishida, Naoki Kawai, Shinjiro Y...

## Search Tools

Turn off Hover Translation (关闭取词)





Gastrointestinal stromal tumor metastasis at the site of a totally im



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

15,300 Results Any time ▾

### [Single-incision laparoscopic resection of small bowel ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4916749>

Single-**port access** remains a good option for removal of these tumours, as long as the entire small bowel can be externalised and visualised. No data until date suggest increases in local recurrence, **port site** recurrences or inadequacy of resections with laparoscopic removal of such tumours.

**Cited by:** 3 **Author:** Terry P Nickerson, Johnathon M Aho, Juli...

**Publish Year:** 2016

### [Yasutomo Goto's research works | Japanese Red Cross Kyoto ...](#)

[https://www.researchgate.net/scientific-contributions/15352705\\_Yasutomo\\_Goto](https://www.researchgate.net/scientific-contributions/15352705_Yasutomo_Goto)

Yasutomo Goto's 48 research works with 129 citations and 1,729 reads, including: Late complications associated with **totally implantable venous access port** implantation via the internal jugular vein

### [Submucosal tumors: Comprehensive guide for the diagnosis ...](#)

<https://onlinelibrary.wiley.com/doi/10.1111/den.12149>

Nearly 3% of patients visiting hospitals as a result of **gastrointestinal** (GI) symptoms may have SMT. 3, 4 **GIST** is considered to account for half of these incidentally found SMT in the stomach. 5, 6 Small **GIST** <1 cm, called 'mini **GIST**', are reportedly found in 3–10% of the stomach, 0.2% of the colon and 0.01% of the rectum. 5-8 Median size ...

**Cited by:** 132 **Author:** Toshiro Nishida, Naoki Kawai, Shinjiro Y...

**Publish Year:** 2013

### [Satvinder Mudan's research works | Imperial College London ...](#)

<https://www.researchgate.net/scientific-contributions/2008409590-Satvinder-Mudan>

Satvinder Mudan's 96 research works with 1,001 citations and 4,039 reads, including: Development and application of two novel monoclonal antibodies against overexpressed CD26 and integrin  $\alpha 3$  in ...

### [Yoshiaki Iwasaki's research works | Okayama University ...](#)

[https://www.researchgate.net/scientific-contributions/38328331\\_Yoshiaki\\_Iwasaki](https://www.researchgate.net/scientific-contributions/38328331_Yoshiaki_Iwasaki)

Yoshiaki Iwasaki's 254 research works with 2,777 citations and 2,375 reads, including: Caries Increment and Salivary Microbiome during University Life: A Prospective Cohort Study