

国内版

国际版

The importance of serum phosphate in elderly patients v



ALL

IMAGES

VIDEOS

3,340,000 Results

Any time ▾

Serum Phosphorus as a Risk Factor of Metabolic Syndrome ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6835508>

We demonstrated serum phosphorus concentration to be a risk of diabetes mellitus in the elderly, which was consistent with the previous study . Serum phosphorus concentration might also be associated with fasting sugar concentration in the elderly (Table 3). Furthermore, our results showed the serum phosphorus concentration to be an important risk of MetS and its components, including BMI, serum HDL, serum triglyceride, and fast plasma glucose in the elderly ...

Author: Yi-Han Jhuang, Tung-Wei Kao, Tao-C... Publish Year: 2019

Association of Serum Phosphorus Concentration with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3735629>

Lorenzo et al 56 have reported that the relatively low serum phosphorus concentrations seen in older MHD patients were associated with a spontaneous reduction of protein intake and the relatively low caloric and protein intake is common in elderly MHD patients. 59,60 Poor appetite and low protein intake significantly correlated with increased ...

Cited by: 24 Author: Paungpaga Lertdumrongluk, Paungpaga ...

Publish Year: 2013

Low serum phosphate and magnesium levels are associated ...

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 54551

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Importance of serum phosphate in elderly patients with diabetes mellitus

Vaia D Raikou, Despina Kyriaki, Sotiris Gavriil

Abstract

BACKGROUND

Metabolic disturbances including changes in serum calcium, magnesium or phosphate influence the prevalence of type 2 diabetes mellitus (DM). We considered the importance of serum phosphate (P) in elderly patients with type 2 DM *vs* non-diabetes mellitus (non-DM) in relation to the renal function.

AIM

Match Overview

1	Internet 152 words crawled on 08-Aug-2020 www.mdpi.com	3%
2	Crossref 62 words Nigel D Toussaint, Stephen G Holt. "Is serum phosphate a useful target in patients with chronic kidney disease and w..."	1%
3	Internet 29 words crawled on 16-Sep-2017 www.omicsonline.org	1%
4	Internet 16 words crawled on 30-May-2020 www.hindawi.com	<1%
5	Crossref 15 words Geuza Dutra dos Santos, Maria Aparecida Dalboni, Rosilene Motta Elias, Rosa Maria Affonso Moysés. "Higher Serum..."	<1%
6	Internet 14 words crawled on 09-Jan-2020 pdfs.semanticscholar.org	<1%
7	Crossref 14 words Noe Velizquez-Rosas. "Elevational Variation of Leaf Traits ... Montane Rain Forest Tree Species at La Chinantla, Souther..."	<1%
8	Crossref 12 words D. Raikou Vaia, Sotiris Gavriil. "Body-mass index and the risk of albuminuria in hypertensive patients with a poor estim..."	<1%

国内版

国际版

Importance of serum phosphate in elderly patients with c



ALL

IMAGES

VIDEOS

3,460,000 Results

Any time ▼

MKSAP primer: Acute complications of diabetes mellitus ...

<https://acphospitalist.org/archives/2007/09/complications.htm> ▼

Sep 01, 2007 · MKSAP **primer**: Acute complications of **diabetes mellitus**. ... potassium and **phosphate** with intravenous potassium **phosphate** should be considered to maintain the **serum phosphate** level above 1 mg/dL. ... The diagnosis is considered in any **elderly patient** with altered mental status and dehydration, particularly if a diagnosis of **diabetes** is already ...

Exploration of serum levels of SOST and its clinical ...

<https://www.alliedacademies.org/articles/...> ▼

Serum levels of 25 (OH) D3 in middle-aged and **elderly patients** with type 2 **diabetes mellitus** complicated **with** osteoporosis. Chinese J Gerontol 2016; 36: 1865-1866. C N, A N, A A. Increased risk of osteoporosis in postmenopausal women with type 2 **diabetes mellitus**: a three-year longitudinal study with phalangeal QUS measurements.

Author: Sun Xiaohong, Wang Difei **Publish Year:** 2017

Dietary Restrictions in Dialysis Patients: Is There ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4385746>

To that end, in the United States it is a regulatory requirement for an **outpatient dialysis clinic** to have an on-site registered dietitian to provide **dietary monitoring** and counseling to all **dialysis patients**. 1 Both **dietitians** and nephrologists often impose a number of **dietary restrictions** on their **patients** related to **dietary phosphorus**, potassium, sodium, fluid intake, and macronutrients including ...

Cited by: 117

Author: Kamyar Kalantar-Zadeh, Amanda R. Tort...

Publish Year: 2015

Search

Turn off



Importance of serum phosphate in elderly patients with diabetes mellitu:



Sign in



ALL

IMAGES

VIDEOS

2,070,000 Results

Any time ▾

Serum Phosphorus as a Risk Factor of Metabolic Syndrome ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6835508>

We demonstrated serum phosphorus concentration to be a risk of diabetes mellitus in the elderly, which was consistent with the previous study . Serum phosphorus concentration might also be associated with fasting sugar concentration in the elderly (Table 3). Furthermore, our results showed the serum phosphorus concentration to be an important **risk of MetS** and its components, including **BMI, serum HDL, serum triglyceride, and fast plasma glucose ...**

Cited by: 1

Author: Yi-Han Jhuang, Tung-Wei Kao, Tao-Chun...

Publish Year: 2019

Low serum phosphate and magnesium levels are associated ...

<https://www.sciencedirect.com/science/article/pii/S0168822718311173>

Dec 01, 2018 · Serum phosphate and serum magnesium levels were significantly **lower in patients** with **diabetic peripheral neuropathy (DPN) (P < 0.01)**. And the percentages of DPN patients were lower in high tertile of serum phosphate and serum magnesium (P < 0.05).

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)