

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 54975

Title: Modified Technique of Advanced Core Decompression for Treatment of Femoral Head Osteonecrosis

Reviewer's code: 00503243

Position: Peer Reviewer

Academic degree: MD

Professional title: Professor

Reviewer's Country/Territory: Italy

Author's Country/Territory: China

Manuscript submission date: 2020-03-02

Reviewer chosen by: Jia-Ping Yan

Reviewer accepted review: 2020-04-16 11:21

Reviewer performed review: 2020-04-18 15:56

Review time: 2 Days and 4 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input checked="" type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input type="checkbox"/> Anonymous <input checked="" type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

SPECIFIC COMMENTS TO AUTHORS

Well written and interesting manuscript describing a new technique for the treatment of femoral head osteonecrosis. The new technique join a new way of percutaneous expanded core decompression with subsequent bone graft. The results seems to be excellent and a careful patient selection should be applied. The study com pare only three patients with the new technique with three patients treated with the older technique. The results are interesting and useful for physicians involved with such problems. The authors should be encorauged in going on with their technique