

Match Overview

1	Internet 77 words crawled on 13-Jan-2018 n.neurology.org	1%
2	Internet 46 words crawled on 25-Oct-2020 jamanetwork.com	1%
3	Internet 39 words crawled on 16-Jul-2020 statics.drvoice.cn	1%
4	Internet 25 words crawled on 06-Dec-2016 www.piedmontroar.com	<1%
5	Internet 19 words crawled on 12-Nov-2020 www.womanbyabbyrose.com.au	<1%
6	Internet 16 words crawled on 12-Jun-2020 link.springer.com	<1%
7	Internet 13 words crawled on 16-May-2020 www.atsjournals.org	<1%
8	Internet 13 words crawled on 06-Nov-2020 academic.oup.com	<1%

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 55114

Manuscript Type: ORIGINAL ARTICLE

Observational Study

The Impact of Diabetes Mellitus and Cardiometabolic Syndrome on the Risk of Alzheimer's Disease Among Postmenopausal Women

Diabetes and Alzheimer's Disease

Abstract

BACKGROUND

In spite of an increase in the incidence and prevalence of diabetes mellitus (DM) and Alzheimer's disease (AD) in the aging population worldwide, limited attention has been paid to investigate their association.

AIM



ALL

IMAGES

VIDEOS

71,400 Results

Any time ▾

Impact of Diabetes Mellitus and the Metabolic Syndrome on ...

https://link.springer.com/chapter/10.1007/978-1-4471-5517-1_13 ▾

Dec 20, 2013 · Abstract. Over 12.6 million of **women** over the age of 20 in the United States have either diagnosed or undiagnosed **diabetes mellitus**. The overwhelming majority (>90 %) of these cases are type 2 **diabetes mellitus**, related to overall insulin resistance and eventual abnormal insulin secretion.

Author: Illena Antonetti, Gladys P. Velarde **Publish Year:** 2014

Impact of Worsened Metabolic Syndrome on the Risk of ...

<https://www.ahajournals.org/doi/10.1161/JAHA.116.004749>

In most studies, patients with persistent MetS were reported to have the worst prognosis, because they have a high **risk** of developing conditions such as cognitive decline, 20 type 2 **diabetes mellitus**, 28 and increased carotid artery intima-media thickness. 29 Another study reported that both men and **women** with persistent MetS did not have ...

Cited by: 12 **Author:** Yen Chun Fan, Chia Chi Chou, San Lin You, ...

Publish Year: 2017

Diabetes Mellitus and Cardiovascular Disease ...

<https://www.ahajournals.org/doi/10.1161/ATVBAHA.119.310961>

Cardiovascular **disease** (CVD) remains a leading cause of morbidity and mortality in type 1 **diabetes mellitus** and type 2 **diabetes mellitus** (T2D). 1–3 Beyond the inherent increase in mortality in diabetic subjects, when **diabetes mellitus** is combined with manifestations of CVD, such as myocardial infarction or stroke, the mortality rate is nearly doubled, leading to an estimated reduction in ...

Cited by: 9 **Author:** Ann Marie Schmidt

Publish Year: 2019



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

67,300 Results

Any time ▾

[Impact of Diabetes Mellitus and the Metabolic Syndrome on ...](#)

https://link.springer.com/chapter/10.1007/978-1-4471-5517-1_13 ▾

Dec 20, 2013 · Abstract. Over 12.6 million of **women** over the age of 20 in the United States have either diagnosed or undiagnosed **diabetes mellitus**. The overwhelming majority (>90 %) of these cases are type 2 **diabetes mellitus**, related to overall insulin resistance and eventual abnormal insulin secretion.

Author: Illena Antonetti, Gladys P. Velarde **Publish Year:** 2014

[Cardiometabolic Risk among African-American Women: A Pilot ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3204876>

The American **Diabetes** Association defines **cardiometabolic risk** as a set of **risk** factors that, when viewed together, serve as an indicator of an individual's **risk** for developing type 2 **diabetes** and/or cardiovascular **disease** (CVD). 12 African-American **women** may be more predisposed than Caucasians to **cardiometabolic risk** factors for type 2 ...

Cited by: 5 **Author:** Susan J. Appel, Robert A. Oster, Natalie A. ...

Publish Year: 2009

[Impact of Worsened Metabolic Syndrome on the Risk of ...](#)

<https://www.ahajournals.org/doi/10.1161/JAHA.116.004749>

In most studies, patients with persistent MetS were reported to have the worst prognosis, because they have a high **risk** of developing conditions such as cognitive decline, 20 type 2 **diabetes mellitus**, 28 and increased carotid artery intima-media thickness. 29 Another study reported that both men and **women** with persistent MetS did not have ...

Cited by: 12 **Author:** Yen Chun Fan, Chia Chi Chou, San Lin You, ...

Publish Year: 2017

PEOPLE ALSO ASK

Does diabetes increase risk of cardiovascular morbidity?