



Match Overview



1	Crossref 76 words Lannah L. Lua, Tiare Evans, Nadia Gomez. "Simultaneous Uterine and Bladder Rupture Following Successful Vaginal E...	3%
2	Internet 41 words crawled on 17-Dec-2019 www.tandfonline.com	2%
3	Crossref 33 words Yanqing Cai, Hongjie Pan, Jian Zhang, Weiwei Cheng et al. "Efficacy of adjunctive azithromycin versus single-dose ce...	1%
4	Crossref 15 words Misgav Rottenstreich, Fayez Khatib, Hen Y. Sela, Sorina Gri saru-Granovsky, Shunit Armon. "Laparoscopic repair of uter...	1%
5	Internet 12 words crawled on 18-Jul-2019 digitalscholarship.unlv.edu	<1%
6	Internet 12 words crawled on 15-Dec-2019 www.freepatentsonline.com	<1%
7	Internet 12 words crawled on 16-Sep-2017 iosrphr.org	<1%

Name of Journal: World Journal of Clinical Cases

Manuscript NO: 55285

Manuscript Type: CASE REPORT

Laparoscopic repair of uterine rupture following successful second vaginal birth after caesarean delivery: A case report

Cai YQ *et al.* Laparoscopic repair of uterine rupture

Yan-Qing Cai, Wei Liu, Hong Zhang, Xiao-Qing He, Jian Zhang

Abstract

BACKGROUND

With the increasing trend of vaginal birth after caesarean delivery (VBAC), evaluation of the feasibility and safety of a second VBAC with grand multiparity is worth considering. Intrapartum uterine rupture is diagnosed in approximately one-fifth of all VBAC cases following successful vaginal delivery. To our knowledge, no report is available on the application of laparoscopy to repair postpartum uterine rupture after a successful second VBAC in China.

CASE SUMMARY

A 31-year-old woman (gravida 5, para 2) at 39 wk and 5 d of gestation was admitted to the hospital in labour. After a successful VBAC and observation for approximately



Laparoscopic repair of uterine rupture following successf



ALL

IMAGES

VIDEOS

9,270 Results

Any time ▾

Late Presentation of Uterine Rupture: A Case Report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6863583>

Oct 21, 2019 · **Uterine rupture** is a rare disease, which usually presents in the form of a life-threatening emergency. It occurs most commonly **after a vaginal birth after cesarean (VBAC)** and is characterized by complete separation of the **uterine** incision throughout most of its length, involving all layers of the **uterus**.

Author: Meher B Ali, Mashal B Ali Publish Year: 2019

Simultaneous Uterine and Bladder Rupture Following ...

<https://www.sciencedirect.com/science/article/pii/S155346501631127X>

To our knowledge, this is the first case report describing **laparoscopic repair of uterine and bladder rupture** occurring within several hours **after successful VBAC**. Case Report A 28-year-old gravida 2, para 1 woman at 39 weeks and 3 days of gestation presented to our labor and delivery unit with **contractions after experiencing spontaneous rupture** of membranes at home.

Author: Lannah L. Lua, Tiare Evans, Nadia Go... Publish Year: 2017

Uterine Rupture Following One Successful Vaginal Birth ...

<https://www.sciencedirect.com/science/article/pii/S0849583116303214>

Her second pregnancy had ended in a **successful vaginal birth after** Caesarean section (VBAC) **after** labour was augmented with oxytocin. During her third pregnancy, she presented in early labour and went on to a spontaneous complete **rupture** of her **uterus** which necessitated a Caesarean hysterectomy.

Author: B. Rellan, M.J. Seager Publish Year: 1996

An unusual case of uterine rupture at 39 weeks of ...

<https://www.sciencedirect.com/science/article/pii/S1110569015300145>

Uterine rupture is rare to occur **after laparoscopic cornual resection**, but such cases were reported that **rupture uterus** occurred at the first or **second trimester only** , . Here we introduce a rare **case of** abruptio placenta complicated with **rupture uterus** at 39 weeks of gestation in a patient with history of previous left cornual ectopic ...

Cited by: 5

Author: Ahmed M. Abbas, Fatema M. Fawzy, Mu...

Publish Year: 2016



国内版

国际版

Laparoscopic repair of uterine rupture following successful sec



ALL

IMAGES

VIDEOS

12,700 Results

Any time ▾

[Late Presentation of Uterine Rupture: A Case Report](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6863583>

Uterine rupture is a rare disease, which usually presents in the form of a life-threatening emergency. It occurs most commonly **after a vaginal birth after cesarean (VBAC)** and is characterized by complete separation of the **uterine** incision throughout most of its length, involving all layers of the **uterus**.

Author: Meher B Ali, Mashal B Ali **Publish Year:** 2019

[Uterine Rupture Following One Successful Vaginal Birth ...](#)

<https://www.sciencedirect.com/science/article/pii/S0849583116303214>

Her **second pregnancy** had ended in a **successful vaginal birth after Caesarean section (VBAC) after labour** was augmented with oxytocin. During her third pregnancy, she presented in early **labour** and went on to a spontaneous **complete rupture** of her **uterus** which necessitated a **Caesarean hysterectomy**.

Author: B. Rellan, M.J. Seager **Publish Year:** 1996

[Case Report: Vaginal birth after two previous caesarean ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5534647>

The **second** stage took 63 min resulting in the **vaginal birth after** two previous **caesarean** deliveries (VBAC-2) of a live male infant weighing 3625 g (7 lbs 15.6 oz) who was assigned Apgar scores of 9 and 9 at 1 and 5 min, respectively. An intact placenta was spontaneously expelled 6 min **after delivery** of the fetus.

Cited by: 2 **Author:** Njoki Ng'ang'a, Jonathan Ratzersdorfe...

Publish Year: 2017

[Simultaneous Uterine and Bladder Rupture Following ...](#)

<https://www.sciencedirect.com/science/article/pii/S155346501631127X>

To our knowledge, this is the first case report describing **laparoscopic repair of uterine and bladder rupture** occurring within several hours **after successful VBAC**. Case Report A 28-year-old gravida 2, para 1 woman at 39 weeks and 3 days of gestation presented to our labor and



Laparoscopic repair of uterine rupture following successi



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

13,400 Results

Any time ▾

[Late Presentation of Uterine Rupture: A Case Report](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6863583>

Uterine rupture is a rare disease, which usually presents in the form of a life-threatening emergency. It occurs most commonly **after a vaginal birth after cesarean (VBAC)** and is characterized by complete separation of the **uterine** incision throughout most of its length, involving all layers of the **uterus**.

Author: Meher B Ali, Mashal B Ali **Publish Year:** 2019

[Uterine Rupture Following One Successful Vaginal Birth ...](#)

<https://www.sciencedirect.com/science/article/pii/S0849583116303214>

Her **second pregnancy** had ended in a **successful vaginal birth after Caesarean section (VBAC)** **after labour** was augmented with oxytocin. During her third pregnancy, she presented in early **labour** and went on to a spontaneous **complete rupture** of her **uterus** which necessitated a **Caesarean hysterectomy**.

Author: B. Rellan, M.J. Seager **Publish Year:** 1996

[Laparoscopic correction of the uterine muscle loss in the ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3908647>

There is also scientific evidence which proves other unfavourable consequences connected with a **Caesarean** section, such as an increased risk of a **uterine rupture** at **natural birth**, an incorrect location of a **placenta during the following pregnancies**, a **pregnancy in the scar**, and the dehiscence **of the scar after a Caesarean** section [4–9].

Cited by: 2 **Author:** Michał Ciebiera, Grzegorz Jakiel, Aneta S...

Publish Year: 2013

[Simultaneous Uterine and Bladder Rupture Following ...](#)

<https://www.sciencedirect.com/science/article/pii/S155346501631127X>

To our knowledge, this is the first case report describing **laparoscopic repair of uterine and bladder rupture** occurring within several hours **after successful VBAC**. Case Report A 28-year-old gravida 2, para 1 woman at 39 weeks and 3 days of gestation presented to our labor and delivery unit with