

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 55388

**Manuscript Type:** CASE REPORT

***Campylobacter jejuni* enterocolitis presenting with testicular pain: A case report**

Sanagawa M *et al.* Enterocolitis with testicular pain

Masahiro Sanagawa, Tsuneaki Kenzaka, Sayaka Kato, Ichiko Yamaoka,  
Shouichi Fujimoto

**Abstract**

### Match Overview

- | Match Number | Match Type        | Match Description   | Similarity |
|--------------|-------------------|---|------------|
| 1            | Crossref 14 words | C.Crawford Mechem, George A. Alam. "Delayed cardiac t...<br>mponade in a patient with penetrating chest trauma", The J      | 1%         |
| 2            | Crossref 10 words | Sandella, Bradley, Brett Hartmann, David Berkson, and Eug<br>ene Hong. "Testicular Conditions in Athletes : Torsion, Tu ... | 1%         |



国内版 国际版

Campylobacter colitis presenting with testicular pain: A c



ALL

IMAGES

VIDEOS

42,200 Results

Any time ▾

### A Case of Campylobacter Colitis Presenting as ...

<https://www.liebertpub.com/doi/full/10.1089/crsi.2017.0001>

Feb 01, 2017 · However, the general surgeon should also consider other non-surgical etiologies for **RLQ abdominal pain** that may manifest as pseudoappendicitis. We **present a case** of **Campylobacter colitis** as one etiology for **RLQ abdominal pain**. Clinically, the association of **RLQ pain** with **diarrhea** should lead surgeons to exercise caution prior to committing to operative intervention for **RLQ pain**.

**Author:** P ZhouEric, J GoldbergDaniel, E Jung... **Publish Year:** 2017

### A Case of Campylobacter Colitis Presenting as ...

<https://www.liebertpub.com/doi/abs/10.1089/crsi.2017.0001>

Abstract Background: Right lower quadrant **pain** is evaluated commonly by the general surgeon. Appendicitis is a common **presenting** pathology, however, there are numerous other non-surgical pathologies that may **present** similarly. **Case Presentation:** We **present** the **case** of a 37-year-old Caucasian male **presenting** with two days of right lower quadrant abdominal **pain** with elevated ...

**Author:** P ZhouEric, J GoldbergDaniel, E Jung... **Publish Year:** 2017

### [PDF] A Case of Campylobacter Colitis Presenting as ...

<https://www.liebertpub.com/doi/pdfplus/10.1089/crsi.2017.0001>

diagnoses. We describe a **case** of **Campylobacter colitis presenting** as a pseudoappendicitis and issue a cautionary note in the management of **patients presenting** with **RLQ abdominal pain** associated with **diarrheal episodes**. **Case Presentation** A 37-year old **Caucasian male presented** to the emergency department with a two-day history of diffuse abdominal dis-

### Campylobacter colitis leads to toxic megacolon and ...

Chat with Bing



Am I the most talkative search engine you have ever used?

Say something...

Campylobacter jejuni enterocolitis presenting with testicular pain:



ALL

IMAGES

VIDEOS

28,100 Results

Any time ▾

## Two-sided femoral Campylobacter jejuni osteomyelitis in a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7060648>

We report the first case of a patient with Campylobacter jejuni osteomyelitis in both femora. **Case presentation.** A 54-year-old female presented with progressive pain in both upper extremities. Her past medical history mentioned a lymphoplasmacytic lymphoma (LPL) for which she had received dexamethasone, cyclophosphamide and fludarabine and was still receiving maintenance therapy ...

Author: Joost Hartman, Matthijs Westerman, ... Publish Year: 2020

## Two-sided femoral Campylobacter jejuni osteomyelitis in a ...

<https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-020-4929-8> ▾

Campylobacter jejuni is a motile, gram-negative rod known for causing self-limiting enterocolitis while rarely causing extraintestinal infections. We report the first case of a patient with Campylobacter jejuni osteomyelitis in both femora. **Case presentation.** A 54-year-old female presented with progressive pain in both upper extremities.

## Case Report: Enterocolitis without diarrhoea in an adult ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3948462>

Campylobacter jejuni ileocolitis usually presents with abdominal pain accompanied by diarrhoea preceded by non-specific prodromal symptoms of nausea and malaise<sup>12</sup> but our case was unusual with a complete lack of diarrhoea, close resemblance to acute appendicitis and negative preliminary infectious workup including negative faecal culture.

Cited by: 1 Author: Gaurang Nandkishor Vaidya, Amit Sharm...  
Publish Year: 2014

## Cecal Perforation in the Setting of Campylobacter jejuni ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6946205>

Campylobacter is the leading cause of bacterial gastroenteritis worldwide, with Campylobacter jejuni being the most common species to cause illness. Typically, C. jejuni causes acute self-limited gastroenteritis. However, 10%–20% of culture-confirmed cases in the United States require hospitalization.<sup>1</sup> Acute enteric complications are uncommon and include mesenteric adenitis, pseudomembranous colitis, massive ...

## Two-sided femoral Campylobacter jejuni osteomyelitis in a ...

<https://www.ncbi.nlm.nih.gov/pubmed/32143636>



28,800 Results

Any time ▾

### [Two-sided femoral Campylobacter jejuni osteomyelitis in a ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7060648>

We report the first case of a patient with **Campylobacter jejuni osteomyelitis** in both femora. **Case presentation.** A 54-year-old female presented with **progressive pain** in both upper extremities. Her past medical history mentioned a lymphoplasmacytic lymphoma (LPL) for which she had received dexamethasone, **cyclophosphamide** and fludarabine and was still receiving maintenance therapy ...

**Author:** Joost Hartman, Matthijs Westerman, J... **Publish Year:** 2020

### [Two-sided femoral Campylobacter jejuni osteomyelitis in a ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/32143636>

Mar 06, 2020 - BACKGROUND: **Campylobacter jejuni** is a motile, gram-negative rod known for causing self-limiting **enterocolitis** while rarely causing **extraintestinal** infections. We report the first case of a patient with **Campylobacter jejuni osteomyelitis** in both femora. **CASE PRESENTATION:** A 54-year-old female presented with **progressive pain** in both upper extremities.

**Author:** Joost Hartman, Matthijs Westerman, J... **Publish Year:** 2020

### [Two-sided femoral Campylobacter jejuni osteomyelitis in a ...](#)

<https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-020-4929-8>

Mar 06, 2020 - **Campylobacter jejuni** is a motile, gram-negative rod known for causing self-limiting **enterocolitis** while rarely causing **extraintestinal** infections. We report the first case of a patient with **Campylobacter jejuni osteomyelitis** in both femora. **Case presentation.** A 54-year-old female presented with **progressive pain** in both upper extremities.

**Author:** Joost Hartman, Matthijs Westerman, J... **Publish Year:** 2020

### [Vitamin C alleviates acute enterocolitis in Campylobacter ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7031283>

Feb 19, 2020 - Introduction. **Campylobacter jejuni** are the most common cause of food-borne gastroenteritis with increasing prevalence worldwide 1, 2. In fact, human campylobacteriosis represents a socioeconomic burden given estimated disease-associated costs of approximately 2.4 billion Euro 3. Most