

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 55578

Manuscript Type: CASE REPORT

Gallbladder sarcomatoid carcinoma: Report of seven cases

Qin Q *et al.* Case report of gallbladder sarcomatoid carcinoma

Qing Qin, Ming Liu, Xin Wang

Abstract

BACKGROUND

Gallbladder sarcomatoid carcinoma is a rare and aggressive tumor, and little is known about its clinical behavior, prognosis and optimal treatment.

Match Overview

Rank	Source	Words	Similarity
1	Crossref	109 words Liu, Keng-Hao. "Surgical management of gallbladder sarcomatoid carcinoma", <i>World Journal of Gastroenterology</i> , 2013	4%
2	Crossref	48 words "POSTER SESSION", <i>Gynecologic Oncology</i> , 200803	2%
3	Crossref	38 words &NA; . "ESGO 18 Meeting Abstracts, Liverpool :", <i>International Journal of Gynecological Cancer</i> , 2013.	1%
4	Internet	36 words crawled on 05-Apr-2018 www.archivesofpathology.org	1%
5	Internet	36 words crawled on 27-Jul-2020 www.hindawi.com	1%
6	Crossref	22 words Dilara Akhoundova Sanoyan, Mairéad G. McNamara, Angela Lamarca, Juan W. Valle. "Adjuvant chemotherapy in ..."	1%
7	Internet	15 words crawled on 18-Aug-2009 clincancerres.aacrjournals.org	<1%
	Internet	13 words	<1%



ALL

IMAGES

VIDEOS

3,340,000 Results

Any time ▾

Sarcomatoid carcinoma of the gallbladder: A rare form of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7011324>

Feb 07, 2020 · Introduction. Gallbladder carcinoma is an extremely rare malignancy with an annual incidence in the United States of 1–2 cases per 100,000 persons. 1 The vast majority of gallbladder malignancies are adenocarcinomas, with less than 1% being sarcomatoid gallbladder carcinoma, also known as gallbladder carcinosarcoma.

Gallbladder sarcomatoid carcinoma: A case report and ...

<https://www.sciencedirect.com/science/article/pii/S2351979715000250>

Gallbladder sarcomatoid carcinoma: A case report and review of current literature Introduction. Adenocarcinoma is the most common type of malignant tumor generated in the gallbladder, whereas... Case report. A 52-year-old female patient presented with postprandial epigastric pain that had persisted ...

Cited by: 3

Author: Ming-Wun Wong, Ming-Jen Chen, Ming-J...

Publish Year: 2016

Sarcomatoid carcinoma of the gall bladder

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3649492>

To our knowledge, only 78 cases with sarcomatoid carcinoma of the gallbladder have been reported in the English-language literature (5,6). CASE REPORT A 55-year-old woman presented with a 12 month history of intermittent right upper quadrant pain, anorexia, and weight loss.

Cited by: 5

Author: K Kataria, R Yadav, V Seenu

Publish Year: 2012

Sarcomatoid carcinoma of the gallbladder: A rare form of ...

<https://journals.sagepub.com/doi/full/10.1177/2050313X20906739>

Feb 07, 2020 · Gallbladder carcinoma is an extremely rare malignancy with an annual incidence in the United States of 1–2 cases per 100,000 persons. 1 The vast majority of gallbladder malignancies are adenocarcinomas, with less than 1% being sarcomatoid gallbladder carcinoma, also known as gallbladder carcinosarcoma. In fact, to date, only 108 cases of gallbladder carcinosarcoma have been ...

Author: Mehdi Siddiqui, Sheetal Hegde, Tung ... Publish Year: 2020

Am I the most talkative search engine you have ever used?

Say something...

ALL IMAGES VIDEOS

3,990,000 Results Any time

Sarcomatoid carcinoma of the gallbladder: a case report ...

<https://journals.sagepub.com/doi/10.1177/0300060520935283>

Sarcomatoid carcinoma is a rare type of gallbladder cancer with no specific clinical manifestation. The final diagnosis depends on pathological and immunohistochemical examination. Sarcomatoid carc...

Gallbladder sarcomatoid carcinoma: A case report and ...

<https://www.sciencedirect.com/science/article/pii/S2351979715000250>

Jun 01, 2016 · Sarcomatoid carcinoma of the gallbladder was first reported in 1907 by Landsteiner . Since then, less than 100 further cases have been reported in the English literature . Like gallbladder adenocarcinoma, gallbladder sarcomatoid carcinoma is most common in women. The female/male ratio is between 3.25:1 and 5:1 .

Cited by: 3 Author: Ming-Wun Wong, Ming-Jen Chen, Ming-Jen...
Publish Year: 2016

Sarcomatoid carcinoma of the gallbladder: a case report ...

<https://journals.sagepub.com/doi/abs/10.1177/0300060520935283>

Sarcomatoid carcinoma is a rare type of gallbladder cancer with no specific clinical manifestation. The final diagnosis depends on pathological and immunohistochemical examination. Sarcomatoid carcinoma is characterized by early lymphatic metastasis, rapid progression, a high short-term recurrence rate, and a worse prognosis than adenocarcinoma.

Author: Yunfu Shi, Jiabin Chen, Hua Chen, Xiufa... Publish Year: 2020

Sarcomatoid carcinoma of the gallbladder: A rare form of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7011324>

Gallbladder carcinoma is an extremely rare malignancy with an annual incidence in the United States of 1–2 cases per 100,000 persons. 1 The vast majority of gallbladder malignancies are adenocarcinomas, with less than 1% being sarcomatoid gallbladder carcinoma, also known as gallbladder carcinosarcoma.

Author: Mehdi Siddiqui, Sheetal Hegde, Tung N... Publish Year: 2020

(PDF) Gallbladder sarcomatoid carcinoma: A case report and ...

<https://www.researchgate.net/publication/275672181...>

Gallbladder sarcomatoid carcinoma is a rare neoplasm characterized by the simultaneous presence of malignant epithelial and mesenchymal components. ... We herein report these two cases of ...

Sarcomatoid carcinoma of the gallbladder: A case report ...

www.ccij-online.org/article.asp?issn=2278-0513;...

To our knowledge, 80 cases of sarcomatoid carcinoma of the gallbladder have been reported in the world literature. We report a case of sarcomatoid carcinoma of the gallbladder in a 65-year-old male who was treated with a radical cholecystectomy with extrahepatic bile duct resection.

Sarcomatoid carcinoma of the gallbladder: A rare form of ...

<https://journals.sagepub.com/doi/10.1177/2050313X20906739>

Gallbladder carcinoma is an extremely rare malignancy with an annual incidence in the United States of 1–2 cases per 100,000 persons. 1 The vast majority of gallbladder malignancies are adenocarcinomas, with less than 1% being sarcomatoid gallbladder carcinoma, also known as gallbladder carcinosarcoma. In fact, to date, only 108 cases of gallbladder carcinosarcoma have been reported in the ...

Sarcomatoid carcinoma of the gall bladder

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3649492>

Feb 01, 2012 · Primary gallbladder carcinoma is a malignant neoplasm with an incidence of 1.2 cases per 100 000 people each year. Its occurrence increases with age, particularly in women. It is the fifth most common cancer of the gastrointestinal tract, and the most common malignancy in the biliary tract. Adenocarcinoma is the most common type of gallbladder neoplasm whereas sarcomatoid carcinoma is rare with an incidence of less than one percent of all malignant gall ...

Cited by: 6 Author: K Kataria, R Yadav, V Seenu
Publish Year: 2012

Carcinosarcoma of the Gallbladder with Chondrosarcomatous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6381573>

1. Introduction. Carcinosarcoma of the gallbladder, also referred to by some authors as malignant mixed tumors and sarcomatoid carcinoma, is a rare malignant neoplasm representing less than 1% of all gallbladder malignant tumors [1]. This highly malignant tumor is composed of a carcinomatous component, which can be glandular or squamous or both, intermingled with sarcomatous elements ...

Primary carcinosarcoma of the gallbladder

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3268145>

The postoperative specimen showed a tumor size of 7.8 × 5.5 × 1.2 cm, and histologically, the tumor was found to contain distinct regions of squamous cell carcinoma and high-grade spindle cell sarcoma (Fig. 2). Furthermore, the tumor was found to have extended to perimuscular connective tissue and to have metastasized to one of the 14 LNs excised.

Related searches for Gallbladder sarcomatoid carcinoma: Report ...

sarcomatoid carcinoma of the kidney

causes of sarcomatoid carcinoma

treatment for sarcomatoid carcinoma

skin sarcomatoid carcinoma

sarcomatoid carcinoma lung

sarcomatoid renal cell carcinoma

sarcomatoid carcinoma brain

renal cell carcinoma sarcomatoid features

Some results are removed in response to a notice of local law requirement. For more information, please see here.

Sarcomatoid carcinoma

Sarcomatoid carcinoma, sometimes referred to as pleomorphic carcinoma, is a relatively uncommon form of cancer whose malignant cells have histological, cytological, or molecular properties of both epithelial tumors and mesenchymal tumors. It is believed that sarcomatoid carcinomas develop from more common forms of epithelial tumors.

Wikipedia

People also search for

Spindle cell carcinoma

Basal Cell Carcinoma

Carcinoma

Small-cell carcinoma

Transitional cell carcinoma

See more

Data from: Wikipedia

Suggest an edit

Search Tools

Turn off Hover Translation (关闭取词)



3,010,000 Results Any time ▾

Gallbladder sarcomatoid carcinoma: A case report and ...

<https://www.sciencedirect.com/science/article/pii/S2351979715000250>

Jun 01, 2016 · **Gallbladder sarcomatoid carcinoma: A case report** and review of current literature Introduction. Adenocarcinoma is the most common type of malignant tumor generated in the gallbladder, whereas... **Case report.** A 52-year-old female patient presented ...

Cited by: 3 **Author:** Ming-Wun Wong, Ming-Jen Chen, Ming-J... **Publish Year:** 2016

Sarcomatoid carcinoma of the gallbladder: a case report ...

<https://journals.sagepub.com/doi/10.1177/0300060520935283>

Sarcomatoid carcinoma is a rare type of **gallbladder cancer** with no specific clinical manifestation. The final diagnosis depends on pathological and immunohistochemical examination. **Sarcomatoid carc...**

Author: Yunfu Shi, Jiabin Chen, Hua Chen, Xi... **Publish Year:** 2020

Sarcomatoid carcinoma of the gallbladder: a case report

<https://pubmed.ncbi.nlm.nih.gov/32589472>

Sarcomatoid carcinoma is a rare type of **gallbladder cancer** with no specific clinical manifestation. The final diagnosis depends on pathological and immunohistochemical examination. **Sarcomatoid carcinoma** is characterized by early lymphatic metastasis, rapid progression, a high short-term recurrence rate, and a worse prognosis than adenocarcinoma.

Author: Yunfu Shi, Jiabin Chen, Hua Chen, Xi... **Publish Year:** 2020

Sarcomatoid carcinoma of the gallbladder: A rare form of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7011324>

than 1% being sarcomatoid gallbladder carcinoma, also known as gallbladder carcinosarcoma. In fact, to date, only 108 **cases** of **gallbladder carcinosarcoma** have been **reported** in the medical literature worldwide.²Patients typically present with abdominal pain, jaundice, anorexia, nausea, weight loss, and occasionally a palpable abdominal mass.³

Author: Mehdi Siddiqui, Sheetal Hegde, Tung ... **Publish Year:** 2020

Sarcomatoid carcinoma

Sarcomatoid carcinoma, sometimes referred to as pleomorphic carcinoma, is a relatively uncommon form of cancer whose malignant cells have histological, cytological, or molecular properties of both epithelial tumors and mesenchymal tumors. It is believed that sarcomatoid carcinomas develop from more common forms of epithelial tumors.



People also search for

[Spindle cell carcinoma](#)

[Basal Cell Carcinoma](#)

[Carcinoma](#)

[Small-cell carcinoma](#)

[Transitional cell carcinoma](#)

[See more ▾](#)

Data from: Wikipedia

[Suggest an edit](#)