

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 55660

Title: Treatment of afferent loop syndrome using fluoroscopic-guided nasointestinal tube placement: A report of two cases

Reviewer's code: 05266883

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: United States

Author's Country/Territory: China

Manuscript submission date: 2020-03-27

Reviewer chosen by: Jin-Lei Wang

Reviewer accepted review: 2020-09-09 01:50

Reviewer performed review: 2020-09-17 00:51

Review time: 7 Days and 23 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

This study reported two cases of afferent loop syndrome treated by uroscopic-guided nasointestinal tube placement. Patients who develop afferent loop syndrome soon after R0 resection are usually in poor physical condition; therefore, the decision to perform a second operation remains controversial. In this study, one patient received total gastrectomy with Roux-en-Y anastomosis and the other underwent distal gastrectomy with Billroth II anastomosis. This outcomes are favorable. Overall, this manuscript is very well written, and the I recommend to accepting it after a minor language editing.

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 55660

Title: Treatment of afferent loop syndrome using fluoroscopic-guided nasointestinal tube placement: A report of two cases

Reviewer's code: 05266852

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: Japan

Author's Country/Territory: China

Manuscript submission date: 2020-03-27

Reviewer chosen by: Jin-Lei Wang

Reviewer accepted review: 2020-09-09 01:50

Reviewer performed review: 2020-09-17 00:52

Review time: 7 Days and 23 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

SPECIFIC COMMENTS TO AUTHORS

Interesting cases report. A minor editing is required. Thank you.