

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 55692

Manuscript Type: ORIGINAL ARTICLE

Randomized Controlled Trial

Transarterial chemoembolization with hepatic arterial infusion chemotherapy plus S-1 for hepatocellular carcinoma

Guo JH *et al.* TACE/HAIC plus S-1 in advanced HCC

Jian-Hai Guo, Shao-Xing Liu, Song Gao, Fu-Xin Kou, Xin Zhang, Di Wu, Xiao-Ting Li, Hui Chen, Xiao-Dong Wang, Peng Liu, Peng-Jun Zhang, Hai-Feng Xu, Guang Cao, Lin-Zhong Zhu, Ren-Jie Yang, Xu Zhu

Match Overview

1	Internet 49 words crawled on 09-Apr-2020 www.researchsquare.com	1%
2	Internet 38 words crawled on 08-May-2020 www.dovepress.com	1%
3	Internet 34 words crawled on 02-Apr-2019 www.spandidos-publications.com	1%
4	Internet 31 words crawled on 13-Jul-2019 mafiadoc.com	1%
5	Internet 27 words crawled on 08-Apr-2020 www.mdpi.com	1%
6	Internet 20 words crawled on 27-Jun-2016 www.wjgnet.com	<1%
7	Crossref 13 words Yoo, Jeong-Ju, Jeong-Hoon Lee, Sang Hwan Lee, Minjo ng Lee, Dong Hyeon Lee, Yuri Cho, Yun Bin Lee, Su Jon	<1%
8	Crossref 12 words Zhao, Y., W. J. Wang, S. Guan, H. L. Li, R. C. Xu, J. B. Wu, J. S. Liu, H. P. Li, W. Bai, Z. X. Yin, D. M. Fan, Z. L. Zhang,	<1%
9	Internet 11 words crawled on 27-Apr-2020 journals.plos.org	<1%
10	Crossref 11 words Kazuto Tajiri, Yuka Futsukaichi, Saito Kobayashi, Kohei Nagata et al. "	<1%
11	Crossref 11 words Wenbo Guo, Jian Gao, Wenquan Zhuang, Zhiqiang Wu, Bin Li, Song Chen. "Efficacy and safety of hepatic arterial	<1%



18,900 Results

Any time ▼

Transarterial infusion chemotherapy with cisplatin plus S ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4011764>

Transarterial infusion chemotherapy with cisplatin plus S-1 for hepatocellular carcinoma treatment: a phase I trial. ... Transcatheter **arterial chemoembolization** (TACE) is the treatment of choice for non-curative HCC.

Cited by: 5

Author: Tetsuji Terazawa, Shunsuke Kondo, Hiro...

Publish Year: 2014

Is hepatic arterial infusion chemotherapy effective ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3337569>

Apr 28, 2012 · **Hepatocellular carcinoma (HCC)** is one of the most common malignant diseases around the world, and interventional therapies such as **transarterial chemoembolization** (TACE) or **hepatic arterial infusion chemotherapy** (HAIC) has been performed for patients with **advanced HCC**, especially those with multiple nodules, therefore, it is often repeated several times for the **treatment of recurrent HCC**.

Cited by: 13

Author: Hiroyuki Kirikoshi, Masato Yoneda, Hiro...

Publish Year: 2012

Transarterial infusion chemotherapy with cisplatin plus S ...

<https://bmccancer.biomedcentral.com/articles/10.1186/1471-2407-14-301> ▼

Apr 30, 2014 · In Japan, **transarterial infusion chemotherapy** using cisplatin (CDDP-TAI) is frequently used for advanced **hepatocellular carcinoma** (HCC). Moreover, oral **chemotherapy** with **S-1**, an oral fluoropyrimidine derivative, has also elicited promising responses in HCC patients. We determined the recommended dosage for CDDP-TAI **plus S-1** combination therapy for ...

Cited by: 5

Author: Tetsuji Terazawa, Shunsuke Kondo, Hiro...

Publish Year: 2014

Hepatic artery infusion chemotherapy using mFOLFOX versus ...

<https://cancercommun.biomedcentral.com/articles/10.1186/s40880-017-0251-2> ▼

Oct 23, 2017 · **Transarterial chemoembolization** (TACE) is recommended as the standard care for



ALL

IMAGES

VIDEOS

21,600 Results

Any time ▾

Is hepatic arterial infusion chemotherapy effective ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3337569>

Apr 28, 2012 · **Hepatocellular carcinoma (HCC)** is one of the most common malignant diseases around the world, and interventional therapies such as **transarterial chemoembolization (TACE)** or **hepatic arterial infusion chemotherapy (HAIC)** has been performed for patients with **advanced HCC**, especially those with multiple nodules, therefore, it is often repeated several times for the **treatment of recurrent HCC**.

Cited by: 13

Author: Hiroyuki Kirikoshi, Masato Yoneda, Hiron...

Publish Year: 2012

Transarterial infusion chemotherapy with cisplatin plus S ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4011764>

In Japan, **transarterial infusion chemotherapy using cisplatin (CDDP-TAI)** is frequently used for **advanced hepatocellular carcinoma (HCC)**. Moreover, **oral chemotherapy with S-1**, an oral fluoropyrimidine derivative, has also elicited promising responses in HCC patients.

Cited by: 5

Author: Tetsuji Terazawa, Shunsuke Kondo, Hirok...

Publish Year: 2014

Transarterial embolization and low-dose continuous hepatic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6010942>

Jun 21, 2018 · Many patients who cannot endure systemic **chemotherapy** can benefit from **transarterial chemoembolization (TACE)**. We have adopted continuous **hepatic arterial infusion chemotherapy** technique in our center for the treatment of colon cancer **liver metastasis** and have demonstrated its safety and advantage. However, **PVTT** patients cannot endure a regular ...

Cited by: 2

Author: Lin-Zhong Zhu, Song Xu, Hai-Long Qian

Publish Year: 2018

Hepatic Arterial Infusion Chemotherapy Using Oxaliplatin ...

<https://www.ncbi.nlm.nih.gov/pubmed/31974744>

Jan 23, 2020 · One treatment-related death due to acute **liver failure** occurred 3 days after **TACE** treatment. **CONCLUSION:** **HAIC** may significantly improve **OS** and provide better tumor control with mild side effects and preserved **liver function** in patients with advanced HCC with major **PVTT** compared to **TACE/TAE** treatment. PMID: 31974744. Grant support



21,600 Results

Any time ▾

[Is hepatic arterial infusion chemotherapy effective ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3337569>

Apr 28, 2012 · **Hepatocellular carcinoma (HCC)** is one of the most common malignant diseases around the world, and interventional therapies such as **transarterial chemoembolization (TACE)** or **hepatic arterial infusion chemotherapy (HAIC)** has been performed for patients with **advanced HCC**, especially those with multiple nodules, therefore, it is often repeated several times for the **treatment of recurrent HCC**.

Cited by: 13**Author:** Hiroyuki Kirikoshi, Masato Yoneda, Hiron...**Publish Year:** 2012

[Transarterial infusion chemotherapy with cisplatin plus S ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4011764>

In Japan, **transarterial infusion chemotherapy using cisplatin (CDDP-TAI)** is frequently used for **advanced hepatocellular carcinoma (HCC)**. Moreover, **oral chemotherapy with S-1**, an oral fluoropyrimidine derivative, has also elicited promising responses in HCC patients.

Cited by: 5**Author:** Tetsuji Terazawa, Shunsuke Kondo, Hirok...**Publish Year:** 2014

[Transarterial embolization and low-dose continuous hepatic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6010942>

Jun 21, 2018 · Many patients who cannot endure systemic **chemotherapy** can benefit from **transarterial chemoembolization (TACE)**. We have adopted continuous **hepatic arterial infusion chemotherapy** technique in our center for the treatment of colon cancer **liver** metastasis and have demonstrated its safety and advantage. However, PVT patients cannot endure a regular ...

Cited by: 2**Author:** Lin-Zhong Zhu, Song Xu, Hai-Long Qian**Publish Year:** 2018

[Hepatic Arterial Infusion Chemotherapy Using Oxaliplatin ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/31974744>