

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 55706

**Manuscript Type:** CASE REPORT

**Risk of group aggregative behavior during the COVID-19 outbreak: An epidemiological investigation study**

Zuo H *et al.* COVID-19 spread among three families

Hui Zuo, Zhi-Bing Hu, Feng Zhu

Hui Zuo, Infection Control and Administration, Guangzhou Twelfth People's Hospital, Guangzhou 510620, Guangdong Province, China

**Abstract**

BACKGROUND

At the end of 2019, a new epidemic of viral pneumonia emerged in China and was

### Match Overview

|   |   |     |
|---|---|-----|
| 1 | Internet 33 words<br>crawled on 23-Aug-2020<br><a href="http://m.scirp.org">m.scirp.org</a>   | 2%  |
| 2 | Crossref 19 words<br>Dasheng Li, Dawei Wang, Jianping Dong, Nana Wang, He Huang, Haiwang Xu, Chen Xia. "False-Negative Results of Re                      | 1%  |
| 3 | Internet 18 words<br>crawled on 11-Oct-2020<br><a href="http://pesquisa.bvsalud.org">pesquisa.bvsalud.org</a>   | 1%  |
| 4 | Internet 10 words<br>crawled on 04-Nov-2020<br><a href="http://systematicreviewsjournal.biomedcentral.com">systematicreviewsjournal.biomedcentral.com</a> | 1%  |
| 5 | Internet 8 words<br>crawled on 24-Feb-2012<br><a href="http://www.ijo.cn">www.ijo.cn</a>  | <1% |



ALL

IMAGES

VIDEOS

38,400 Results

Any time ▾

## Prevalence, risk factors and clinical correlates of ...

<https://www.sciencedirect.com/science/article/pii/S0165032720323934>

Background. The COVID-19 outbreak has brought tremendous psychological pressure to the general population, which may lead to depression. Therefore, this study aim to evaluate the prevalence and clinical correlates of depressive symptoms in the general population quarantined during the COVID-19 outbreak in Shenzhen.

Author: Min Peng, Beirong Mo, Yansong Liu, ... Publish Year: 2020

## Perceived risk, behavior changes and Health-related ...

<https://www.sciencedirect.com/science/article/pii/S0168822720306021>

Sep 01, 2020 - 1. Introduction. Since the outbreak of the novel coronavirus disease (COVID-19) was first reported in Wuhan City in China in December 2019 , it has quickly become a global pandemic. A novel betacoronavirus, known as the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), was identified as the pathogen for COVID-19 . China implemented a lockdown of Wuhan in late January ...

Author: Alice F. Yan, Xiaomin Sun, Jinge Zhen... Publish Year: 2020

## Early Release - Early Insights from Statistical and ...

[https://wwwnc.cdc.gov/eid/article/26/11/20-1074\\_article](https://wwwnc.cdc.gov/eid/article/26/11/20-1074_article) ▾

The data suggest that the COVID-19 outbreak was started by a single spillover event occurring in late 2019 ... Community Behavior Modification. One research group performed an online survey after the first case of COVID-19 was reported in Hong Kong. ... [Study on assessing early epidemiological parameters of COVID-19 epidemic in China].

## Changes in Dietary Behaviours during the COVID-19 ...

<https://www.mdpi.com/2072-6643/12/6/1730/htm> ▾

The aim of this study was to evaluate whether dietary behaviours of the Spanish adult population were changed during the COVID-19 outbreak confinement. For that purpose, an online questionnaire, based on 44 items including socio-demographic data, Mediterranean diet (MedDiet) Adherence Screener (MEDAS) as a reference of a healthy diet, processed foods intake, changes in their usual food choices ...

Cited by: 3

Author: Celia Rodríguez-Pérez, Esther Molina-Mo...

Publish Year: 2020

ALL

IMAGES

VIDEOS

36,400 Results

Any time ▾

### [Knowledge, Attitudes and Practices Towards COVID-19: An ...](https://link.springer.com/article/10.1007/s10900-020-00881-1)

<https://link.springer.com/article/10.1007/s10900-020-00881-1> ▾

Jul 07, 2020 · The **COVID-19** pandemic has become a major public health challenge globally with countries of the world adopting unprecedented infection prevention and control (IPC) measures to urgently curtail the spread of the **COVID-19** virus. The knowledge, attitudes and practices (KAP) of the people toward **COVID-19** is critical to understanding the **epidemiological** dynamics of the disease and ...

Cited by: 5

Author: Rine Christopher Reuben, Margaret M A Da...

Publish Year: 2020

### [Prevalence, risk factors and clinical correlates of ...](https://www.sciencedirect.com/science/article/pii/S0165032720323934)

<https://www.sciencedirect.com/science/article/pii/S0165032720323934>

Oct 01, 2020 · Background. The **COVID-19 outbreak** has brought tremendous psychological pressure to the general population, which may lead to depression. Therefore, this **study** aim to evaluate the prevalence and clinical correlates of depressive symptoms in the general population quarantined **during the COVID-19 outbreak** in Shenzhen.

Cited by: 1

Author: Min Peng, Beirong Mo, Yansong Liu, Ming...

Publish Year: 2020

### [Assessing Risk Factors for Severe COVID-19 Illness | CDC](https://www.cdc.gov/.../assessing-risk-factors.html)

<https://www.cdc.gov/.../assessing-risk-factors.html> ▾

Feb 11, 2020 · **COVID-19** can affect anyone, and the disease can cause symptoms ranging from mild to very severe. For some other illnesses caused by respiratory viruses (such as influenza), some people may be more likely to have severe illness than others because they have characteristics or medical conditions that increase their **risk**.

### [Impact of COVID-19 outbreak on rheumatic patients ...](https://onlinelibrary.wiley.com/doi/full/10.1111/1756-185X.13959)

<https://onlinelibrary.wiley.com/doi/full/10.1111/1756-185X.13959>

Sep 17, 2020 · The findings of our **study** offer new and eclectic insight into perception and engagement in health **behavior** among rheumatic patients **during the COVID-19 outbreak**. Despite little literature evidence on the topic, the high response rate (21.2%) not only strengthened our data but also indicated the importance of these concerns to our population.

Author: Lena Mostafa Hassen, Ibrahim A. Alma...

Publish Year: 2020

### [Risk of Coronavirus Disease 2019 Transmission in Train ...](https://academic.oup.com/cid/advance-article/doi/...)

<https://academic.oup.com/cid/advance-article/doi/...> ▾

Jul 29, 2020 · Findings from our **study** provide improved evidence to tailor intervention strategies to reduce the **risk of COVID-19** transmission **during** travel. METHODS Data Sources. **Epidemiological** investigations of **COVID-19** cases and their close contacts were conducted by the Chinese and local Centers for Disease Control and Prevention in China.

### [Affective temperament, attachment style, and the ...](https://www.sciencedirect.com/science/article/pii/S0889159120305869)

<https://www.sciencedirect.com/science/article/pii/S0889159120305869>

Jul 01, 2020 · The **outbreak of COVID-19** is severely affecting mental health worldwide, although individual response may vary. This **study** aims to investigate the psychological distress perceived by the Italian general population **during** the early phase of the **COVID-19** pandemic, and to analyze affective temperament and adult attachment styles as potential mediators.

1

2

3

4

5

&gt;

### Search Tools

Turn off Hover Translation (关闭取词)

[ALL](#)[IMAGES](#)[VIDEOS](#)[MAPS](#)[NEWS](#)[SHOPPING](#)

2,880,000 Results

Any time ▾

### [CDC updates, expands list of people at risk of severe ...](#)

<https://www.cdc.gov/media/releases/2020/p0625-update-expands-covid-19.html> ▾

Jun 25, 2020 · Based on a detailed review of available evidence to date, CDC has updated and expanded the list of who is at increased **risk** for getting severely ill from **COVID-19**. Older adults and people with underlying medical conditions remain at increased **risk** for severe illness, but now CDC has further defined age- and condition-related risks.

### [New survey focuses on COVID-19 behaviors and beliefs ...](#)

<https://www.unr.edu/nevada-today/news/2020/covid...> ▾

Jul 29, 2020 · A new survey **report** issued last month from a national **COVID-19** research **group** revealed stark differences between the **behaviors** and beliefs of residents across U.S. states.. The **Risk** and Social Policy Working **Group** – an interdisciplinary **group** of public health, public policy, psychology, political science and communication researchers from across the U.S. – examined how individuals perceive ...

**Author:** Natalie Fry

### [Risk of Increased Physical Inactivity During COVID-19 ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/jgs.16550>

May 11, 2020 · The World Health Organization labeled coronavirus disease 2019 (**COVID-19**) a “public health emergency of international concern,” declaring it a pandemic in March 2020, with approximately 1,910,000 cases and greater than 123,000 deaths worldwide. 1 **Case**-fatality rates dramatically increase with age, starting at approximately 0% to 1% in individuals aged between 20 and 59 years and ...

**Cited by:** 7

**Author:** Hamilton Roschel, Guilherme G. Artioli, Bru...

**Publish Year:** 2020

### [\[PDF\] COVID-19 Guidance for Behavioral Health Inpatient and ...](#)

<https://www.doh.wa.gov/.../COVID-19GuidanceforBHA.pdf>

Jun 18, 2020 · Patients and staff in inpatient behavioral health facilities have a higher **risk** of getting **COVID-19**. This **risk** comes from living and working in close -quarters and providing in-person treatment to patients. Recent **outbreaks** of **COVID -19** in these inpatient facilities highlight the need for better infection prevention and control procedures.