

国内版国际版

ng

Preservation of superior rectal artery in Laparoscopically assisted su X

ALLIMAGESVIDEOS

18,300 ResultsAny time

(PDF) Ileorectal Anastomosis - ResearchGate

https://www.researchgate.net/publication/257455809_Ileorectal_Anastomosis

the superior rectal artery should also be preserved to ensure ... sis for slow transit constipation: Long-term functional and quality of life ... The risk of rectal cancer after colectomy and ...

Alternative specimen extraction techniques after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3261408>

Many surgeons conduct laparoscopic-assisted colectomy or hand-assisted laparoscopic colectomy procedures (HALS) . For colectomy specimen retrieval, mostly a periumbilical midline or transverse suprapubic (hand-port) incision is used. Wound infection rates from of 0–16% and minilaparotomy hernia percentages of 0–6% are reported [20, 21 ...

Cited by: 7

Author: Tjibbe J. Gardenbroek, Emma J. Eshuis, ...

Publish Year: 2012

Ileorectal Anastomosis - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1043148909000098>

Jun 01, 2009 · Ileorectal Anastomosis and Functional Bowel Disorders. For patients with severe slow transit constipation who fail medical management total colectomy and IRA has traditionally been the procedure of choice. 19 The overall satisfaction or success rates vary with a median rate 86%, restoring acceptable bowel function in most of the patients. However, on long-term follow-up the incidence of ...

(PDF) Alternative specimen extraction techniques after ...

<https://www.researchgate.net/publication/51630536...>

Sep 01, 2020 · cute laparoscopic subtotal colectomy for IBD colitis with a ... identification and saving

9个项目

Search Tools

Turn off Hover Translation (关闭)

Microsoft Bing

国内版 国际版

Preservation of superior rectal artery in Laparoscopically assisted s

27,400 Results

Any time

ALL

IMAGES

VIDEOS

Alternative specimen extraction techniques after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3261408>

Many surgeons conduct laparoscopic assisted colectomy or hand-assisted laparoscopic colectomy procedures (HALS). For colectomy specimen retrieval, mostly a periumbilical midline or transverse suprapubic (hand-port) incision is used. Wound infection rates from 0–16% and mini-laparotomy hernia percentages of 0–6% are reported [20, 21 ...

Cited by: 7

Author: Tjibbe J. Gardenbroek, Emma J. Eshuis, Gij...

Publish Year: 2012

(PDF) Ileorectal Anastomosis - ResearchGate

https://www.researchgate.net/publication/257455809_Ileorectal_Anastomosis

the superior rectal artery should also be preserved to ensure ... sis for slow transit constipation: Long-term functional and quality of life ... The risk of rectal cancer after colectomy and ...

Technical considerations for elective colectomy for ...

<https://www.sciencedirect.com/science/article/pii/S1043148920300701>

Nov 19, 2020 - Colectomy is the definitive treatment of diverticulitis, consisting of surgical resection of the pathophysiologic origin of the disease process. The d...

Search Tools

Turn on Hover Translation (开启敬词)

Chat with Bing

Sign in

激活 Windows

转到“设置”以激活 Windows。

国内版

国际版

Preservation of superior rectal artery in laparoscopically assisted sul



ALL

IMAGES

VIDEOS

58,100 Results

Any time ▾

(PDF) Ileorectal Anastomosis - ResearchGate

https://www.researchgate.net/publication/257455809_Ileorectal_Anastomosis



the superior rectal artery should also be preserved to ensure ... sis for slow transit constipation: Long-term functional and quality of life ... The risk of rectal cancer after colectomy ...

Estimated Reading Time: 4 mins

Ileorectal Anastomosis - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1043148909000098>

Jun 01, 2009 · The main ileocolic vessels supplying the terminal ileum should be preserved for possible future pouch construction. As far as the blood supply of the colon, terminal branches of inferior mesenteric artery and the superior rectal artery should also be preserved to ensure adequate blood supply of ...

PEOPLE ALSO ASK

What is ileorectal anastomosis?



Can laparoscopic colectomy lead to small bowel obstruction?



When to do a laparoscopic sigmoid resection of the alimentary tract?



When was combined rectopexy and sigmoid resection first used?



Feedback

Right Colon to Rectal Anastomosis (Deloyers Procedure) as ...

<https://www.researchgate.net/publication/223982434...>

The Deloyers procedure allows preservation of the ileocecal valve, avoiding the need for total colectomy and an ileo-rectal anastomosis for which functional outcomes can be unsatisfactory [2, 3]....

Estimated Reading Time: 10 mins

(PDF) Alternative specimen extraction techniques after ...

<https://www.researchgate.net/publication/51630536...>