



Name of Journal: *World Journal of Clinical Oncology*

Manuscript NO: 55936

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Forkhead box P3 and indoleamine 2,3-dioxygenase co-expression in Pakistani triple negative breast cancer patients

FOXP3 and IDO

Kashif Asghar, Asif Loya, Iftikhar Ali Rana, Muhammad Abu Bakar, Asim Farooq, Muhammad Tahseen, Muhamamd Ishaq, Iqra Masood, Muhammad Usman Rashid

Match Overview

1	Internet 97 words www.ncbi.nlm.nih.gov	4%
2	Internet 96 words crawled on 01-Mar-2020 www.scilit.net	4%
3	Internet 66 words crawled on 25-Jan-2020 www.dovepress.com	3%
4	Internet 48 words crawled on 02-Jan-2018 www.eventscribe.com	2%
5	Crossref 45 words Kashif Asghar, Asif Loya, Iftikhar Ali Rana, Muhammad Tahseen, Muhammad Ishaq, Asim Farooq, Muhammad Abu	2%
6	Crossref 20 words Aaron S Mansfield. "Simultaneous Foxp3 and IDO expression is associated with sentinel lymph node metastases in	1%

Forkhead box P3 and indoleamine 2,3-dioxygenase co-expression in Pak



Sign in



ALL

IMAGES

VIDEOS

9,980 Results

Any time ▾

Targeting the indoleamine 2,3-dioxygenase pathway in cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4678703>

Dec 15, 2015 · Chen JY, Li CF, Kuo CC, Tsai KK, Hou MF, Hung WC. **Cancer**/stroma interplay via cyclooxygenase-2 and indoleamine 2,3-dioxygenase promotes **breast cancer** progression. **Breast Cancer Res.** 2014; 16 (4):410. doi: 10.1186/s13058-014-0410-1. [PMC free article] [Google Scholar]

Cited by: 201

Author: Yong Wha Moon, Joud Hajjar, Patrick Hw...

Publish Year: 2015

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

FoxP3 and Indoleamine 2,3-dioxygenase Immunoreactivity in ...

https://www.researchgate.net/publication/264982704_FoxP3_and_Indoleamine_23...

The aim of this study was to provide preliminary data on the expression of transcription factor **forkhead box** protein **P3** (FoxP3) and indoleamine 2,3-dioxygenase (IDO) in primary canine melanocytic ...

Targeting indoleamine-2,3-dioxygenase in cancer ...

<https://www.sciencedirect.com/science/article/pii/S0163725818302201>

Apr 01, 2019 · ECHO-202/KEYNOTE-037 was a phase I/II trial that investigated the safety and efficacy of epacadostat plus pembrolizumab in **patients** with advanced solid tumors including melanoma, NSCLC, squamous cell carcinoma of head and neck (SCCHN), RCC, UC, **triple negative breast cancer** (TNBC)

Forkhead box P3 and indoleamine 2,3-dioxygenase co-expression ir



Sign in



ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

14,000 Results

Any time ▾

[Targeting indoleamine-2,3-dioxygenase in cancer ...](#)

<https://www.sciencedirect.com/science/article/pii/S0163725818302201>

Apr 01, 2019 · ECHO-202/KEYNOTE-037 was a phase I/II trial that investigated the safety and efficacy of epacadostat plus pembrolizumab in **patients** with advanced solid tumors including melanoma, NSCLC, squamous cell carcinoma of head and neck (SCCHN), RCC, UC, **triple negative breast cancer** (TNBC) and ovarian carcinoma. The combination was well tolerated.

Cited by: 23

Author: Biagio Ricciuti, Giulia Costanza Leonardi, G...

Publish Year: 2019

Search Tools

[Turn on Hover Translation \(开启取词\)](#)

[FoxP3 and Indoleamine 2,3-dioxygenase Immunoreactivity in ...](#)

<https://www.researchgate.net/publication/264982704...>

The aim of this study was to provide preliminary data on the expression of transcription factor **forkhead box protein P3** (FoxP3) and **indoleamine 2,3-dioxygenase** (IDO) in primary canine melanocytic ...

[The silencing of indoleamine 2,3-dioxygenase 1 \(IDO1\) in ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6683295>

Aug 05, 2019 · Cell-based therapy using dendritic cells (DC) represents a potent **cancer** immunotherapy. However, activated DC express **indoleamine 2,3-dioxygenase 1** (IDO1), a counter-regulatory and

激活 Windows

转到“设置”以激活 Windows

[Feedback](#)

ALL IMAGES VIDEOS MAPS NEWS SHOPPING

24,800 Results Any time ▾

Frontiers | IDO Expression in Cancer: Different ...

<https://www.frontiersin.org/articles/10.3389/fimmu.2020.531491> ▾

Sep 24, 2020 · **Indoleamine 2,3-dioxygenase 1** (IDO1) is a cytosolic haem-containing enzyme involved in the degradation of tryptophan to kynurenine. Although initially thought to be solely implicated in the modulation of innate immune responses during infection, subsequent discoveries demonstrated IDO1 as a mechanism of acquired immune tolerance. In **cancer**, IDO1 expression/activity has been observed ...

Author: Annabel Meireson, Michael Devos, Li... **Publish Year:** 2020

Targeting indoleamine-2,3-dioxygenase in cancer ...

<https://www.sciencedirect.com/science/article/pii/S0163725818302201>

Apr 01, 2019 · ECHO-202/KEYNOTE-037 was a phase I/II trial that investigated the safety and efficacy of epacadostat plus pembrolizumab in **patients** with advanced solid tumors including melanoma, NSCLC, squamous cell carcinoma of head and neck (SCCHN), RCC, UC, **triple negative breast cancer** (TNBC) and ovarian carcinoma. The combination was well tolerated.

Cited by: 25 **Author:** Biagio Ricciuti, Giulia Costanza Leonardi,...

Publish Year: 2019

FoxP3 and Indoleamine 2,3-dioxygenase Immunoreactivity in ...

https://www.researchgate.net/publication/264982704_FoxP3_and_Indoleamine_23...

The aim of this study was to provide preliminary data on the expression of transcription factor **forkhead box** protein **P3** (FoxP3) and **indoleamine 2,3-dioxygenase** (IDO) in primary canine melanocytic ...

The silencing of indoleamine 2,3-dioxygenase 1 (IDO1) in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6683295>

Aug 05, 2019 · Cell-based therapy using dendritic cells (DC) represents a potent **cancer** immunotherapy. However, activated DC express **indoleamine 2,3-dioxygenase 1** (IDO1), a counter-regulatory and tolerogenic molecule, leading to the inhibition of T cell activation and the promotion of T cell differentiation into regulatory T cells.

Cited by: 8 **Author:** Rikito Endo, Takashi Nakamura, Kyoko K...

Publish Year: 2019