

国内版

国际版

Early ultrasound diagnosis of conjoined twins at 8 weeks of pregnancy: 7

Chat with Bing

Sign in

ALL

IMAGES

VIDEOS

9,070 Results

Any time

Prenatal diagnosis of conjoined twins: four cases in a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3939146>

The sonographic diagnosis of conjoined twins was first reported by Wilson et al. . Conjoined twins have been diagnosed in the first trimester with both transabdominal and transvaginal sonography (10, 11). According to Hill , the earliest prenatal suspicion of conjoined twins can arise at 7 weeks gestation. Because all conjoined twins are monochorionic and monoamniotic, the level of suspicion ...

Author: Ali Gedikbaşı, Gökhan Yıldırım, Sezin ... Publish Year: 2010

[PDF] Early Prenatal Diagnosis of Conjoined Twins: Case Series

[www.ijwhr.net/pdf.php?id=120](http://www.ijwhr.net/pdf.php?id=120)

Early diagnosis of conjoined twins using two-dimensional color Doppler and three-dimensional ultrasound. J Natl Med Assoc. 1998;90(9):552-556. 13. Taner MZ, Kurdoglu M, Taskiran C, Kurdoglu Z, Himmetoglu O, Balci S. Early prenatal diagnosis of conjoined twins at 7 weeks and 6 days' gestation with two-dimensional Doppler ultrasound: a case report.

Search Tools

Turn off Hover Translation (关闭取词)

国内版 国际版

Early ultrasound diagnosis of conjoined twins at 8 week of pregnanc



ALL IMAGES VIDEOS

19,000 Results

Any time ▾

### [Prenatal diagnosis of conjoined twins: four cases in a ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3939146>

Dec 01, 2010 · The **sonographic diagnosis of conjoined twins** was first reported by Wilson et al. (6).

**Conjoined twins** have been **diagnosed** in the first trimester with both transabdominal and transvaginal sonography (10, 11). According to Hill (12), the **earliest prenatal suspicion of conjoined twins** can arise at **7 weeks gestation**.

**Author:** Ali Gedikbaşı, Gökhan Yıldırım, Sezin... **Publish Year:** 2010

### [Conjoined twins – A case report of prenatal diagnosis of ...](#)

<https://www.sciencedirect.com/science/article/pii/S1078817419301452>

May 01, 2020 · Introduction. **Conjoined twins**, or Siamese **twins**, are an extremely rare phenomenon with a prevalence of 1: 49.000–189.000 births. About 50% of **conjoined twins** are stillborn, about 25% are born with severe congenital anomalies, whereas 25% manage to survive. 1, 2 This **case report** illustrates our experience in foetal MRI of **conjoined twins** with single-shot fast spin-echo T2 ...

**Author:** S. Vegar-Zubović, S. Prevljak, A. Beh... **Publish Year:** 2020

[PDF] [Early Prenatal Diagnosis of Conjoined Twins: Case Series](#)

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 56202

**Manuscript Type:** CASE REPORT

**Early ultrasound diagnosis of conjoined twins at 8 week of pregnancy: A case report**

Xiao-Wen Liang, Yong-Yi Cai, Yao-Zhang Yang, Zhi-Yi Chen

Match Overview

100% 100%

1

**Internet** 14 words  
crawled on 22-Aug-2018  
[perinatajournal.com](http://perinatajournal.com)

1%

国内版 国际版

Early ultrasound diagnosis of conjoined twins at 8 weeks of pregni



ALL IMAGES VIDEOS

42,600 Results

Any time ▾

### Prenatal diagnosis of conjoined twins: four cases in a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3939146>

Dec 01, 2010 · The sonographic **diagnosis of conjoined twins** was first reported by Wilson et al. .

**Conjoined twins** have been diagnosed in the first trimester with both transabdominal and transvaginal sonography (10, 11). According to Hill , the earliest prenatal suspicion of **conjoined twins** can arise at 7 **weeks** gestation. Because all **conjoined twins** are ...

**Author:** Ali Gedikbaşı, Gökhan Yıldırım, Sezi... **Publish Year:** 2010

### Conjoined twins – A case report of prenatal diagnosis of ...

<https://www.sciencedirect.com/science/article/pii/S1078817419301452>

May 01, 2020 · Introduction. **Conjoined twins**, or Siamese **twins**, are an extremely rare phenomenon with a prevalence of 1: 49.000–189.000 births. About 50% of **conjoined twins** are stillborn, about 25% are born with severe congenital anomalies, whereas 25% manage to survive. 1, 2 This **case report** illustrates our experience in foetal MRI of **conjoined twins** with single-shot ...

**Author:** S. Vegar-Zubović, S. Prevljak, A. Be... **Publish Year:** 2020

### [PDF] Prenatal sonographic diagnosis of conjoined twins in the ...

<https://obgyn.onlinelibrary.wiley.com/doi/pdf/10.1046/j.1469-0705.1998.11040289.x>

Key words: PRENATAL **DIAGNOSIS**, **ULTRASOUND**, **CONJOINED TWINS** ABSTRACT **Conjoined twins** are a rare occurrence. We present two cases of **conjoined twins** diagnosed by **ultrasound** examination at 8 and 13 **weeks**’ gestation, respectively. These cases demonstrated the possibility of making an accurate diagno-

**Cited by:** 70 **Author:** Y. H. Lam, S. Y. Sin, C. Lam, C. P. Lee, ...  
**Publish Year:** 1998

### Early Prenatal Diagnosis of Conjoined Twins: Case Series

[https://www.researchgate.net/publication/281805808\\_Early\\_Prenatal\\_Diagnosis\\_of..](https://www.researchgate.net/publication/281805808_Early_Prenatal_Diagnosis_of..)

...