

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 56368

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Hepatitis B virus detected in paper currencies in a densely populated city of India: A plausible source of horizontal transmission?

Das P *et al.* HBV detected in paper currencies

Palashpriya Das, Ruchi Supekar, Ritika Chatterjee, Subrata Roy, Anisa Ghosh, Subhajit Biswas

Abstract

Match Overview

1	Internet 99 words crawled on 22-Apr-2020 www.elsevier.es	2%
2	Internet 44 words crawled on 27-Aug-2020 mafiadoc.com	1%
3	Internet 44 words crawled on 10-Feb-2020 docplayer.fi	1%
4	Internet 35 words crawled on 03-May-2019 www.recentscientific.com	1%
5	Internet 30 words crawled on 29-Jul-2020 tessera.spandidos-publications.com	1%
6	Internet 25 words crawled on 20-Feb-2020 link.springer.com	<1%
7	Crossref 23 words Das, Pranab Jyoti, Paramita Paul, Biswajit Mukherjee, Bhaskar Mazumder, Laboni Mondal, Rinku Baishya, Mita Ch	<1%

国内版

国际版



Hepatitis B virus detected in paper currencies in a densely populated



ALL

IMAGES

VIDEOS

10,700 Results

Any time ▾

(PDF) Molecular epidemiology and genetic characterization ...

<https://www.researchgate.net/publication/259825835...>

Aims: The recent increasing incidences of **hepatitis B virus** (HBV) infections, including asymptomatic occult HBV infections (OBIs), **in a densely populated city in India**, prompted us to investigate ...

(PDF) Hepatitis B virus subgenotype A1 predominates in ...

<https://www.researchgate.net/publication/259653432...>

Hepatitis B virus subgenotype A1 predominates in liver disease patients from Kerala, **India** Article (PDF Available) in World Journal of Gastroenterology 19(48):9294-306 · December 2013 with 82 Reads

Urban-Rural Comparison of HBV and HCV Infection Prevalence ...

<https://www.researchgate.net/publication/11985539...>

The present study was initiated to make an urban-rural comparison of the prevalence of cases positive to **hepatitis B** and **C virus** (HBV and HCV, respectively) infection markers in **densely populated** ...

Seroepidemiology of Hepatitis B and Delta Virus Infections ...

<https://www.researchgate.net/publication/8918719...>

Hepatitis B virus (HBV) infection is one of the most prevalent public health problems worldwide, and causes 1 million deaths annually. In Bangladesh, information about prevalence of HBV infection ...

(PDF) Prevalence of Occult HBV Among Hemodialysis Patients ...

Search Tools

Turn off Hover Translation (关闭取词)



Hepatitis B virus detected in paper currencies in a densely populated



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

10,700 Results Any time ▾

[\(PDF\) Molecular epidemiology and genetic characterization ...](#)

<https://www.researchgate.net/publication/259825835...>

Aims: The recent increasing incidences of **hepatitis B virus** (HBV) infections, including asymptomatic occult HBV infections (OBIs), **in a densely populated city in India**, prompted us to investigate ...

[\(PDF\) Hepatitis B virus subgenotype A1 predominates in ...](#)

<https://www.researchgate.net/publication/259653432...>

Hepatitis B virus subgenotype A1 predominates in liver disease patients from Kerala, **India** Article (PDF Available) in World Journal of Gastroenterology 19(48):9294-306 · December 2013 with 82 Reads

[Infectious Disease Emergence: Past, Present, and Future ...](#)

<https://www.ncbi.nlm.nih.gov/books/NBK45714/?report=printable>

There was no human-to-human **transmission** of NiV in Malaysia, but the **virus** caused the death of over 100 people, with a fatality rate of around 40 percent. The **virus** is carried by fruit bats (*Pteropus* spp.), infected pigs, and people in close contact with infected pigs in Malaysia and Singapore (Figure 5-20).

[Yellow fever - WHO](#)

<https://www.who.int/news-room/fact-sheets/detail/yellow-fever> ▾

< **Signs and Symptoms** **Diagnosis** **Populations at Risk** **Transmissio** >

Once contracted, the yellow fever virus incubates in the body for 3 to 6 days. Many people do not experience symptoms, but when these do occur, the most common are **fever, muscle pain with prominent backache, headache, loss of appetite, and nausea or vomiting**. In most cases, symptoms **disappear after 3 to 4 days**.

[See more on who.int](#)

[Pediatric Infectious Diseases Revisited - MAFIADOC.COM](#)

<https://mafiadoc.com/pediatric-infectious-diseases...> ▾

Type 3 wild poliovirus **transmission** is now restricted to small foci in northern Nigeria and northern **India**, and a joint **virus** reservoir between southern Afghanistan and central Pakistan. Monovalent OPVs (types 1 and 3), which result in significantly higher type-specific seroconversion rates compared to trivalent