



56490-Review-check.docx

Quotes Excluded  
Bibliography Excluded

6%  
SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56490

Manuscript Type: CASE REPORT

Multiple recurrent neurofibromas in the abdominal wall: A case report

Zhao XF *et al.* A case report about neurofibromas

Xue-Fei Zhao, Ying-Mo Shen, Jie Chen

Xue-Fei Zhao, Ying-Mo Shen, <sup>3</sup>Jie Chen, Department of Hernia and Abdominal Wall Surgery, Beijing Chaoyang Hospital, Capital Medical University, Beijing 100020, China

Author contributions: Zhao XF performed the operation; Shen YM designed this case report; Chen J wrote this paper; Zhao XF was responsible for sorting the data.

<sup>2</sup>Corresponding author: Jie Chen, MD, Chief Physician, Department of Hernia and

Match Overview

- 1

**Crossref** 45 words  
X. Zhao, Z. Cao, Y. Nie, J. Liu, X. Yuan, J. Chen, Y. Shen. "F...  
trospective analysis of defect reconstruction after abdominal

3%
- 2

**Crossref** 24 words  
Fuqiang Chen, Min Liu, Cuihong Jin, Fan Wang, Yingmo She  
n, Fenglin Zhao, Jie Chen. "Tension-Free Mesh Repair for Ir ...

2%
- 3

**Internet** 17 words  
crawled on 02-Nov-2019  
[www.spandidos-publications.com](http://www.spandidos-publications.com)

1%



ALL

IMAGES

VIDEOS

101,000 Results

Any time ▼

### [\(PDF\) Recurrent abdominal complaints caused by a cecal ...](#)

<https://www.researchgate.net/publication/51743962...>

Sep 14, 2011 · Diffuse ganglioneuromatosis (DG) of the gastrointestinal tract is a rare condition that is closely associated with neurofibromatosis type 1 and ...

### [\[PDF\] Recurrent abdominal complaints caused by a cecal ...](#)

<https://www.researchgate.net/profile/Pieter...>

a neurofibroma in the cecal wall. CASE REPORT ... Donk W et al. Recurrent abdominal complaints caused by a cecal neurofibroma ... NF1 can affect **multiple** organ systems, causing skin le-

### [Recurrent abdominal complaints caused by a cecal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3198026>

Sep 14, 2011 · In this report we present a case of a patient with NF1 and recurrent abdominal complaints caused by a large cecal neurofibroma. Gastrointestinal involvement of NF1 can be found in patients with NF1 and abdominal pain, particularly in the upper gastrointestinal tract, ...

Cited by: 6

Author: Willem Donk, Paul Poyck, Pieter Westen...

Publish Year: 2011

### [Spectrum of gastrointestinal lesions of neurofibromatosis ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6206377>

Sep 04, 2018 · Neurofibromas of the abdominal wall are also found on CT scan (red arrow) NETs are reported in about 1% of individuals with NF1 [ 19 ]. NF1-related NETs are among other inherited syndromes such as **multiple** endocrine neoplasia type 1 syndrome or tuberous sclerosis [ 29 ].

Cited by: 3

Author: Nada Garrouche, Amel Ben Abdallah, Na...

Publish Year: 2018

### [\[PDF\] Recurrent gastrointestinal bleeding in a patient with type ...](#)

<https://casereports.bmj.com/content/bmjcr/12/6/e226303.full.pdf>

Case report Recurrent gastrointestinal bleeding in a patient with ... Physical examination revealed **multiple** cafe au lait spots and neurofibromas over the abdominal wall, trunk and extremities (figure 1). He also had freckling in the axilla. The abdomen was soft and

Author: Vidhyachandra Gandhi, Pratik Gauta...

Publish Year: 2019



Multiple recurrent neurofibromas in the abdominal wall: A case rep



ALL

IMAGES

VIDEOS

157,000 Results

Any time ▼

## Recurrent abdominal complaints caused by a cecal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3198026>

Sep 14, 2011 · In this report we present a case of a patient with NF1 and recurrent abdominal complaints caused by a large cecal neurofibroma. **Gastrointestinal** involvement of **NF1** can be found in patients with NF1 and abdominal pain, particularly in the upper gastrointestinal tract, ...

**Cited by:** 6

**Author:** Willem Donk, Paul Poyck, Pieter Westen...

**Publish Year:** 2011

## Recurrent gastrointestinal bleeding in ... - BMJ Case Reports

<https://casereports.bmj.com/content/12/6/e226303> ▼

Jun 03, 2019 · We encounter approximately 50 cases of GI bleed annually at our centre. In a type 1 neurofibromatosis (NF1) patient, neurofibromas of the jejunum presenting with massive GI bleed are rare. We report a case of **bleeding jejunal** neurofibromas in ...

**Author:** Vidhyachandra Gandhi, Pratik Gauta...

**Publish Year:** 2019

## Spectrum of gastrointestinal lesions of neurofibromatosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6206377>



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

442,000 Results

Any time ▾

## Recurrent abdominal complaints caused by a cecal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3198026>

Sep 14, 2011 · In this report we present a case of a patient with NF1 and recurrent abdominal complaints caused by a large cecal neurofibroma. **Gastrointestinal** involvement of **NF1** can be found in patients with NF1 and abdominal pain, particularly in the upper gastrointestinal tract, ...

**Cited by:** 6

**Author:** Willem Donk, Paul Poyck, Pieter Westen...

**Publish Year:** 2011

## Recurrent gastrointestinal bleeding in ... - BMJ Case Reports

<https://casereports.bmj.com/content/12/6/e226303> ▾

Jun 03, 2019 · On presentation, he was pale with tachycardia (pulse rate—110/min) and hypotension (blood pressure—90/60 mm Hg). Physical examination revealed **multiple** cafe au lait spots and **neurofibromas** over the **abdominal wall**, trunk and extremities . He also had freckling in the axilla.

**Author:** Vidhyachandra Gandhi, Pratik Gauta...

**Publish Year:** 2019

## Spectrum of gastrointestinal lesions of neurofibromatosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6206377>

Sep 04, 2018 · Neurofibromas of the abdominal wall are also found on CT scan (red arrow) NETs are reported in about 1% of individuals with **NF1** [ 19 ]. **NF1-related** NETs are among other inherited syndromes such as multiple endocrine neoplasia type 1 syndrome or tuberous sclerosis [ 29 ].

**Cited by:** 3

**Author:** Nada Garrouche, Amel Ben Abdallah, Na...

**Publish Year:** 2018

## (PDF) Solitary neurofibroma in the abdominal wall of a ...

[https://www.researchgate.net/publication/44571320\\_Solitary\\_neurofibroma\\_in\\_the...](https://www.researchgate.net/publication/44571320_Solitary_neurofibroma_in_the...)

**A case** is reported of solitary neurofibroma **in the abdominal wall** of a 19-year-old patient without neurofibromatosis. Articles included are from Proquest, Pubmed and Ovid databases.

## Malignant Schwannoma of Anterior Abdominal Wall: Report of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3299187>

Malignant schwannoma of the anterior **abdominal wall** nerves is extremely rare. Malignant peripheral nerve sheath tumors (MPNST) represent approximately 10% of all soft tissue sarcomas and it is found in